



SHOPRITE

Global demo brief
SAP BTP Hackathon

Fresh-food rescue process on SAP Business Technology Platform

FreshChain shows how cold-chain readings, stock context, SAP AI Core scoring, store action, and financial proof can be handled as one traceable process.



Collaboration: retail solutions SA and Shoprite

Team: Carlo de Villiers, Bill Ajaegbu, Alcino Faria, Emma Rautenbach, Bianca Finsterbusch, Soleh Davids, Glenn Samuel

Prepared for a global audience
Process evidence from the FreshChain Fiori suite

What the solution demonstrates


The demo is organized around a practical operating loop. A store receives a cold-chain signal, FreshChain calculates the business risk from live system data, a user executes a rescue action, and the outcome is recorded as protected value.



The document is intentionally process-driven. It does not describe FreshChain as a concept only; each section ties the claim to an app screen, a data object, or a visible business result.

Work Zone home: operational tiles and KPI context


The Work Zone page gives users a role-based starting point. KPI tiles summarize protected value, risk exposure, workflow action rate, and financial audit value, while task tiles open the main FreshChain apps.




The first row supports the primary demo: command center, risk view, workflow action, financial proof, live rescue cockpit, and monitoring. The master-data row is available for inspection but is not the center of the judge demonstration.

FreshChain Rescue Cockpit: trigger the scenario

The live demo begins in the Rescue Cockpit. The user starts an incident, captures the latest reading, requests AI scoring, builds a rescue plan, and completes proof from one action-oriented screen.



Start incident establishes the run and the business context for the sensor event.



Live reading records the condition that drives the downstream prediction and rescue action.

For the demo, the reading payload can be simulated. The business outputs after that point should come from the deployed CAP services, HANA persistence, AI scoring response, and FreshChain action records.

AI risk decision: score, confidence, recommendation

The prediction step converts the reading and stock context into a decision record. This makes the AI result visible to business users and traceable to the deployed model runtime.

<

SAP Build Work Zone

FreshChain Sense ▾

🔍

FreshChain Rescue Cockpit

▶ Start incident

Live reading

Score risk

Build rescue

Complete proof

↺

⏸

↻

Latest reading was scored through SAP AI Core.

Risk: CRITICAL

Workflow: No task yet

Active cold-chain incident

ST001 / ZN_DAIRY_01

chilled stock under TEMPERATURE_EXCURSION conditions

9.6 C live reading

AI decision recorded

5 integrations reporting

Next best action

Estimated remaining shelf life: 0.0 days. Urgent: remove fr...

FreshChain converts telemetry into stock value at risk, expected loss, and a store task with proof.

Revenue at risk

R 0

No affected stock priced yet

Expected loss

R 0

100% AI risk x 71,8% confidence

Potential protected value

R 0

Pending rescue plan

Actual protected value

R 0

Complete proof to convert potential value into actual protected revenue

Rescue SLA

0 min

Risk

Critical spoilage exposure is shown with the affected store, zone, and stock lot.

Confidence

The score and confidence are persisted with the inference request for auditability.

Action

The recommendation explains what the store team should do next.

Proof

The decision is linked to the rescue plan and later financial impact.

How the protected value is calculated

FreshChain explains the value calculation in the same screen where the action is completed. The figure is not a slide-only number; it is derived from stock ledger value, AI risk, AI confidence, and the configured salvage cap.

FreshChain Rescue Cockpit

One rescue scenario was created and scored. Demo run stopped to control AI Core usage.

▶ Start incident

Live reading

Score risk

Build rescue

Complete proof

...

Expected loss

R 5 899 x 100% risk x 77,5% confidence = R 4 526

Potential protected value

Lower of expected loss and salvage cap (R 5 899 x 82%) = R 4 526

Actual protected value

Counts as R 4 526 only after the store task is completed with outcome proof.

Stock at risk = active stock in affected zone (90 units) priced from stock ledger at ZAR 5 899,1. Expected loss = ZAR 5 899,1 x AI risk 0.99 x AI confidence 0.775 = ZAR 4 526,08. Salvage cap = ZAR 5 899,1 x maintained salvage rate 0.82 from DEFAULT_RETAIL_RESCUE = ZAR 4 837,26. Potential protected revenue = lower of expected loss and salvage cap = ZAR 4 526,08. Completed action: moved stock to ZN_MEAT_01; outcome: Moved stock to a safe zone, checked refrigeration, and started markdown proof..

Stock at risk

Active stock in the affected zone: 90 units priced from the stock ledger at R 5 899.1.

Expected loss

Stock value x AI risk x AI confidence = R 4 526.08 in the shown rescue scenario.

Salvage cap


Configured rescue economics cap the recoverable value at R 4 837.26.

Protected value


The reported protected value is the lower of expected loss and salvage cap: R 4 526.08.

Store task completion and operational proof

The completed state records the intervention outcome, workflow task reference, protected value, and operational instruction. This lets the team discuss business impact without leaving the Fiori process.



The task view identifies ownership and gives the store team a specific rescue action.



The completion view provides the evidence needed to discuss value protected and operational status.

RESCUED

Outcome status after completing the workflow proof

Task ID

The screen includes a workflow proof identifier for audit discussion

SLA

Action required within the operational time window

Main apps used in the demonstration

The judges should see the suite as a coherent process, not as independent lists. These applications cover command, prediction, action, proof, and monitoring.

COMMAND

FreshChain Command Center
Shows the current KPI position and gives the panel a quick view of protected value, exposure, actions, and cold-chain status.

PREDICT

FreshChain Predict
Lists SAP AI Core risk decisions with score, confidence, store, zone, and prediction type.

ACT

FreshChain Act
Supports operational decisioning for stock rescue, movement, markdown, and store-level response.

PROVE

FreshChain Prove
Audits completed interventions and explains where protected revenue and outcome values come from.

MONITOR

FreshChain Monitor
Tracks cold-chain events, ingestion health, and the operational telemetry needed to maintain confidence.

INTEGRATIONS

Live Demo Integrations
Shows platform hand-offs, AI Core proof, message processing, and runtime status for the live scenario.

Recommended panel flow: Work Zone home, Rescue Cockpit, AI decision, rescue plan, completion proof, Command Center KPI refresh, then a short inspection of Predict and Prove.

These screenshots show the main applications beyond the cockpit. They support questions from business judges and technical judges without moving the demo into master-data maintenance.

Operational intervention list, execution state, recommended action, and ownership.

Persisted SAP AI Core decision records with score, confidence, store, and zone.

Outcome and protected-value inspection for completed interventions.

Cold-chain alerts and ingestion status for operational assurance.

Supporting apps that make the process governed

The master-data apps are not the focus of the panel demo, but they show that the rescue process is grounded in maintainable business entities rather than isolated mock screens.

SAP

SAP Build Work Zone

Manage Products

Search

Editing Status: All

Category:

Subcategory:

Adapt Filters

Products (0)

SKU	Name	Category	Subcategory
MILK-IL	Milk Milk IL	DAIRY	MILK
YOG-500	Greek Yogurt 500g	DAIRY	YOGURT
BEEF-1500g	Beef Steak Pack	MEAT	BEEF
BERRIES	Mixed Berries	PRODUCE	BERRIES

Manage Products

Product policy, category, and perishable stock attributes.

SAP

SAP Build Work Zone

Manage Thresholds

Search

Editing Status: All

Area Type:

Product Category: (Not Selected)

Adapt Filters

Thresholds (0)

Zone Type	Product Category	Min Temp C	Max Temp C	Duration Minutes	Door Open Secs...
DAIRY_FRESH	DAIRY	0.00	6.00	5	200
MEAT_FRESH	MEAT	0.00	4.00	5	240
PRODUCE_FRESH	PRODUCE	2.00	8.00	5	240
FROZEN	FROZEN	-18.00	-10.00	5	120

Manage Thresholds

Alert thresholds and cold-chain risk parameters.

SAP

SAP Build Work Zone

Manage Stores

Search

Editing Status: All

Region:

Area: (Not Selected)

Adapt Filters

Stores (0)

Store	Name	Region	Timezone
ST001	Overseas FreshChain	West	Americana/Los_Angeles
ST002	Halifax FreshChain	West	Americana/Los_Angeles

Manage Stores

Store master data and regional context.

SAP

SAP Build Work Zone

Manage Impact Settings

Search

Editing Status: All

Currency:

Adapt Filters

Impact Settings (0)

Setting	Description	Currency	Critical Salvage	High Salvage	Medium Salvage	Low Salvage
DEFAULT_RETAIL_RESCUE	Default retail retail salvage rescue scenarios	USD	0.000	0.000	0.000	0.000

Manage Impact Settings

Economics used for intervention value calculations.

SAP

SAP Build Work Zone

Manage Areas

Search

Editing Status: All

Area Type:

Active: (Not Selected)

Adapt Filters

Areas (0)

Area	Name	Type	Min Temp C	Max Temp C	Min Humidity
ZN_DAIRY_01	Dairy Display 01	DAIRY_FRESH	0.00	6.00	40.00
ZN_MEAT_01	Meat Display 01	MEAT_FRESH	0.00	4.00	35.00
ZN_PRODUCE_01	Produce Case 01	PRODUCE_FRESH	2.00	8.00	50.00
ZN_FROZEN_01	Frozen Case 01	FROZEN	-18.00	-10.00	30.00

Manage Areas

Cold-chain zones and store-area definitions.

SAP

SAP Build Work Zone

Manage Sensors

Search

Editing Status: All

Sensor Type:

Health:

Adapt Filters

Sensors (0)

Sensor	Type	Fluoresce	Last Seen
MOCK_SENSOR_ZN_DAIRY_01	SIM_TEMP_HUM_GAS	sim-1.0	Jan 10, 2024, 6:38:15AM
RESCUE_SENSOR_ZN_MEAT_01	SIM_TEMP_HUM_GAS	sim-1.0	Jan 17, 2024, 9:10:07PM
RESCUE_SENSOR_ZN_DAIRY_01	SIM_TEMP_HUM_GAS	sim-1.0	Jan 17, 2024, 9:10:07PM
MOCK_SENSOR_ZN_MEAT_01	SIM_TEMP_HUM_GAS	sim-1.0	Jan 16, 2024, 6:36:15AM
MOCK_SENSOR_ZN_FROZEN_01	SIM_TEMP_HUM_GAS	sim-1.0	Jan 16, 2024, 6:36:15AM
SNM_TEMP_HUM_GAS_001	SIM_TEMP_HUM_GAS	sim-1.0	
SNM_TEMP_HUM_GAS_002	SIM_TEMP_HUM_GAS	sim-1.0	
SNM_TEMP_HUM_GAS_003	SIM_TEMP_HUM_GAS	sim-1.0	
SNM_TEMP_HUM_GAS_004	SIM_TEMP_HUM_GAS	sim-1.0	
SNM_TEMP_HUM_GAS_005	SIM_TEMP_HUM_GAS	sim-1.0	

Manage Sensors

Sensor assignment, status, and telemetry source control.

SAP

SAP Build Work Zone

View Stock Ledger

Search

Area Code:

Zone Code:

Product Name:

Last Seen Date:

Adapt Filters

Cold-Chain Stock Lots (0)

Lot	Product	SKU	Area
FC-YOG-500-xxxxxxxx	Greek Yogurt 500g	YOG-500	ST001
FC-MILK-1L-xxxxxxxx	White Milk 1L	MILK-1L	ST001
FC-BEEF-1500g-xxxxxxxx	Beef Steak Pack	BEEF-1500g	ST001

View Stock Ledger

Stock movements used by risk and protected-value calculations.

SAP

SAP Build Work Zone

FreshChain Ingestion Errors

Search

Editing Status: All

Status:

Error Class:

Source Queue:

Adapt Filters

Ingestion Errors

Created At	Status	Source Queue	Message ID
------------	--------	--------------	------------


Review Ingestion Errors

Quarantined payloads and replay control for operations.



How SAP BTP services fit together

FreshChain is implemented as a CAP-backed Fiori suite deployed to SAP BTP. The architecture keeps data, scoring, action, and proof in governed services so the demo can be explained to both business and technical audiences.



Six to seven minute demonstration flow

This is the recommended talk track for a concise panel demonstration. It keeps attention on the main applications and the concrete outcome.

Button-by-button sequence

- Open Work Zone and point out the KPI row: command, risk, workflow, financial value, live rescue, monitoring.
- Open FreshChain Rescue Cockpit and press Start incident.
- Press Live reading to persist the scenario reading and show the store, zone, and stock context.
- Press Score risk to show the SAP AI Core decision, score, confidence, and recommendation.
- Press Build rescue to show the planned action and the protected-value calculation.
- Press Complete proof to record the outcome and show the protected-value evidence.
- Open Predict and Prove briefly to show that the decision and impact are persisted outside the cockpit.

What to explain

The important message is the closed loop: reading, AI decision, rescue action, and financial proof. The panel should leave with a clear view of what happened, why the action was recommended, and how FreshChain calculated the value protected.

Keep master data to a short supporting section unless a judge asks how the calculation or thresholds are configured.