LOGICAL FRAMEWORKS FOR ACCEPTANCE AND COMMITMENT IN MATHEMATICS

CARLO NICOLAI KING'S COLLEGE LONDON

1. The Question

In this talk I take a foundational theory to provide an account of how some mathematical beliefs could have been warranted in principle. In Crispin Wright's terminology, a *foundational cognitive project* can be seen as a collection of claims in some language (e.g. the arithmetical language $\mathcal{L}_{\mathbb{N}}$) about a mathematical subject matter (e.g. arithmetic), and the collection of proofs and refutations in a given formal theory T (e.g. proofs and refutations in Peano Arithmetic (PA)). The link between the subject matter and the system T is typically part of one's foundational standpoint, also providing a basic epistemic warrant for T. Proof in T can be seen as a straightforward way to provide *evidential* warrant for the relevant theorems.

By Gödel's Second Incompleteness Theorem, and for a reasonable T, one cannot have evidential warrant via proof for the formal claims 'T is consistent', 'T is sound' on the basis of the foundational project involving T – assuming, of course, that these claims actually express the relevant propositions (cf. next section!).

Yet, it appears to be *epistemically obligatory* for anyone embarked in a foundational project involving T – such that T also provides evidential warrant for its theorems – to believe that T is consistent or sound. For these (and other) reasons, such claims are often referred to as *implicit commitments*.¹

So, and here's the problem, is there evidential or non-evidential warrant for those purported beliefs?²

2. Expressing Meta-Mathematical Propositions

How do we know that the the usual metamathematical sentences (or schemata), e.g.

$$\begin{aligned} & \operatorname{Con}(\operatorname{PA}) :\leftrightarrow \neg \exists x \operatorname{Proof}_{\operatorname{PA}}(x, \ulcorner 0 = 1 \urcorner) \leftrightarrow \neg \operatorname{Prov}_{\operatorname{PA}}(\ulcorner 0 = 1 \urcorner) \\ & \operatorname{Rfn}(\operatorname{PA}) := \left\{ \operatorname{Prov}_{\operatorname{PA}}(\ulcorner A \urcorner) \to A \mid A \in \mathcal{L}_{\mathbb{N}} \right\} \\ & \operatorname{RFN}(\operatorname{PA}) := \left\{ \forall x (\operatorname{Prov}_{\operatorname{PA}}(\ulcorner A(\dot{x}) \urcorner) \to A(x)) \mid A(v) \in \mathcal{L}_{\mathbb{N}} \right\} \end{aligned}$$

express the relevant meta-mathematical propositions?³

If one cares about epistemological assumptions, some of the usual accounts won't suffice. Consider the case of *provability*:

- (i) A is provable in PA iff $\mathbb{N} \models \operatorname{Prov}_{PA}(\lceil A \rceil)$: but the standard model \mathbb{N} is not accessible given first-order PA;
- (ii) A is provable in PA iff PA \vdash Prov_{PA}($\ulcorner A \urcorner$): weak representability/Kreisel's condition does not differentiate between canonical and non-canonical provability predicates (e.g. Rosser);
- (iii) A is provable in PA iff it satisfies some meaning postulates, e.g. Löb's derivability conditions: the predicate x = x satisfies all those.

My way of "biting the bullet" is: we take some *natural* development of syntax formalized, hands-on, in some finite set theory based on \emptyset , x, $y \mapsto x \cup \{y\}$ and

$$A(\emptyset) \land \forall x, y(A(x) \land A(y) \rightarrow A(x \cup \{y\})) \rightarrow \forall x A(x),$$

where *A* can be taken to be of bound complexity. This theory will be *bi-interpretable*, and even *definitionally equivalent*, with a fragment of PA or other foundationally relevant theories. It's this shared, bottom-up construction process that provides the required correlation between formal and informal claims.

Date: Konstanz, September 7, 2022.

¹Ex auctoritate: Gödel writes

It is this theorem [the second incompleteness theorem] which makes the incompletability of mathematics particularly evident. For, it makes it impossible that someone should set up a certain well-defined system of axioms and rules and consistently make the following assertion about it: All of these axioms and rules I perceive (with mathematical certitude) to be correct, and moreover I believe that they contain all of mathematics. If someone makes such a statement he contradicts himself. For if he perceives the axioms under consideration to be correct, he also perceives (with the same certainty) that they are consistent. Hence he has a mathematical insight not derivable from his axioms (Gödel, 1995, p. 309).

And here's Feferman:

[reflection] the process of finding out what is implicit in accepting a basic system L_1 , i.e., what one ought to accept, on the same fundamental grounds, when one accepts L_1 ...(Feferman, 1988, p. 131)

 2 A way of rephrasing the question: what does it mean to say that these extensions ought to be accepted 'on the same fundamental grounds'? 3 We should note, for later use, that Rfn(PA) and RFN(PA) are informally glossed via a *truth-predicate*.

2

3. Non-Expansionist Strategies

- 3.1. **Non-Evidential Route.** Here's the setting proposed in Horsten (2021) building on Crispin Wright's non-evidentialist epistemology: Con(PA) is a *cornerstone proposition* for this cognitive project; to this proposition we are *entitled* (Wright, 2004, p. 191-2):
 - We have no sufficient to believe that Con(PA) is false;
 - The attempt to justify Con(PA) would involve presuppositions of in turn of no more secure and prior standing.

Potential problems of the approach: entitlements may be too generous – what about Con(ZFC)? It may be challenged the idea that the combination of entitlements and warranted beliefs can lead the agent to *claim knowledge* of their consequences.

3.2. **Evidential Route.** Fischer (2021) considers a 'tamed' version of the ω -rule with primitive recursive premisses. He proposes to add to a reasonable T a rule of the form:

$$(\omega-PR) \qquad \frac{T \vdash \forall x \operatorname{Proof}_{T}(\lceil A(\dot{x}) \rceil, f(x)) \quad \text{for } f \in PR}{\forall x A}$$

 $T + \omega$ -PR yields RFN(T). However, it seems as if the warrant for this rule would simply amount to a warrant for RFN(T) itself.

Łełyk and Nicolai (2022) propose a more nuanced formal framework. Given a foundational theory $T \supseteq EA$, they claim that RFN(PA) can be warranted evidentially. The idea is to "axiomatize" the notion of implicit commitment. Keeping T fixed, the principles:

(INVARIANCE) If T' is proof-theoretically reducible to T in a sufficiently simple way,⁴ the commitments of T' are *included* in the commitments of T.

(REFLECTION) if EA proves that $A(\overline{n})$ is an *axiom* of T for all n, then $\forall x A$ is in the commitments of T.

Proposition 1 (Łełyk and Nicolai (2022)). T+INVARIANCE and T+REFLECTION can be conservatively interpreted in T. However, T+INVARIANCE+REFLECTION entails all instances of RFN(T).

4. Expansionist Strategy: Truth Predicates

One may argue that the initial question should to be framed in a different setting. The very formulation of Rfn(T) and RFN(PA) call for a language expansion: a straightforward English paraphrase of Rfn(PA) and RFN(PA) is given in terms of truth.⁵ However, truth is inexpressible in $\mathcal{L}_{\mathbb{N}}$ (and PA-undefinable). So, one needs to move to $\mathcal{L}_{\mathrm{Tr}} := \mathcal{L}_{\mathbb{N}} \cup \{\mathrm{Tr}\}$, where we can naturally formulate:

$$(GRP(PA))$$
 $\forall \varphi(Prov_{PA}(\varphi) \rightarrow Tr \varphi).$

4.1. **Adopting a Truth Theory.** To *prove* GRP(PA), one needs suitable axioms for Tr. The usual schema 'A' is true iff A won't suffice. What suffices is the extension of PA with the formalization of the relation $\mathbb{N} \models A$ in \mathcal{L}_{Tr} , a theory that is called CT for 'compositional truth'. So the idea: warrant in PA as a foundational theory transfers to CT – roughly, because warrant in T suffices for warranting that T is true. Therefore, this warrant can be transferred deductively to GRP(PA). However, it could be argued that we are not using a philosophically adequate concept of truth: the CT truth-predicate is *typed*. There is also another issue: why not *iterating* CT if this comes "for free"? And if you can do this, how far?

To fix this, one could move to *type-free* theories of truth. *Kripke-Feferman* (KF) truth is a theory that axiomatizes in classical logic the class of fixed-points of the operator:

$$\Gamma(X) = \{ \varphi \in \mathcal{L}_{Tr} \mid (\mathbb{N}, X) \models_{sk} \varphi \},\$$

where \models_{sk} is the satisfaction relation of Strong Kleene Logic. The advantage of KF is that not only GRP(PA) is recovered, but also all *iterations* of CT or iterations of arithmetical comprehension for all (codes of) ordinals that can be well-ordered in PA. This speaks in favour of KF *instrumentally*, but what about the KF-truth predicate as a concept of truth? By itself, it features "puzzling theorems" such as:

$$(\lambda \wedge \neg \operatorname{Tr}^{\Gamma} \lambda^{\neg}) \vee (\neg \lambda \wedge \operatorname{Tr}^{\Gamma} \lambda^{\neg}).$$

Moreover, if GRP(S) captures the soundness of S in the presence of Tr, this looks like bad news:

FACT 2. KF + GRP(KF) is internally inconsistent.

 $^{^4\}mathrm{This}$ could be understood either as elementary, or even P-TIME proof-transformations.

⁵There are alternatives to this expansion, using epistemic predicates. Cieśliński (2017) contains a proposal based on a "believability" predicate.

⁶For the definition, you can consult one of Halbach (2014); Horsten (2011); Cieśliński (2017). For the proof: There are some tricky details: such as the role of induction of PA and the double role of PA as theory of syntax. But they don't matter for now.

4.2. **Entitlement again.** If CT or KF appear to require *additional* warrant to the one given for PA, is there a non-evidential route akin to the one considered in §3.1? Horsten and Leigh (2017) investigate this option. They start with simple bi-conditionals (schematic):

(2)
$$\operatorname{Tr}^{\Gamma} A^{\Gamma} \leftrightarrow A$$
 for all $A \in \mathcal{L}_{\mathbb{N}}$

(3)
$$(\operatorname{Tr}^{\Gamma} A^{\Gamma} \leftrightarrow A) \wedge (\operatorname{F}^{\Gamma} \overline{A}^{\Gamma} \leftrightarrow A)$$
 for A in a negation-free language.

They show that CT and KF can be obtained by few iterations of RFN(\cdot) over (2) and (3), respectively. Leigh (2016) proves a very general theorem:

Proposition 3.

- (i) ε_{α} -induction together with CT yields an identical theory as α iterations of RFN(·) over typed (uniform) disquotation;
- (ii) ε_{α} -induction together with (negation-free) KF yields an identical theory as α iterations of RFN(·) over type-free, positive (uniform) disquotation.

However, (i) is hard to justify because of the dubious status of (2) as a collection of cornerstone propositions, and (ii), besides being formulated in an artificial language, is plagued by forms of Fact 2 above: the addition of $GRP(\cdot)$ to the theories isn't as innocent as the addition of $RFN(\cdot)$.

4.3. **Nonclassical Logic and Fully Disquotational Truth.** Fischer et al. (2017) and Fischer et al. (2021) show that an analogous strategy holds for *unrestricted* analogues of (2) and (3):

$$\operatorname{Tr} A^{\gamma} \Leftrightarrow A$$

where \Leftrightarrow is a meta-theoretic (double)-sequent arrow. The price to pay is the *full* adoption of Strong Kleene Logic (or alternatives such as FDE, LP). However, the unrestricted, *quasi-logical* status of (TB) suggests that its instances can function as cornerstone propositions for the adoption of a truth concept.

Proposition 4. Over $T \supseteq (TB)$, GRP(T) and RFN(T) are equivalent.

However, to achieve some non-trivial consequences of the combination of reflection and full disquotational truth one needs to resort to more complex reflection rules:

$$(RR(S)) \qquad \frac{\Rightarrow \operatorname{Prv}_{S}(\lceil \Gamma[\overline{x}] \Rightarrow \Delta[\overline{x}] \rceil, \lceil \Theta[\overline{x}] \Rightarrow \Lambda[\overline{x}] \rceil)}{\Theta[x] \Rightarrow \Lambda[x]} \qquad \Gamma[x] \Rightarrow \Delta[x]$$

The combination of (TB) and RR(S) enables one to recover stronger principles of truth – all compositional, type-free principles adapted to the nonclassical logic – and some non-trivial mathematical strength (some portions of predicative maths), albeit way less than what one gets in KF: ω -iterations of reflection only give us ω^{ω^2} -induction.

There is a way to do better: we can "push" the meta-theoretic biconditional in (TB) into the object language. The resulting logic is the extension of FDE with an intuitionistic conditional studied by Leitgeb (2019) – a logic called HYPE. The conrnerstone schema for the use of truth becomes:

(HTB)
$$\operatorname{Tr} A^{\neg} \rightleftharpoons A$$
, for A not containing \rightarrow .

The rationale for accepting \rightharpoonup is to see it as a non-extensional context, in which the equivalence of A and $\text{Tr}^{\Gamma}A^{\Gamma}$ may not be guaranteed. An analogue of Proposition 4 can be obtained in this setting. Moreover, the standard form of RFN(·) can be preserved:

PROPOSITION 5. ε_{α} -induction over KF-truth in the logic HYPE (which is as strong as classical KF) is a subtheory of α -many iterations of RFN(\cdot) over HYPE.

A corollary of the result is that there's no loss of power in moving to classical logic, with all its quirks, to HYPE. Since we appear to have a better ground for seeing (HTB) and RFN(\cdot) as entitlements, then the process of extending PA with truth is more convincing here.

HYPE has its quirks too, though: the version of RFN(\cdot) required needs to be extended to \rightarrow , and for this we *don't* have an analogue of Proposition 4.

References

Cieśliński, C. (2017). The Epistemic Lightness of Truth: Deflationism and its Logic. Cambridge University Press.

Feferman, S. (1988). Turing in the land of o (z). In *A half-century survey on The Universal Turing Machine*, pages 113–147. Fischer, M. (2021). Another look at reflection. *Erkenntnis*, pages 1–31.

Fischer, M., Horsten, L., and Nicolai, C. (2021). Hypatia's silence: Truth, justification, and entitlement. Noûs, 55(1):62-85.

Fischer, M., Nicolai, C., and Horsten, L. (2017). Iterated reflection over full disquotational truth. *Journal of Logic and Computation*, 27(8):2631–2651.

Gödel, K. (1995). Collected works. iii: Unpublished essays and lectures. Oxford University Press, Oxford.

Halbach, V. (2014). Axiomatic theories of truth. Revised edition. Cambridge University Press.

Horsten, L. (2011). The Tarskian Turn. MIT University Press, Oxford.

Horsten, L. (2021). On reflection. The Philosophical Quarterly, 71(4):pqaao83.

Horsten, L. and Leigh, G. E. (2017). Truth is simple. *Mind*, 126(501):195–232.

Leigh, G. (2016). Reflecting on Truth. IFCoLog Journal of Logics and their Applications, 3.

Leitgeb, H. (2019). Hype: A system of hyperintensional logic. Journal of Philosophical Logic, 48(2):305-405.

Łełyk, M. and Nicolai, C. (2022). A theory of implicit commitment. Synthese, 200(4):1-26.

Wright, C. (2004). Warrant for nothing (and foundations for free)? Aristotelian Society Supplementary Volume, 78(1):167-212.