

Orders

INT

INT

INT

INT

INT

INT

INT

String(10)

String(50)

String(30)

String(30)

<u>Type</u>

Constraint

Primary Key

Foreign Key

Foreign Key

Not Null

-Has-

Field

orderid

price productid

quantitiy

orderdate

shipaddress

freight

shipcity

shipstate

shippostal

customerid

Customers			
<u>Field</u>	<u>Type</u>	<u>Constraint</u>	
customerid	INT	Primary Key	
email	String(40)	Not Null, Unique,	
password	String(40)	Not Null	
firstname	String(30)	Not Null	
lastname	String(30)	Not Null	
billaddress	String(50)	Null	
shipaddress	String(50)	Null	
city	String(30)	Null	
state	String(30)	Null	
postalcode	INT	Null	
phone	String(11)	Null	

Product Categories			
<u>Field</u>	<u>Type</u>	<u>Constraint</u>	
categoryid	INT	Primary Key	
categoryname	String(30)	Not Null	
description	String(30)	Not Null	

-Has

Products			
<u>Field</u>	Type	Constraint	
productid	INT	Primary Key	
categoryid	INT	Foreign Key	
productname	String(30)	Not Null	
unitprice	INT	Null	
inventory	INT	Null	
description	String(50)	Not Null	