

Technical Specification for Health Card Validation (HCV) Service via Electronic Business Services (EBS)

Ministry of Health and Long-Term Care

**EBS – HCV SOAP Specification
Version 4.0**

Table of Contents

Chapter 1 Health Card Validation (HCV) Service via Electronic Business Services (EBS)	3
Glossary	4
Notice to Reader	6
Intended Audience for this Technical Specification Document.....	7
About This Document.....	8
Introduction	9
Health Card Validation	9
Web Service Interface for HCV Service	9
Technical Interface	10
SOAP Message:	10
The Message WSDL.....	10
WSDL Definitions Table.....	10
Validation Message Schema.....	11
Data Specifications for Fields	11
Input (Request) Message Fields.....	11
Output (Response) Message Fields	12
Testing	15
APPENDIX A: Response Codes	16
APPENDIX B: Time Limited Fee Service Code - Return Codes	20
APPENDIX C: Error Codes	21
Appendix D: The Message WSDL.....	22
Appendix E: Message Schema	27
APPENDIX F: MSA Model Request Message Example.....	34
APPENDIX G: IDP Model Request Message Example	34
APPENDIX H: MSA Response Message Example	39
APPENDIX I: IDP Response Message Example.....	44

Chapter 1 Health Card Validation (HCV) Service via Electronic Business Services (EBS)

1

Chapter 1 Health Card Validation (HCV) Service via Electronic Business Services (EBS)

Glossary

Term	Definition
Claim Submission Number (CSN) aka Billing Number	A unique identifier that is assigned to a Health Care Provider who is registered with Ministry of Health and Long-Term Care (MOHLTC) for the purpose of submitting claims for insured services.
Health Card Validation (HCV)	Service provided by MOHLTC that checks the status and validity of a health card version, presented to determine an individual's eligibility for health care coverage.
HCV Service Schedule	A Service Schedule to the Master Service agreement that forms part of the Agreement between the Service Requestor and MOHLTC and captures the roles and responsibilities that relate to the HCV via EBS.
Health Care Provider (HCP)	Individual, group or facility authorized to provide health care services to residents of Ontario.
Health Information Custodian (HIC)	Health Information Custodian in or under Personal Health & Information Privacy Act (PHIPA) .
Health Number (HN)	Health number consists of a 10 digit personal health number. A version code identifies the specific health card of the card holder.
Identity Provider (IDP)	A party or organization that creates, maintains, and manages identity information for <i>principals</i> and performs principal authentication for other parties or organizations.
MOHLTC	The Ontario Ministry of Health and Long-Term Care.
MOHLTC Electronic Business Services (EBS)	The Electronic Business Service is a framework which provides an electronic business gateway that exposes MOHLTC services to the Broader Health Sector and provides a full featured IAM suite of provisioning, business enrolment, business and IT federation agreements, technical specifications and terms of acceptable use governance.
Master Services Agreement (MSA)	The binding legal agreement through which MOHLTC accepts the identity of an end user at face value based on authenticating the end user's organization at the time of the service request.

Term	Definition
Output (Response) Message Fields	Output (Response) Message fields are those fields which are returned by the Health Card Validation (HCV) web service.
Response Code	Code returned in an HCV response identifying the outcome of the transaction – either the eligibility status of the individual if applicable, or an explanatory failure code otherwise.
Service Provider (SP)	Throughout this document, Service Provider refers exclusively to MOHLTC, as the provider of the Health Card Validation service via EBS.
Simple Object Access Protocol (SOAP)	Simple Object Access Protocol: an Extensible Markup Language (XML) -based protocol for exchanging structured information between computer systems. For more information refer to http://www.w3.org/TR/soap/ .
Stakeholder Number (SN)	A unique identifier that is assigned to stakeholders of interest who are registered with the MOHLTC. The unique identifier is either 7 digits long or 8 digits long depending on the type of stakeholder to which it belongs.
UID	It is a version 4 Universally Unique Identifier (UUID).
Web Services Description Language (WSDL)	An XML-based language for describing web services and how to access them. For more information refer to http://www.w3.org/TR/wsdl .
Web Services Security (WS-Security)	An XML based framework for ensuring secure transmission of electronic messages. It will be used for: identification; authentication; and authorization of parties using EBS as well as ensuring message integrity by means of a digital signature applied to each message. For more information refer to: http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=wss .

Notice to Reader

All possible measures are exerted to ensure the accuracy of the contents of this manual; however, the manual may contain typographical or printing or other errors. The reader is cautioned against complete reliance upon the contents of the manual without confirming the accuracy and currency of the information contained in it. The Crown in Right of Ontario, as represented by the Ministry of Health and Long-Term Care (MOHLTC), assumes no responsibility for errors or omissions in any of the information contained in this manual, or for any person's use of the material therein, or for any costs or damages associated with such use. In no event shall the Crown in Right of Ontario be liable for any errors or omissions, or for any damages including, without limitation, damages for direct, indirect, incidental, special, consequential or punitive damages arising out of or related to the use of information contained in this manual.

This technical specification is intended only to assist and guide the development of software to access the Health Card Validation (HCV) web service via the MOHLTC Electronic Business Services (EBS).

Revisions to the specification will be made as required. The ministry will make every effort to give as much advance notice as possible of future revisions. It is essential that software developers keep current regarding any changes to this specification. The current version of the technical specification will be available for download at the following URL:

http://www.health.gov.on.ca/English/providers/pub/pub_menus/pub_ohip.html

For further details about HCV via EBS service including enrolment criteria please refer to the *Health Card Validation Reference Manual* posted at:

http://www.health.gov.on.ca/english/providers/pub/ohip/ohipvalid_manual/ohipvalid_manual_mn.html

Before use of HCV via EBS, please ensure that you conform to the ministry's technical specifications explained in this document and service eligibility criteria outlined in the *Health Card Validation Reference Manual*.

- Please direct any questions to the **Service Support Contact Centre (SSCC)** at **1 800 262-6524** or SSContactCentre.MOH@ontario.ca

Intended Audience for this Technical Specification Document

This document is intended for use by developers of applications and products that support communication with MOHLTC's HCV via EBS (web service interface), a service provided by the ministry to support health card validation. This service is built to the web services standards detailed in this document.

This document is also intended to be read in the context of either a service agreement between the ministry and the Service Requestor or through an accepted IDP. The service agreement is defined by a Master Service Agreement (MSA) and a Health Card Validation Service Schedule between the ministry and the Service Requestor (SR).

This technical specification is also targeted to vendors of various software applications and products that have or plan to have modules that support HCV through a web service interface within the province of Ontario in Canada.

The document describes the web service, the Simple Object Access Protocol (SOAP) message specification and aims to guide the users in the development of client application to integrate with this web service.

It is assumed that the reader has knowledge of web services and related protocols, SOAP and XML message formats/processing, WS-Security 1.1, relevant interoperability profiles and has read the '*MOHLTC EBS - Generic Security Specification*' document.

About This Document

The Ministry of Health and Long-Term Care Health Card Validation (HCV) service allows health care providers (HCP) to validate the eligibility of a health card holder and the status of his or her health card version.

This document is an extension of the “*MOHLTC EBS – Generic Security Specification*” document and is intended to provide the reader with sufficient information to implement service requestor software that can use the service. The HCV service supports both the Master Services Agreement (MSA) and Identity Provider (IDP) security models.

The introduction provides an overview of the HCV service and provides a glossary of the terminology used throughout the document. Additional functional information and overview of the HCV process is provided in the *Health Card Validation Reference Manual* published at:

http://www.health.gov.on.ca/english/providers/pub/ohip/ohipvalid_manual/ohipvalid_manual_mn.html

The Simple Object Access Protocol (SOAP) Message Section provides the technical specifications of the SOAP message including:

- Message Web Services Description Language (WSDL);
- Validation message schema including the request and the response; and
- Data specifications for fields.

Appendices provide:

- Response codes;
- Time Limited Fee Service codes
- The Message WSDL;
- SOAP message examples

Introduction

The Health Card Validation service adheres to the EBS security models and as such requires that the ministry unique identifier for Service Requestor (SR) be a Stakeholder Number (SN) and for Service User (SU) be either a SN or a Claim Submission Number (CSN).

Health Card Validation

Each eligible resident of the Province of Ontario that registers for the Ontario Health Insurance Plan (OHIP) is assigned a unique 10-digit health number. A health card is provided to the insured person for the purpose of obtaining insured health services in Ontario. The health card version is identified by a version code. Photo health cards are assigned a two-letter version code; standard “red & white” cards might have no version code, a single letter or a two letter version code. An insured person presents his/her health card at each visit to a health care provider.

Health Care Providers (HCPs) can and should validate this information at the time a health card is presented and prior to the health services being rendered. The health card must be valid and belong to the patient who is presenting it. The HCV service will not, however, guarantee payment of any claim submitted.

Web Service Interface for HCV Service

The Province of Ontario, via the Ministry of Health and Long-Term Care offers EBS to the HCV service for users through third party or client software.

HCV via EBS is being provided in addition to the existing HCV methods.

Technical Interface

The Province of Ontario is responsible and accountable for the service provider component.

The service interface uses the SOAP protocol for communication and the WS-Security (WSS) protocol for transaction security. There are several implementations of the WSS protocol available and it is suggested that one of those be used where possible. The following sections assume appropriate headers are included as defined by the “EBS – Generic Security SOAP Specification”.

The results object of the response will be encrypted with the EBS private certificate with the AES128-CBC encryption algorithm and will need to be decrypted by the caller before using the returned data.

SOAP Message:

SOAP is an XML-based standard protocol that defines a message specification for transmitting XML documents via a network. Since this message specification does not depend on a particular programming language or operating system, data transfer can be conducted among and between systems that use different languages or operating systems.

The Message WSDL

A WSDL is a specification for coding web services-related information (access point and interface specifications, etc.) in XML. Note that while WSDL does not define a protocol when sending/receiving messages, the ministry is using SOAP via HTTPS as the protocol for message transmission.

WSDL Definitions Table

The WSDL includes the following standard elements:

Variable	Description
HCV Service URL	The URL of the HCV web service
	Internet Access: https://ws.ebs.health.gov.on.ca:1440/HCVService/HCVValidationService
	ENA Access: https://intra.ws.ebs.health.gov.on.ca:1440/HCVService/HCVValidationService

The complete WSDL is included in *Appendix D*.

Validation Message Schema

The validation message schema includes definitions of both the request and the response elements. Schema elements are described below, and the full schema is included in *Appendix E*.

The locale parameter for the validate method must be one of empty, spaces, en or fr. If the field is empty or spaces then the English locale will be used for all returning text.

Data Specifications for Fields

The fields described in the message specification are necessarily generic in order to follow the XML data typing standards. However, in order to pass validation, some of the fields must be presented in the format expected by the ministry.

Input (Request) Message Fields

name="healthNumber" type="xs:string" pattern="[1-9]\d{9}"

The health number is sent to the ministry as a string. The health number is a ten-digit number that appears on the face of every health card.

name="versionCode" type="xs:string" pattern="[A-Z]{0, 2}"

Version code is an alphabetic identifier that along with the health number uniquely identifies a health card version. This field appears on the face of all photo cards and some standard ("red & white") cards. When present on the card, a version code is one letter or two letters.

OPTIONAL FIELDS

maxOccurs="10" minOccurs="0" name="feeServiceCodes" type="xs:string" pattern="[A-Z]\d{3}"

A list of the time limited fee service codes that are to be checked.

The list of supported time limited fee service codes can be found in the HCV reference manual at:

http://www.health.gov.on.ca/english/providers/pub/ohip/ohipvalid_manual/ohipvalid_manual_mn.html

Output (Response) Message Fields

The Output Messages identified below have been classed into Mandatory and Optional Response Fields – Category I, Category II and Category III. The output message fields that can be included in the interface you are developing are determined by the type of HCV service you are enrolled for. Please refer to the HCV Reference Manual for details.

MANDATORY FIELDS:

The following mandatory fields are returned for each validation request submitted.

name="auditUID" type="xs:string"

pattern=

"[0-9A-F]{8}-[0-9A-F]{4}-4[0-9A-F]{3}-[89AB][0-9A-F]{3}-[0-9A-F]{12}"

The audit UID is an identifier created by the service for each SOAP message processed. The UID returned is a version 4 Universally Unique Identifier (UUID). A UUID is a 16-byte (128-bit) number. In its canonical form, a UUID consists of 32 hexadecimal digits, displayed in 5 groups separated by hyphens, in the form 8-4-4-4-12 for a total of 36 characters (32 digits and 4 hyphens).

Name="responseCode" type="xs:string"

A two character representation of the validation response code for given health number and/or version code. (See 'Response Codes' in *Appendix A* for more details)

Name="responseID" type="xs:responseID"

A mnemonic representation of the validation response code for given health number and/or version code. (See 'Response Codes' in *Appendix A* for more details)

OPTIONAL FIELDS

The following are optional fields and can be returned for each validation request submitted.

Category I

Name="responseAction" type="xs:string"

The action required of the caller for the returned response code.

Name="responseDescription" type="xs:string"

A description for the validation response code for given health number and/or version code.

Category II

name="healthNumber" type="xs:string" pattern="[1-9]\d{9}"

The health number is sent to the ministry as a string. The health number is a ten-digit number that appears on the face of every health card.

name="versionCode" type="xs:string" pattern="[A-Z]{0, 2}"

Version code is an alphabetic identifier that along with the health number uniquely identifies a health card version. This field appears on the face of all photo cards and some standard ("red & white") cards. When present on the card, a version code is one letter or two letters.

name="firstName" type="xs:string"

MOHLTC stores this value as upper case characters. A maximum of 20 characters are kept on file. No accents or other diacritic marks are stored or returned.

Name="secondName" type="xs:string"

MOHLTC stores this value as upper case characters. A maximum of 20 characters are kept on file. No accents or other diacritic marks are stored or returned.

Name="lastName" type="xs:string"

MOHLTC stores this value as upper case characters. A maximum of 30 characters are kept on file. No accents or other diacritic marks are stored or returned.

Name="gender" type="xs:string"

The gender is returned as either an M or F, for male or female respectively.

Name="dateOfBirth" type="xs:dateTime"

The card holder's date of birth.

Name="expiryDate" type="xs:dateTime"

The date the card expires.

Category III

name="feeServiceCode" type="xs:string" pattern="[A-Z]\d{3}"

The time limited fee service code passed in to be queried.

name="feeServiceDate" type="xs:dateTime"

The last date the service was issued.

name="feeServiceResponseCode" type="xs:string"

The return code for the requested time limited fee service code. For more details on response codes refer to Appendix B.

name="feeServiceResponseDescription" type="xs:string"

The return code for the requested time limited fee service code.

Testing

Conformance testing must be completed for HCV. For more details please refer to the Testing section in the *'MOHLTC EBS – Generic Security Specification'* document.

APPENDIX A: Response Codes

Character based response codes are returned as well as character constants for Response IDs to provide more information to developers what codes and data has been returned. All response codes are two characters.

The following is an overview of valid response codes:

- between 00 and 49 indicates the health card is invalid; cardholder not eligible
- between 50 and 59 indicates a valid health card; cardholder is eligible
- between 60 and 89 indicates health card is invalid; cardholder is eligible

The following are the constants that will be returned and their mapping to character based response codes and comments about their use.

Response Code	Response ID	Descriptive Text	Comments
05	NOT_10_DIGITS	The Health Number submitted is not 10 numeric digits.	Response Code is returned but no Personal Characteristics are available.
10	FAILED_MOD10	The Health Number submitted does not exist on the ministry's system.	Response Code is returned but no Personal Characteristics are available.
15	IS_IN_DISTRIBUTED_STATUS	Pre-assigned newborn Health Number.	Response Code is returned but no Personal Characteristics are available.
20	IS_NOT_ELIGIBLE	Eligibility does not exist for this Health Number.	
20	IS_NOT_ELIGIBLE_ND	Eligibility does not exist for this Health Number.	Response Code is returned but no Personal Characteristics are available.

Response Code	Response ID	Descriptive Text	Comments
20	IS_NOT_ELIGIBLE_ND	Eligibility does not exist for this Health Number.	Response Code is returned but no Personal Characteristics are available.
50	NOT_ON_ACTIVE_ROSTER	Health card passed validation.	
50	NOT_ON_ACTIVE_ROSTER_ND	Health card passed validation.	Response Code is returned but no Personal Characteristics are available.
51	IS_ON_ACTIVE_ROSTER	Health card passed validation.	
51	IS_ON_ACTIVE_ROSTER_ND	Health card passed validation.	Response Code is returned but no Personal Characteristics are available.
52	HAS_NOTICE	Health card passed validation.	
52	HAS_NOTICE_ND	Health card passed validation.	Response Code is returned but no Personal Characteristics are available.
53	IS_RQ_HAS_EXPIRED	Health card passed validation; card is expired.	

Response Code	Response ID	Descriptive Text	Comments
53	IS_RQ_HAS_EXPIRED_ND	Health card passed validation; card is expired.	Response Code is returned but no Personal Characteristics are available.
53	IS_THC	Health card passed validation; card is expired.	
53	IS_THC_ND	Health card passed validation; card is expired.	Response Code is returned but no Personal Characteristics are available.
54	IS_RQ_FUTURE_ISSUE	Health card passed validation; card is future dated.	
54	IS_RQ_FUTURE_ISSUE_ND	Health card passed validation; card is future dated.	Response Code is returned but no Personal Characteristics are available.
55	RETURNED_MAIL	Health card passed validation; cardholder required to update address with ministry.	

Response Code	Response ID	Descriptive Text	Comments
55	RETURNED_MAIL_ND	Health card passed validation; cardholder required to update address with ministry.	Response Code is returned but no Personal Characteristics are available.
65	INVALID_VERSION_CODE	Invalid version code.	
65	INVALID_VERSION_CODE_ND	Invalid version code.	Response Code is returned but no Personal Characteristics are available.
70	IS_STOLEN	Health card reported stolen.	
70	IS_STOLEN_ND	Health card reported stolen.	Response Code is returned but no Personal Characteristics are available.
75	IS_CANCELLED_OR_VOIDED	Health card cancelled or voided.	
75	IS_CANCELLED_OR_VOIDED_ND	Health card cancelled or voided.	Response Code is returned but no Personal Characteristics are available.
75	IS_VOID_NEVER_ISS	Health card cancelled or voided.	
75	IS_VOID_NEVER_ISS_ND	Health card cancelled or voided.	Response Code is returned but no Personal Characteristics are available.

Response Code	Response ID	Descriptive Text	Comments
80	DAMAGED_STATE	Health card reported damaged.	
80	DAMAGED_STATE_ND	Health card reported damaged.	Response Code is returned but no Personal Characteristics are available.
83	LOST_STATE	Health card reported lost.	
83	LOST_STATE_ND	Health card reported lost.	Response Code is returned but no Personal Characteristics are available.
90	INFO_NOT_AVAIL	Information is not available.	

APPENDIX B: Time Limited Fee Service Code - Return Codes

Code	Description
101	No information available
102	Invalid Fee Service Code
201	Oculo-visual assessment or major eye exam performed
202	Bone mineral density measurement performed
203	Sleep study performed
99	System unavailable

Refer to the *HCV Reference Manual* at:

http://www.health.gov.on.ca/english/providers/pub/ohip/ohipvalid_manual/ohipvalid_manual_mn.html for more details.

APPENDIX C: Error Codes

Character based error codes are returned as well as textual descriptions of the error. All ministry specific error codes are 9 characters.

The following are the ministry specific error codes that may be returned within a EBS Fault accompanied by brief explanations.

EBS Fault Codes	Error Comment
SMIDL0100	System not initialized correctly; contact your technical support or software vendor.
SMIDL0203	Service is not available; contact your technical support or software vendor.
SMIDL0204	General System Error; contact your technical support or software vendor.

Appendix D: The Message WSDL

```
<?xml version="1.0" encoding="UTF-8"?><definitions name="HCValidationService" targetNamespace="http://hcv.health.ontario.ca/"
xmlns="http://schemas.xmlsoap.org/wsdl/"
xmlns:ebs="http://ebs.health.ontario.ca/"
xmlns:hcv="http://hcv.health.ontario.ca/"
xmlns:msa="http://msa.ebs.health.ontario.ca/"
xmlns:idp="http://idp.ebs.health.ontario.ca/"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:sp="http://docs.oasis-open.org/ws-sx/ws-securitypolicy/200512"
xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:wsdlsoap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <types>
    <xsd:schema>
      <xsd:import namespace="http://hcv.health.ontario.ca/" schemaLocation="HCValidationService_schema.xsd"/>
      <xsd:import namespace="http://ebs.health.ontario.ca/" schemaLocation="EBS_schema.xsd"/>
      <xsd:import namespace="http://msa.ebs.health.ontario.ca/" schemaLocation="MSA_schema.xsd"/>
      <xsd:import namespace="http://idp.ebs.health.ontario.ca/" schemaLocation="IDP_schema.xsd"/>
    </xsd:schema>
  </types>
  <wsp:Policy wsu:Id="request-policy">
    <wsp:ExactlyOne>
      <wsp:All>
        <wsp:All>
          <sp:SignedSupportingTokens>
```

```

        <sp:UsernameToken>
            <wsp:Policy>
                <wsp:All>
                    <sp:NoPassword/>
                    <sp:WssUsernameToken10/>
                </wsp:All>
            </wsp:Policy>
        </sp:UsernameToken>
    </sp:SignedSupportingTokens>
</wsp:All>
<wsp:ExactlyOne>
    <wsp:All>
        <sp:RequiredParts>
            <sp:Header Name="EBS" Namespace="http://ebs.health.ontario.ca/" />
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="MSA" Namespace="http://msa.ebs.health.ontario.ca/" />
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="SoftwareConformanceKey" Namespace="" />
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="AuditId" Namespace="" />
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="ServiceUserMUID" Namespace="" />
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="UserID" Namespace="" />
        </sp:RequiredParts>
    </wsp:All>
</wsp:ExactlyOne>

```

```
        </sp:RequiredParts>
        <sp:RequiredParts>
            <sp:Header Name="Timestamp" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-
                200401-wss-wssecurity-utility-1.0.xsd"/>
        </sp:RequiredParts>
    </wsp:All>
</wsp:ExactlyOne>
<wsp:ExactlyOne>
    <wsp:All>
        <sp:SignedParts>
            <sp:Header Name="EBS" Namespace="http://ebs.health.ontario.ca/" />
            <sp:Header Name="MSA" Namespace="http://msa.ebs.health.ontario.ca/" />
            <sp:Header Name="Timestamp" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-
                200401-wss-wssecurity-utility-1.0.xsd"/>
            <sp:Header Name="UsernameToken" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-
                200401-wss-wssecurity-utility-1.0.xsd"/>
            <sp:Body/>
        </sp:SignedParts>
    </wsp:All>
</wsp:ExactlyOne>
</wsp:All>
<wsp:All>
    <wsp:All>
        <sp:SignedSupportingTokens>
            <sp:UsernameToken>
                <wsp:Policy>
                    <wsp:All>
                        <sp:WssUsernameToken10/>
                    </wsp:All>
                </wsp:Policy>
```



```
</sp:UsernameToken>
</sp:SignedSupportingTokens>
</wsp:All>
<wsp:ExactlyOne>
<wsp:All>
  <sp:SignedParts>
    <sp:Header Name="EBS" Namespace="http://ebs.health.ontario.ca/" />
    <sp:Header Name="IDP" Namespace="http://idp.ebs.health.ontario.ca/" />
    <sp:Header Name="Timestamp" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
      wss-wssecurity-utility-1.0.xsd" />
    <sp:Header Name="UsernameToken" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-
      200401-wss-wssecurity-utility-1.0.xsd" />
    <sp:Body />
  </sp:SignedParts>
</wsp:All>
</wsp:ExactlyOne>
<wsp:ExactlyOne>
  <wsp:All>
    <sp:RequiredParts>
      <sp:Header Name="EBS" Namespace="http://ebs.health.ontario.ca/" />
    </sp:RequiredParts>
    <sp:RequiredParts>
      <sp:Header Name="IDP" Namespace="http://idp.ebs.health.ontario.ca/" />
    </sp:RequiredParts>
    <sp:RequiredParts>
      <sp:Header Name="SoftwareConformanceKey" Namespace="" />
    </sp:RequiredParts>
    <sp:RequiredParts>
      <sp:Header Name="AuditId" Namespace="" />
    </sp:RequiredParts>
  </wsp:All>
</wsp:ExactlyOne>
</wsp:ExactlyOne>
</wsp:All>
```

```
<sp:RequiredParts>
  <sp:Header Name="ServiceUserMUID" Namespace=""/>
</sp:RequiredParts>
<sp:RequiredParts>
  <sp:Header Name="Timestamp" Namespace="http://docs.oasis-open.org/wss/2004/01/oasis-
    200401-wss-wssecurity-utility-1.0.xsd"/>
</sp:RequiredParts>
</wsp:All>
</wsp:ExactlyOne>
</wsp:All>
</wsp:ExactlyOne>
</wsp:Policy>

<wsdl:message name="EBSHeader">
  <wsdl:part element="ebs:EBS" name="ebsrequest_header"/>
</wsdl:message>
<wsdl:message name="MSAHeader">
  <wsdl:part element="msa:MSA" name="msarequest_header"/>
</wsdl:message>
<wsdl:message name="IDPHeader">
  <wsdl:part element="idp:IDP" name="idprequest_header"/>
</wsdl:message>

<message name="validate">
  <wsdl:part element="hcv:validate" name="parameters"/>
</message>

<message name="validateResponse">
  <part element="hcv:validateResponse" name="parameters"/>
</message>
```

```
<message name="faultexception">
  <part element="ebs:EBSFault" name="Fault"/>
</message>

<portType name="HCValidation">
  <operation name="validate">
    <input message="hcv:validate"/>
    <output message="hcv:validateResponse"/>
    <fault message="hcv:dfault" name="Fault"/>
  </operation>
</portType>

<binding name="HCValidationPortBinding" type="hcv:HCValidation">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>

  <operation name="validate">
    <soap:operation soapAction=""/>
    <input>
      <wsp:PolicyReference URI="#request-policy"/>
      <wsdlsoap:header message="hcv:EBSHeader" part="ebsrequest_header" use="literal"/>
      <wsdlsoap:header message="hcv:MSAHeader" part="msarequest_header" use="literal"/>
      <wsdlsoap:header message="hcv:IDPHeader" part="idprequest_header" use="literal"/>
      <wsdlsoap:body parts="parameters" use="literal"/>
    </input>
    <output>
      <soap:body use="literal"/>
    </output>
    <fault name="FaultException">
      <soap:fault name="FaultException" use="literal"/>
    </fault>
  </operation>
</binding>
```

```
        </fault>
      </operation>
    </binding>

    <service name="HCValidationService">
      <port binding="hcv:HCValidationPortBinding" name="HCValidationPort">
        <soap:address location="https://ws.ebs.health.gov.on.ca:1440/HCVService/HCValidationService"/>
      </port>
    </service>
  </definitions>
```

Appendix E: Message Schema

```
<?xml version="1.0" encoding="UTF-8"?><xs:schema
targetNamespace="http://hcv.health.ontario.ca/"
version="1.0"
xmlns:tns="http://hcv.health.ontario.ca/"
xmlns:xs="http://www.w3.org/2001/XMLSchema">

  <xs:element name="validate" type="tns:validate"/>

  <xs:element name="validateResponse" type="tns:validateResponse"/>

  <xs:complexType name="validate">
    <xs:sequence>
      <xs:element name="requests" type="tns:requests"/>
      <xs:element minOccurs="0" name="locale" type="tns:lc" />
    </xs:sequence>
  </xs:complexType>

  <xs:simpleType name="lc">
    <xs:restriction base="xs:string">
      <xs:pattern value=""/>
      <xs:pattern value=" " />
      <xs:pattern value="en"/>
      <xs:pattern value="fr"/>
    </xs:restriction>
  </xs:simpleType>

  <xs:complexType name="requests">
    <xs:sequence>
      <xs:element maxOccurs="unbounded" name="hcvRequest" type="tns:hcvRequest"/>
    </xs:sequence>
  </xs:complexType>

  <xs:complexType name="hcvRequest">
    <xs:sequence>
      <xs:element minOccurs="1" name="healthNumber" type="tns:hn"/>
    </xs:sequence>
  </xs:complexType>
</xs:schema>
```

```
<xs:element minOccurs="1" name="versionCode" type="tns:vc"/>
<xs:element maxOccurs="unbounded" minOccurs="0" name="feeServiceCodes" nillable="true" type="xs:string"/>
</xs:sequence>
</xs:complexType>

<xs:simpleType name="hn">
  <xs:restriction base="xs:string">
    <xs:pattern value="[1-9]\d{9}"/>
  </xs:restriction>
</xs:simpleType>

<xs:simpleType name="vc">
  <xs:restriction base="xs:string">
    <xs:pattern value="[A-Z]{0,2}"/>
  </xs:restriction>
</xs:simpleType>

<xs:complexType name="validateResponse">
  <xs:sequence>
    <xs:element minOccurs="1" name="results" type="tns:hcvResults"/>
  </xs:sequence>
</xs:complexType>

<xs:complexType name="hcvResults">
  <xs:sequence>
    <xs:element minOccurs="1" name="auditUID" type="xs:string"/>
    <xs:element maxOccurs="unbounded" minOccurs="1" name="results" nillable="true" type="tns:person"/>
  </xs:sequence>
</xs:complexType>
```

```
<xs:simpleType name="sex">
  <xs:restriction base="xs:string">
    <xs:pattern value="M"/>
    <xs:pattern value="F"/>
  </xs:restriction>
</xs:simpleType>

<xs:complexType name="person">
  <xs:sequence>
    <xs:element minOccurs="0" name="dateOfBirth" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="expiryDate" type="xs:dateTime"/>
    <xs:element minOccurs="0" name="firstName" type="xs:string"/>
    <xs:element minOccurs="0" name="gender" type="tns:sex"/>
    <xs:element minOccurs="1" name="healthNumber" type="tns:hn"/>
    <xs:element minOccurs="0" name="lastName" type="xs:string"/>
    <xs:element minOccurs="1" name="responseAction" type="xs:string"/>
    <xs:element minOccurs="1" name="responseCode" type="xs:string"/>
    <xs:element minOccurs="1" name="responseDescription" type="xs:string"/>
    <xs:element minOccurs="1" name="responseID" type="tns:responseID"/>
    <xs:element minOccurs="0" name="secondName" type="xs:string"/>
    <xs:element minOccurs="1" name="versionCode" type="tns:vc"/>
    <xs:element maxOccurs="unbounded" minOccurs="0" name="feeServiceDetails" type="tns:feeServiceDetails"/>
  </xs:sequence>
</xs:complexType>

<xs:complexType name="feeServiceDetails">
  <xs:sequence>
    <xs:element minOccurs="1" name="feeServiceCode" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

```
<xs:element minOccurs="0" name="feeServiceDate" type="xs:dateTime"/>
<xs:element minOccurs="1" name="feeServiceResponseCode" type="xs:string"/>
<xs:element minOccurs="1" name="feeServiceResponseDescription" type="xs:string"/>
</xs:sequence>
</xs:complexType>

<xs:element name="dfault" type="tns:dfault"/>

<xs:complexType name="dfault">
  <xs:sequence>
    <xs:element name="faultcode" type="xs:string"/>
    <xs:element name="faultstring" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

<xs:simpleType name="responseID">
  <xs:restriction base="xs:string">
    <xs:enumeration value="INFO_NOT_AVAIL"/>
    <xs:enumeration value="LOST_STATE_ND"/>
    <xs:enumeration value="LOST_STATE"/>
    <xs:enumeration value="DAMAGED_STATE_ND"/>
    <xs:enumeration value="DAMAGED_STATE"/>
    <xs:enumeration value="IS_VOID_NEVER_ISS_ND"/>
    <xs:enumeration value="IS_VOID_NEVER_ISS"/>
    <xs:enumeration value="IS_CANCELLED_OR_VOIDED_ND"/>
    <xs:enumeration value="IS_CANCELLED_OR_VOIDED"/>
    <xs:enumeration value="IS_STOLEN_ND"/>
    <xs:enumeration value="IS_STOLEN"/>
    <xs:enumeration value="INVALID_VERSION_CODE_ND"/>
  </xs:restriction>
</xs:simpleType>
```



```
<xs:enumeration value="INVALID_VERSION_CODE"/>
<xs:enumeration value="RETURNED_MAIL_ND"/>
<xs:enumeration value="RETURNED_MAIL"/>
<xs:enumeration value="IS_THC_ND"/>
<xs:enumeration value="IS_THC"/>
<xs:enumeration value="IS_RQ_HAS_EXPIRED_ND"/>
<xs:enumeration value="IS_RQ_HAS_EXPIRED"/>
<xs:enumeration value="IS_RQ_FUTURE_ISSUE"/>
<xs:enumeration value="IS_RQ_FUTURE_ISSUE_ND"/>
<xs:enumeration value="HAS_NOTICE_ND"/>
<xs:enumeration value="HAS_NOTICE"/>
<xs:enumeration value="IS_ON_ACTIVE_ROSTER_ND"/>
<xs:enumeration value="IS_ON_ACTIVE_ROSTER"/>
<xs:enumeration value="NOT_ON_ACTIVE_ROSTER_ND"/>
<xs:enumeration value="NOT_ON_ACTIVE_ROSTER"/>
<xs:enumeration value="IS_NOT_ELIGIBLE_ND"/>
<xs:enumeration value="IS_NOT_ELIGIBLE"/>
<xs:enumeration value="IS_IN_DISTRIBUTED_STATUS"/>
<xs:enumeration value="FAILED_MOD10"/>
<xs:enumeration value="NOT_10_DIGITS"/>
<xs:enumeration value="SUCCESS"/>
</xs:restriction>
</xs:simpleType>
</xs:schema>
```

APPENDIX F: MSA Model Request Message Example

```
<soapenv:Envelope
  xmlns:soap-sec="http://schemas.xmlsoap.org/security/2000-12"
  xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy"
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:tns="http://hcv.health.ontario.ca/"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
  xmlns:ebs="http://ebs.health.ontario.ca/security/2012-03"
  xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
  xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">

  <soapenv:Header>
    <ns2:EBS wsu:Id="id-1" xmlns:ns2="http://ebs.health.ontario.ca/" >
      <SoftwareConformanceKey>444561ee-277f-77b2-c664-7a9923jfgh1b</SoftwareConformanceKey>
      <AuditId>73b7051e-6126-4b41-9ae0-21b707ca8a53</AuditId>
    </ns2:EBS>
    <ns2:MSA wsu:Id="id-2" xmlns:ns2="http://msa.ebs.health.ontario.ca/" >
      <ServiceUserMUID>4523394</ServiceUserMUID>
      <UserID>johndoe</UserID>
    </ns2:MSA>
    <wsse:Security SOAP-ENV:mustUnderstand="1">
      <wsu:Timestamp wsu:Id="id-3">
        <wsu:Created>2012-06-20T17:59:14.026Z</wsu:Created>
        <wsu:Expires>2012-06-20T17:59:44.026Z</wsu:Expires>
```

```
</wsu:Timestamp>
<wsse:UsernameToken wsu:Id="id-4">
  <wsse:Username>72214255</wsse:Username>
</wsse:UsernameToken>
<wsse:BinarySecurityToken
  EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0#Base64Binary"
  ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3"
  wsu:Id="X509-
ABDCFEC7595B7819C213402151542661">MIICMzCCAzygAwIBAgIET1e+dDANBgkqhkiG9w0BAQUFADBBeMQswCQYDVQQGEwJDQTEQMA4GA1U
ECBMHT250YXJpbzENMASGA1UECHMET0hJUDEVMBMGA1UECjMMUmVnaXN0cmF0aw9uMRcwFQYDVQQDEw4xNDIuMTQ1LjcwLjE3NzAeFw0xMjAz
MDcyMDAwNTJaFw0xMzAzMDcyMDAwNTJaMF4xCzAJBgNVBAYTAkNBMR4wDgYDVQQIEwdPbnRhcmllvMQ0wCwYDVQQKEwRPSElQMURUwEwYDVQLE
wxSZWdpc3RyYXRpb24xZzAVBgNVBAMTDjE0Mi4xNDUuNzAuMTc3MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCs/JIP6CE5IkfTnD/c56
K+QAYqETdLvW1xXJ6ipkvHjjC2ASKuuH4fVhbyxo2B4VugsL9r4E5jHEKoi+GDKOLLLZRfSy0cB8IcpXonAuGqMzhCoEQ1CdXnb9etMyvQGRK
EBgniKKxTvpTyZdpYDi92up5E+FYL3jEejhp+1iDFJQIDAQABMA0GCSqGSIb3DQEBBQUAA4GBAHn8VZS169BJMa4E6SNLnY7u80zSh90mbrTU
WjM1dEicv3jQMMsrWHfoCt+nRSqfNLUTLc8U0LqiB3jnnNjGjTt1T7Sp8eUZPDH0gY3i83ZXa8HDFKMZF3qL8I8ncu8FPcZGYBNhYrGjXXsuqX
imiTIjxgm06ErRa/51szOFFxWrB
</wsse:BinarySecurityToken>
<ds:Signature Id="SIG-6" xmlns:ds="http://www.w3.org/2000/09/xmldsig#" >
  <ds:SignedInfo>
    <ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:CanonicalizationMethod>
    <ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
    <ds:Reference URI="#id-1">
      <ds:Transforms>
        <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
          <ec:InclusiveNamespaces
            PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse wsu xs xsi"
            xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
          </ds:Transform>
        </ds:Transforms>
      </ds:Reference>
    </ds:Signature>
  </ds:SignedInfo>
</ds:Signature>
```

```
<ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
<ds:DigestValue>BLZqHgJB3aF+ldsn7KjFkP30qZggSIkPqar03cmqNos=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-2">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces
        PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>RA101voUNdV9+hi6IzNNxkTHfEdu2pu6fpPiwN23JGI=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-3">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>yuUH5tg5nKJwJ1UvzbbVAXwQ4JidSmZEbdINlmSPoDE=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-4">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>yuUH5tg5nKJwJ1UvzbbVAXwQ4JidSmZEbdINlmSPoDE=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-4">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>yuUH5tg5nKJwJ1UvzbbVAXwQ4JidSmZEbdINlmSPoDE=</ds:DigestValue>
</ds:Reference>
```

```
</ds:Transform>
</ds:Transforms>
<ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
<ds:DigestValue>yF0mFgMDHMB00WIEsB3azib2EX7fR+Ich03J19kFMVE=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-5">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec sp tns wsd l wsp wsse wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>lgK0fXxmbSLds9+tD4eaC0bTCdGNXDF/PY9LjDUPl9Y=</ds:DigestValue>
</ds:Reference>
</ds:SignedInfo>
<ds:SignatureValue>

  ieyaxUVyrLbEdnd3jw1nRgnXABFEhkfi6o/QT9Nz/S/h8Sxjy43/qyd/6KufZ5D5GvMfS02S8jlg9QR3SKS3wdalXm0qJ7yivokrrMEcl5
  RqnzgzFQMXi9pn9UI+W8god3UBvBU6ZA0qYwP5xHRR0k6wHoEdAtmpuZwoMLdULco=
</ds:SignatureValue>
<ds:KeyInfo Id="KI-ABDCFEC7595B7819C213402151542862">
  <wsse:SecurityTokenReference wsu:Id="STR-ABDCFEC7595B7819C213402151542863">
    <wsse:Reference URI="#X509-ABDCFEC7595B7819C213402151542661"
      ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3" />
  </wsse:SecurityTokenReference>
</ds:KeyInfo>
</ds:Signature>
</wsse:Security>
</soapenv:Header>
```

```
<soapenv:Body wsu:Id="id-5">
  <ns5:validate xmlns:ns4="http://msa.ebs.health.ontario.ca/" xmlns:ns3="http://idp.ebs.health.ontario.ca/"
xmlns:ns2="http://ebs.health.ontario.ca/"
xmlns:ns5="http://hcv.health.ontario.ca/" >
    <requests>
      <hcvRequest>
        <healthNumber>2222211122</healthNumber>
        <versionCode>WW</versionCode>
      </hcvRequest>
    </requests>
    <locale>en</locale>
  </ns5:validate>
</soapenv:Body>
</soapenv:Envelope>
```

APPENDIX G: IDP Model Request Message Example

```

<soapenv:Envelope
  xmlns:soap-sec="http://schemas.xmlsoap.org/security/2000-12"
  xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:sp="http://schemas.xmlsoap.org/ws/2005/07/securitypolicy"
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns:tns="http://hcv.health.ontario.ca/"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd"
  xmlns:ebs="http://ebs.health.ontario.ca/security/2012-03"
  xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
  xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
  xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" >

  <soapenv:Header>
    <ns2:EBS wsu:Id="id-1" xmlns:ns2="http://ebs.health.ontario.ca/" >
      <SoftwareConformanceKey>444561ee-277f-77b2-c664-7a9923jfggh1b</SoftwareConformanceKey>
      <AuditId>73b7051e-6126-4b41-9ae0-21b707ca8a53</AuditId>
    </ns2:EBS>
    <ns2:IDP wsu:Id="id-2" xmlns:ns2="http://idp.ebs.health.ontario.ca/" >
      <ServiceUserMUID>4523394</ServiceUserMUID>
    </ns2:IDP>
    <wsse:Security SOAP-ENV:mustUnderstand="1">
      <wsu:Timestamp wsu:Id="id-3">
        <wsu:Created>2012-06-20T17:58:42.580Z</wsu:Created>
        <wsu:Expires>2012-06-20T17:59:12.580Z</wsu:Expires>
      </wsu:Timestamp>
      <wsse:UsernameToken wsu:Id="id-4">

```

```

    <wsse:Username>JOHNDOE@YAHOO.CA</wsse:Username>
    <wsse:Password Type="wsse:PasswordText">Password</wsse:Password>
  </wsse:UsernameToken>
  <wsse:BinarySecurityToken
    EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0#Base64Binary"
    ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3"
    wsu:Id="X509-02F859690D5C74E20913402151228211">

      MIICMzCCAzygAwIBAgIET1e+dDANBgkqhkiG9w0BAQUFADBEMQswCQYDVQQGEwJDQTEQMA4GA1UECBMT250YXJpbzENMA5GA1UEChMET0hJ
      UDEVMBMGA1UECjMMUUMvNaXN0cmF0aw9uMRcwFQYDVQQDEw4xNDIuMTQ1LjcwLjE3NzAeFw0xMjAzMDcyMDAwNTJaFw0xMzAzMDcyMDAwNTJaM
      F4xCzAJBgNVBAYTAkNBMRAdDgYDVQQIEwdPbnRhcmlvMQ0wCwYDVQQKEwRPSUwEwYDVQLLEwxsZWdpY3RyYXRpb24xZzAVBgNVBAMTDj
      E0Mi4xNDUuNzAuMTc3MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCs/JIP6CE5IkfTnD/c56K+QAYqETdLvW1xXJ6ipkVhjjC2ASKuuH4
      fvhbyxo2B4VugsL9r4E5jHEKoi+GDKOLLLZRfSy0cB8IcpXonAuGqMzhCoEQ1CdxNb9etMyvQGRKEBgniKKxTvpTyZdpYDi92up5E+FYL3jEe
      jhp+1iDFJQIDAQABMA0GCSqGSIb3DQEBAQUAA4GBAHn8VZS169BJMa4E6SNLnY7u80zSh90mbrTUWjM1dEicv3jQMMsrWHfoCt+nRSqfNLUTL
      c8U0LqiB3jnnNJgJt1T7Sp8eUZPDh0gY3i83ZX8HDFKMZF3qL8I8ncu8FPcZGYBNhYrGjXXsuqXimiTIjxgm06ErRa/51sz0FFxWrB

    </wsse:BinarySecurityToken>
    <ds:Signature Id="SIG-6" xmlns:ds="http://www.w3.org/2000/09/xmldsig#" >
      <ds:SignedInfo>
        <ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
          <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdl wsp wsse wsu xs xsi"
            xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
        </ds:CanonicalizationMethod>
        <ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
        <ds:Reference URI="#id-1">
          <ds:Transforms>
            <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
              <ec:InclusiveNamespaces
                PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdl wsp wsse wsu xs xsi"
                xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
            </ds:Transform>
          </ds:Transforms>
        </ds:Reference>
      </ds:SignedInfo>
    </ds:Signature>
  </wsse:SecurityTokenRefinementList>

```



```
<ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
<ds:DigestValue>gpejbitTQxuM0hUirdbGNtHjsGhAArhAp3ByFuG9cHs=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-2">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces
        PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>ZWkvGN+eB0NFmQHPGYN5RoSZzbubokKLzLcV6PE0z3E=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-3">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsse xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>1AvUG2EE6+bgpJBe1TB4teUkKD4lRsw69BozDFQMGGE=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-4">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>1AvUG2EE6+bgpJBe1TB4teUkKD4lRsw69BozDFQMGGE=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-4">
  <ds:Transforms>
    <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
      <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec soapenv sp tns wsdL wsp wsu xs xsi"
        xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
    </ds:Transform>
  </ds:Transforms>
  <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
  <ds:DigestValue>1AvUG2EE6+bgpJBe1TB4teUkKD4lRsw69BozDFQMGGE=</ds:DigestValue>
</ds:Reference>
```

```

        </ds:Transform>
    </ds:Transforms>
    <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
    <ds:DigestValue>Lw6C0//TpU0uuta+9pjDPfD0a0okdgbV0EM9eaWcGjo=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#id-5">
    <ds:Transforms>
        <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#">
            <ec:InclusiveNamespaces PrefixList="SOAP-ENV ebs soap-sec sp tns wsd l wsp wsse wsu xs xsi"
            xmlns:ec="http://www.w3.org/2001/10/xml-exc-c14n#" />
        </ds:Transform>
    </ds:Transforms>
    <ds:DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256" />
    <ds:DigestValue>lgK0fXxmbsLds9+tD4eaC0bTCdGNXDF/PY9LjDUPl9Y=</ds:DigestValue>
</ds:Reference>
</ds:SignedInfo>
<ds:SignatureValue>

    Yn5iRnjs/T2+nNgW8pArIgc445RwL2wYPHZaydVJk0oUXV5B4nzU4fgX/sQTcY005vuReP8th4QZoGG6tSnxBfqiDd2rkRZDrDgotJT++W
    zhMLdt1J0Kah0aZVCWabQrxegY2N3QDuMWr5PSlm1RwbkA3W5B4YLaD+S/j3QKc=
</ds:SignatureValue>
<ds:KeyInfo Id="KI-02F859690D5C74E20913402151228312">
    <wsse:SecurityTokenReference wsu:Id="STR-02F859690D5C74E20913402151228413">
        <wsse:Reference URI="#X509-02F859690D5C74E20913402151228211"
        ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3" />
    </wsse:SecurityTokenReference>
</ds:KeyInfo>
</ds:Signature>
</wsse:Security>
</soapenv:Header>

```

```
<soapenv:Body wsu:Id="id-5">
  <ns5:validate xmlns:ns4="http://msa.ebs.health.ontario.ca/" xmlns:ns3="http://idp.ebs.health.ontario.ca/"
xmlns:ns2="http://ebs.health.ontario.ca/"
xmlns:ns5="http://hcv.health.ontario.ca/" >
    <requests>
      <hcvRequest>
        <healthNumber>2222211122</healthNumber>
        <versionCode>WW</versionCode>
      </hcvRequest>
    </requests>
    <locale>en</locale>
  </ns5:validate>
</soapenv:Body>
</soapenv:Envelope>
```

APPENDIX H: MSA Response Message Example

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" >
  <soapenv:Header>
    <wsse:Security soapenv:mustUnderstand="1"
      xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" >
      <xenc:EncryptedKey xmlns:xenc="http://www.w3.org/2001/04/xmenc#" >
        <xenc:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmenc#rsa-1_5"
          xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" />
        <dsig:KeyInfo xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" >
          <wsse:SecurityTokenReference>
            <wsse:KeyIdentifier
              ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-
                1.0#X509SubjectKeyIdentifier"
              EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-
                1.0#Base64Binary">
                MyXZQNYrNk0Ju5c9Z0AH7su3vEM=
              </wsse:KeyIdentifier>
            </wsse:SecurityTokenReference>
          </dsig:KeyInfo>
        <xenc:CipherData xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" >
          <xenc:CipherValue>
            cVnBMyBtyf6ZxGVxcSxxIE/00nx03UeE+3g8WhgpE3T0y6Iaon4Hql+Nbg lmQtT3uS4VzR1vIDw+mXkJr J58NPEUNruR4SVEV4BwjUo
            fFpK5w5n/EtqNKHGmodn07jt5JdQx5C+SQhUWgFaAm7g2yXuVjYQHYa0XoDWyjc/oZ5o=
          </xenc:CipherValue>
        </xenc:CipherData>
      </xenc:CipherData>
      <xenc:ReferenceList>
        <xenc:DataReference URI="#G0xc40aa1f0-46D" />
      </xenc:ReferenceList>
    </wsse:Security>
  </soapenv:Header>
</soapenv:Envelope>
```

```
</xenc:EncryptedKey>
<wsu:Timestamp wsu:Id="Timestamp-8f77724a-5ce1-46a2-951d-e5de094f48fe"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
  <wsu:Created>2012-04-26T13:57:45Z</wsu:Created>
  <wsu:Expires>2012-04-26T14:02:45Z</wsu:Expires>
</wsu:Timestamp>
<wsse:BinarySecurityToken wsu:Id="SecurityToken-34b8f2ce-9815-431b-a8b4-1607e4649733"
EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0#Base64Binary"
ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
  MIIcATCCAdKgAwIBAgIET2c7BjANBgkqhkiG9w0BAQUFADB5MQswCQYDVQQGEwJDQTEPMA0GA1UEERMGSczdLNlIxMRAwDgYDVQQIEwdPbnRhcmlvMREwDwYDVQQHEwhraW5nc3RvbGJENMA5GA1UEChMET0hJUDEMMAoGA1UECxMDUmVnMRcwFQYDVQQDEw4xNDIuMTQ1LjcwLjE3NzAeFw0xMjAzMTkxMzU2MjJaFw0xMjAzMTkxMzU2MjJaMHkxCzAJBgNVBAYTAKNBMQ8wDQYDVQQREwZLN0s2UjExEDA0BgNVBAGTB09udGFyaW8xETAPBgNVBACtCGtpbmdzdG9uMQ0wCwYDVQQKEWRPSElQMqwwCgYDVQQLEwNSZWcxZzAVBgNVBAMTDjE0Mi4xNDUuNzAuMTC3MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCUXFSvaeqj68PC0gsyPXqyHok0YRHZbJ0C60pPtRrxxVSbYa22xxJiF3k4ZCHT8vrTH3Y/4cmh9am2x0QhWhLoLYpraV+mAmxC/h3qmuPwsnZwi0cVLlc/pCXJVNR/5pHG13WsmMASaun5JoJCI7vLFKqSaJ0gxfsQqQTHoBXhWQIDAQABMA0GCSqGSIb3DQEBBQUAA4GBAEBkOcmZjV3BRjdEZV8bUGXuifXcZpjTcu+q9IorDhqtOaRc6a6S8MnXxfmX6Ye+oVKMbTFknlhWptwXceW/o39gHYB+/hsXnYRLnIC8sQsHolo2pyBEAUJFyG5IOZrGuceoF+rf51ZSXBjAdKvPs/RyUxkaBDBjbB7woPwCD4wz
</wsse:BinarySecurityToken>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#" >
  <SignedInfo>
    <CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
    <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256" />
    <Reference URI="#Timestamp-8f77724a-5ce1-46a2-951d-e5de094f48fe">
      <Transforms>
        <Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
      </Transforms>
      <DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
      <DigestValue>BMKSgG7Xl9JCwsRlQXald6LiXSQ=</DigestValue>
    </Reference>
    <Reference URI="#Body-5843f7a8-8cc3-4a18-86dd-c77edfe5acb0">
```

```

        <Transforms>
            <Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
        </Transforms>
        <DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
        <DigestValue>qgJj5jlCMnROE+nEUIt+6lJn4gU=</DigestValue>
    </Reference>
</SignedInfo>
    <SignatureValue>
        Hoq4Z2cqI9vrVzpdDZBseSbyqHn+Dq4KH056MgbpRZ5Nq0ETrorQHlwM83cGaAQPSM2yBqFFYgHn0k0UD+yAl3VtTG1EUKpk35V08yl
        MWE/Qie9j8/kVZCbvIGDiCub0vcmbVVKGRkffPBxFqzLD0IRE6K+Mns1ipi2mnMUh/40=
    </SignatureValue>
<KeyInfo>
    <wsse:SecurityTokenReference>
        <wsse:Reference URI="#SecurityToken-34b8f2ce-9815-431b-a8b4-1607e4649733"
            ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3" />
    </wsse:SecurityTokenReference>
</KeyInfo>
</Signature>
</wsse:Security>
</soapenv:Header>
<soapenv:Body wsu:Id="Body-5843f7a8-8cc3-4a18-86dd-c77edfe5acb0"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
    <ns3:validateResponse xmlns:ns3="http://hcv.health.ontario.ca/" xmlns:ns2="http://msa.ebs.health.ontario.ca/" >
        <xenc:EncryptedData Id="G0xc40aa1f0-46D" Type="http://www.w3.org/2001/04/xmenc#Element"
xmlns:xenc="http://www.w3.org/2001/04/xmenc#" >
            <xenc:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmenc#aes128-cbc" />
            <xenc:CipherData>
                <xenc:CipherValue>
                    fzu/QbpnT/Mky3F3cWwkPooBsb86/04Ql862htLoYP0e7/EK4Ef/tRR1WmwZUIsnbUVamriL5DAaD9AajckbHV3idsRb1Kpb1na2driS
                    EWSbqc2wKNa656wpDxXXAfBTGPVs3BAoG0rH7PdoBT03nY2qsekxN9Aagt1frQvVyup2x2twBgMA7d1N8bJr4D78a0dvuCIIAt9/YGMz
                </xenc:CipherValue>
            </xenc:CipherData>
        </xenc:EncryptedData>
    </ns3:validateResponse>
</soapenv:Body>
</soapenv:Envelope>

```

rsdg+8QauW6kgFGy7uA+E/tzhIpSPwIAW81R7RDdo76P8w24lINsRa3mj03DJc5fsMGGjWykVVPSeNuQX7Yx/fuuuE7PJ7if69qPN+h
sjyP2EC5EFfZd0f70Zfw1jWBZj63FBXcYi42cSs0uQfx6vgrrw/JZyY6xgTtzMmR8HF1//jneN1r7LlmbbRlM1xrTD1L7Ye10N0grSg
FO/eYWM+M45zh7LeNSoxdlVDAHSmfv0ZdTmLR6X9RvQkhLVZ2bCkH5bflwiS0t65A2x8GnLRsRfavyLpXIr0kDwEb84vaqA3RZSeaXf
9p07tl0/9V0xud8Ufm76LlpEQdDXR0I8EBgm1WlMRQoEmdXbrmDS+PNoUrzv7NTkcdlH5TL4cFoRL1viVGJ3Q+zGoPd32ybVvyv0/izf6
Mbhvu9YMcbWsQR1U4NvMpNyvEf715E/79edRVu9wRKDH7094LBSQRNoibW/xUyuHwyHpdR5Fic/ViIVSvREjPfRR0ClU1sB6DHRf6SFg
HNM61VXVARNiqobnhVboDSLkqgoebSHL70uV/0f1wwLqPAzEif+MMjboVlVwfzE+mJZsoW8evNWLP8l9ZmzK2BvHX3FFQ3ToSlgj1bYR
iOV7XPZ9t10+IkTLqDXi00puxvFqmFVMEpIJqEJkzSZkyI/iemAl/9ImPAYXfS76dK0feU8crmXJ3nAEMZZfYHUzjQZk05HMAGfXMdw8
w0v9XDkUMTcZ7rypR50jsHTbzTTCa8xJ8DIm4ut28hpVUH8palC8DDun173iTScS3ES5WUiYBtsKQxdagJyiEHVUyjSgS336mYXtb2Ue
T2S43lpcgVU5xEJsQSmcXVy4GCWeoKs+ocGE8236RWJhyz/Q6m2iizEAEANuMXxqQ0okFYM8BwCfLH3NzS1EuF1s2Dz1+54fAY3Nh+Ed
iSHjWJP0E4kcVLivqWp8yRccLVdhZGj9GDVQuoFPxU2JXcGH6U15PcoL8Yyp5G5Gi+RMNFaxUR5wpNZDroE5fwPh2ACHOQ==

</xenc:CipherValue>

</xenc:CipherData>

</xenc:EncryptedData>

</ns3:validateResponse>

</soapenv:Body>

</soapenv:Envelope>

APPENDIX I: IDP Response Message Example

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" >
  <soapenv:Header>
    <wsse:Security soapenv:mustUnderstand="1"
      xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" >

      <xenc:EncryptedKey xmlns:xenc="http://www.w3.org/2001/04/xmenc#" >
        <xenc:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmenc#rsa-1_5"
          xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" />
        <dsig:KeyInfo xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" >
          <wsse:SecurityTokenReference>
            <wsse:KeyIdentifier
              ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-
                1.0#X509SubjectKeyIdentifier"
              EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-
                1.0#Base64Binary">
                MyXZQNYrNk0Ju5c9Z0AH7su3vEM=
              </wsse:KeyIdentifier>
            </wsse:SecurityTokenReference>
          </dsig:KeyInfo>
        <xenc:CipherData xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" >
          <xenc:CipherValue>
            cVnBMyBtyf6ZxGVxcSxxIE/00nx03UeE+3g8WhgpE3T0y6Iaon4Hql+NbglmQtT3uS4VzR1vIDw+mXkJrJ58NPEUNruR4SVEV4BwjUo
            fFpK5w5n/EtqNKHGmodn07jt5JdQx5C+SQhUWgFaAm7g2yXuVjYQHYa0XoDWyjc/oZ5o=
          </xenc:CipherValue>
        </xenc:CipherData>
      <xenc:ReferenceList>
        <xenc:DataReference URI="#G0xc40aa1f0-46D" />
      </xenc:ReferenceList>
    </wsse:Security>
  </soapenv:Header>
</soapenv:Envelope>
```



```

    </xenc:ReferenceList>
  </xenc:EncryptedKey>
  <wsu:Timestamp wsu:Id="Timestamp-8f77724a-5ce1-46a2-951d-e5de094f48fe"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
    <wsu:Created>2012-04-26T13:57:45Z</wsu:Created>
    <wsu:Expires>2012-04-26T14:02:45Z</wsu:Expires>
  </wsu:Timestamp>
  <wsse:BinarySecurityToken wsu:Id="SecurityToken-34b8f2ce-9815-431b-a8b4-1607e4649733"
  EncodingType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0#Base64Binary"
  ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
    MII CaTCCAdKgAwIBAgIET2c7BjANBgkqhkiG9w0BAQUFADB5MQswCQYDVQQGEwJDQTEPMA0GA1UEERMSzdLNlIxMRAwDgYDVQQIEwdPbnRhcm
    lvMREwDwYDVQQHEwhraw5nc3RvbJENMASGA1UEChMET0hJUDEMMAoGA1UECxMDUmVnMRcwFQYDVQQDEw4xNDIuMTQ1LjcwLjE3NzAeFw0xMjAz
    MTKxMzU2MjJaFw0xMzAzMTkxMzU2MjJaMHKxCzAJBgNVBAYTAkNBMQ8wDQYDVQQREwZLN0s2UjExEDA0BgNVBAgTB09udGFyaW8xETAPBgNVBA
    cTCGtpbmdzdG9uMQ0wCwYDVQQKEwRPSSElQM0wwCgYDVQQLEwNSZWcxZzAVBgNVBAMTDjE0Mi4xNDUuNzAuMTc3MIGfMA0GCSqGSIb3DQEBAQUA
    A4GNADCBiQKBgQCUXFSvaeqj68PC0gsyPXqyHok0YRHZbJ0C60pPtRrxXVSbYa22xxJiF3k4ZCHT8vrTH3Y/4cmh9am2x0QhWhLoLypraV+mAm
    xC/h3qmuPwsnZwi0cVLlc/pCXJVNR/5pHG13WsmMASaun5JojCI7vlfKqSaJ0gxfsQqQTHoBXhWQIDAQABMA0GCSqGSIb3DQEBBQUAA4GBAEBk
    0cmZjV3BRjdEZV8bUGXuifXcZpjTcu+q9IorDhqtOaRc6a6S8MnXxfmX6Ye+oVKMbTFknlhWptwXceW/o39gHYB+/hsXnYRLnIC8sQsHolo2py
    BEAUJFyG5IOZrGuceoF+rf51ZSXBjAdKvPs/RyUxkaBDBjbB7woPwCD4wz
  </wsse:BinarySecurityToken>
  <Signature xmlns="http://www.w3.org/2000/09/xmldsig#" >
    <SignedInfo>
      <CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
      <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256" />
      <Reference URI="#Timestamp-8f77724a-5ce1-46a2-951d-e5de094f48fe">
        <Transforms>
          <Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
        </Transforms>
        <DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
        <DigestValue>BMKSgG7Xl9JCwsRlQXald6LiXSQ=</DigestValue>
      </Reference>
    </SignedInfo>
  </Signature>

```

```

    <Reference URI="#Body-5843f7a8-8cc3-4a18-86dd-c77edfe5acb0">
      <Transforms>
        <Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
      </Transforms>
      <DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
      <DigestValue>qgJj5jLCmNR0E+nEUIt+6lJn4gU=</DigestValue>
    </Reference>
  </SignedInfo>
  <SignatureValue>
    Hoq4Z2cqI9vrVzpdDZBseSbyqHn+Dq4KH056MgbpRZ5Nq0ETrorQHwM83cGaAQPSM2yBqfFYgHn0kOUD+yAl3VtTG1EUKpk35V08yl
    MWE/Qie9j8/kVZCbvIGDiCub0vcmbVVKGRkffPBxFqzLD0IRE6K+Mns1ipi2mnMUh/40=
  </SignatureValue>
  <KeyInfo>
    <wsse:SecurityTokenReference>
      <wsse:Reference URI="#SecurityToken-34b8f2ce-9815-431b-a8b4-1607e4649733"
        ValueType="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3" />
    </wsse:SecurityTokenReference>
  </KeyInfo>
</Signature>
</wsse:Security>
</soapenv:Header>
<soapenv:Body wsu:Id="Body-5843f7a8-8cc3-4a18-86dd-c77edfe5acb0"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd" >
  <ns3:validateResponse xmlns:ns3="http://hcv.health.ontario.ca/" xmlns:ns2="http://idp.ebs.health.ontario.ca/" >
    <xenc:EncryptedData Id="G0xc40aa1f0-46D" Type="http://www.w3.org/2001/04/xmenc#Element"
xmlns:xenc="http://www.w3.org/2001/04/xmenc#" >
      <xenc:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmenc#aes128-cbc" />
      <xenc:CipherData>
        <xenc:CipherValue>

```

fzu/QbpnT/Mky3F3cWwKpooBsb86/04Ql862htLoYP0e7/EK4Ef/tRR1WmwZUIsnbUVamriL5DAaD9AajckbHV3idsRb1Kpb1na2driS
EWSbqc2wKNa656wpDxXXAfBTGPVs3BAoG0rH7PdoBT03nY2qsekxN9Acgt1frQvVyup2x2twBgMA7d1N8bJr4D78a0dvcIIAt9/YGMz
rsdg+8QauW6kgFGy7uA+E/tzhIpSPwIAW81R7RDdo76P8w24lInSRa3mj03DJc5fsMGGjwykVVPSeNuQX7Yx/fuumE7PJ7if69qPN+h
sjyP2EC5EFfZd0f70Zfw1jWBZj63FBXcYi42cSs0uQfx6vgrrw/JZyY6xgTtzMmR8HF1//jneN1r7LlmbbRl1xrTD1L7Ye10N0grSg
FO/eYWM+M45zh7LeNSoxdlVDAHSmfv0ZdTm1R6X9RvQkh1VZ2bCkH5bflwiS0t65A2x8GnLRsRfaVyLpXIr0kDWwEb84vaqA3RZSeaXf
9p07tl0/9V0xud8Ufm76LlpEQdDXR0I8EBgM1WLMRQoEmdXbrmDS+PNoUrzV7NTkcdlH5TL4cFoRL1viVGJ3Q+zGoPd32ybVyv0/iZf6
Mbhvu9YMcbWsQR1U4NvMpNyvEf715E/79edRVu9wRKDH7094LBSQRNoibw/xUyuHwyHpdR5Fic/ViIVSvREjPfRR0ClU1sB6DHRf6SFg
HNM61VXVARNiqobnhVboDSLkqgoebSHL70uV/0f1wwLqPAzEif+MMjboVLVwfzE+mJZsow8evNWLP8l9ZmzK2BvHX3FFQ3ToSlgj1bYR
i0V7XPZ9t10+IkTLqDXi00puxvFqmFVMEpIJqEJkzSZkyI/iemAl/9ImPAYXfs76dK0feU8crmXJ3naEMZZfYHuzjQZk05HMAgFXMdw8
w0v9XDkUMTcZ7rypR50jsHTbzTTcA8xJ8DIm4ut28hpVUH8palC8DDun173iTScS3ES5WUiyBtsKQxdagJyiEHVUyjSgS336mYXtb2Ue
T2S43lpcgVU5xEJsQSmcXVy4GCweoKs+ocGE8236RWJhyz/Q6m2iizEAEANuMXxqQ0okFYM8BwCfLH3NzS1EuF1s2Dz1+54fAY3Nh+Ed
iSHjWJP0E4kcVLivqWp8yRccLVdhZGj9GDVQuoFPxU2JXcGH6UL5PcoL8YyP5G5Gi+RMNFaxUR5wpNZDroE5fwPh2ACH0Q==

</xenc:CipherValue>

</xenc:CipherData>

</xenc:EncryptedData>

</ns3:validateResponse>

</soapenv:Body>

</soapenv:Envelope>

