

TMS, DMS and CMS Usage Guide for Falcon BMS 4.38.1

Carlos “Metal” Nader

Version 0.3.2.0+20260119 | Progress: Chapters 3/7 | Tables Chapter 5 and Chapter 4 - 4.1, 4.2
and 4.3 | January 2026

Contents

1	Introduction	1
1.1	Development timeline and status	1
1.2	Scope and purpose	1
1.3	Version, authorship and AI assistance	1
1.4	Sources and references	1
1.5	Document structure and how to read it	1
1.5.1	Part A: Foundational Sections	1
1.5.2	Part B: Switch-Specific Sections	1
1.5.3	Part C: Training and Visual Reference	1
1.5.4	Part D: Appendices	1
2	HOTAS fundamentals	2
2.1	Sensor of Interest (SOI) and display logic	2
2.2	Short vs long presses and timing	2
2.3	Master modes and context-sensitive behaviour	2
2.4	Overview of TMS, DMS and CMS	2
3	TMS – Target Management Switch	3
3.1	Concept and general behaviour	3
3.2	TMS and Situational Awareness displays	3
3.3	TMS in Air-to-Air	3
3.4	TMS in Air-to-Ground	3
3.5	TMS in weapon employment	3
3.6	TMS – Block / variant notes	3
4	DMS – Display Management Switch	4
4.1	Concept and Sensor of Interest (SOI)	4
4.1.1	SOI Definition and Scope Across Displays	4
4.1.1.1	Valid SOI Displays by Master Mode	4
4.1.2	Role of the DMS in SOI Selection	4
4.1.3	HUD as SOI in A-A and HMCS Capabilities	4
4.2	DMS Up: HUD Designation as SOI	4
4.2.1	DMS Up Effectiveness in All Master Modes	4
4.2.1.1	Master Modes Where DMS Up is Effective (HUD as SOI Permitted)	4
4.2.1.2	Modes Where DMS Up is Ineffective (HUD as SOI Prohibited)	4
4.2.2	DMS Up Usage Table	4
4.2.3	DMS Up Exception States	4
4.3	DMS Down: Toggle SOI Between Displays	4
4.3.1	DMS Down Effectiveness in All Master Modes	4

4.3.1.1	Master Modes Where HUD is a Valid SOI Candidate	4
4.3.1.2	Modes Where HUD is NOT a Valid SOI Candidate	4
4.3.2	DMS Down Usage Table	4
4.3.3	DMS Down Exception States	4
4.4	DMS Left/Right	4
5	CMS – Countermeasures Management Switch	5
5.1	Concept and Interaction with CMDS / ECM / RWR	5
5.1.1	Concept	5
5.1.2	Interaction with CMDS / ECM	5
5.2	CMS Switch Actuation	5
5.2.1	CMS Actuation with CMDS	5
5.2.1.1	Manual Mode	5
5.2.1.2	Automatic Mode	5
5.2.1.3	Semi-Automatic Mode	5
5.2.2	CMS Actuation with ECM	5
5.2.2.1	External ECM Pod (ALQ-131 / ALQ-184)	5
5.2.2.2	ECM (IDIAS)	5
5.2.3	CMS Consent and Constraints	5
5.2.4	Important Operational Notes	5
5.2.4.1	State Tracking	5
5.2.4.2	Bingo Quantity Behavior	5
5.2.4.3	RF Switch Override	5
5.2.4.4	Consent vs. CMDS Consent	5
5.2.4.5	Operations Safety	5
5.3	CMS Block and Variant Notes	5
5.3.1	ECM Configurations present in BMS	5
5.3.1.1	ECM Pods (ALQ-131 / ALQ-184)	5
5.3.1.2	ECM (IDIAS)	5
5.3.1.3	Clarification	5
6	Training references and practical flows	6
6.1	How to use this guide with BMS training missions	6
6.2	Recommended progression	6
6.3	Example flows for typical missions	6
7	HOTAS visual reference	7
7.1	F-16 HOTAS overview	7
7.2	TMS diagrams	7
7.3	DMS diagrams	7
7.4	CMS diagrams	7

Chapter 1

Introduction

1.1 Development timeline and status

1.2 Scope and purpose

1.3 Version, authorship and AI assistance

1.4 Sources and references

1.5 Document structure and how to read it

1.5.1 Part A: Foundational Sections

1.5.2 Part B: Switch-Specific Sections

1.5.3 Part C: Training and Visual Reference

1.5.4 Part D: Appendices

Chapter 2

HOTAS fundamentals

2.1 Sensor of Interest (SOI) and display logic

2.2 Short vs long presses and timing

2.3 Master modes and context-sensitive behaviour

2.4 Overview of TMS, DMS and CMS

Chapter 3

TMS – Target Management Switch

3.1 Concept and general behaviour

3.2 TMS and Situational Awareness displays

3.3 TMS in Air-to-Air

3.4 TMS in Air-to-Ground

3.5 TMS in weapon employment

3.6 TMS – Block / variant notes

Chapter 4

DMS – Display Management Switch

4.1 Concept and Sensor of Interest (SOI)

4.1.1 SOI Definition and Scope Across Displays

4.1.1.1 Valid SOI Displays by Master Mode

4.1.2 Role of the DMS in SOI Selection

4.1.3 HUD as SOI in A-A and HMCS Capabilities

4.2 DMS Up: HUD Designation as SOI

4.2.1 DMS Up Effectiveness in All Master Modes

4.2.1.1 Master Modes Where DMS Up is Effective (HUD as SOI Permitted)

4.2.1.2 Modes Where DMS Up is Ineffective (HUD as SOI Prohibited)

4.2.2 DMS Up Usage Table

4.2.3 DMS Up Exception States

4.3 DMS Down: Toggle SOI Between Displays

4.3.1 DMS Down Effectiveness in All Master Modes

4.3.1.1 Master Modes Where HUD is a Valid SOI Candidate

4.3.1.2 Modes Where HUD is NOT a Valid SOI Candidate

4.3.2 DMS Down Usage Table

4.3.3 DMS Down Exception States

4.4 DMS Left/Right

Chapter 5

CMS – Countermeasures Management Switch

5.1 Concept and Interaction with CMDS / ECM / RWR

5.1.1 Concept

5.1.2 Interaction with CMDS / ECM

5.2 CMS Switch Actuation

5.2.1 CMS Actuation with CMDS

5.2.1.1 Manual Mode

5.2.1.2 Automatic Mode

5.2.1.3 Semi-Automatic Mode

5.2.2 CMS Actuation with ECM

5.2.2.1 External ECM Pod (ALQ-131 / ALQ-184)

5.2.2.2 ECM (IDIAS)

5.2.3 CMS Consent and Constraints

5.2.4 Important Operational Notes

5.2.4.1 State Tracking

5.2.4.2 Bingo Quantity Behavior

5.2.4.3 RF Switch Override

5.2.4.4 Consent vs. CMDS Consent

5.2.4.5 Operations Safety

5.3 CMS Block and Variant Notes

5.3.1 ECM Configurations present in BMS

5.3.1.1 ECM Pods (ALQ-131 / ALQ-184)

5.3.1.2 ECM (IDIAS)

5.3.1.3 Clarification

Chapter 6

Training references and practical flows

6.1 How to use this guide with BMS training missions

6.2 Recommended progression

6.3 Example flows for typical missions

Chapter 7

HOTAS visual reference

7.1 F-16 HOTAS overview

7.2 TMS diagrams

7.3 DMS diagrams

7.4 CMS diagrams