



Questions Related To:

[javascript](#) ,
[validation](#) ,[react-native](#) ,[react-native-ios](#)

›

[HttpContextcurrent not resolving in mvc 4 project](#)

› [Using react context with react hooks in typescript](#)

› [Poi java excel solution indentation value](#)

› [Macos swiftui app tab view with segmented control in toolbar](#)

› [Bootstrap 4 horizontal scroller div](#)

› [What is the proper way to create a numpy array of transformation matrices](#)

› [How to set new text in jtextfield after creation](#)

› [Doctrine 2 multiple databases configuration and use](#)

Tags

[javascript](#) ,
[validation](#) ,[react-native](#) ,[react-native-ios](#)

Email Validation React Native Returning The Result As Invalid For All The E

[Home](#) / [Javascript](#)

/ Email Validation React Native Returning The Result As Invalid For All The E



Email Validation (React Native). Returning the result as 'invalid' for all the entries

Tags: [javascript](#) , [validation](#) , [react-native](#) , [react-native-ios](#) Answers: 1 | Viewed 81,384 times

I am trying to validate a users email, by checking it against an expression. But the result i am getting is invalid for all the entries.

UPDATED CODE

```
class dummytest extends Component{
  constructor(props){
    super(props);
    this.state = {
      email : '',
      validated: false ,
    }
  };
  go = () => {
    const reg = /^[^w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
    if (reg.test(this.state.email) === true){
      alert( valid);
    }
    else{
      alert();
    }
  }
  render(){
    return(
      <View style={{alignSelf:'center',marginTop:100}}>
        <TextInput autoCapitalize="none" autoCorrect={false} style={{height:20,width:200,backgroundColor:'blue'}} value={this.state.email}/>
        <Button onPress={this.go.bind(this)}>
          <Text> GO </Text>
        </Button>
      </View>
    );
  }
}
```

Asked by [Avikrit Khati](#)

Recently searched

- › [Classes in r from a python background](#)
- › [Rpg classes list](#)
- › [Hospitality management courses online free](#)
- › [The type class in app code exists in both quotesolutiondllquot and quotapp codewxdafdllquot](#)
- › [Error in swift class property not initialized at super init call](#)
- › [Fitness class names and descriptions](#)
- › [Groovy_grails unable to resolve class](#)
- › [Azure machine learning courses](#)
- › [Connecticut class d felony penalties](#)
- › [How to start anonymous thread class](#)
- › [Ohio state online course catalog](#)
- › [Computer engineering classes online](#)

Donate For Us

If you love us?
You can donate to us via Paypal or buy me a coffee so we can maintain and grow!
Thank you!

Buy me a coffee
Donate

Answers:



Neel Gala answer at 2017-04-29

✓

👍

90

👎

Ok I got the code working, below you can take the look for validating the email on each user input :

1. Your function part:

```
validate = (text) => {
  console.log(text);
  let reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w\\w+)+$/;
  if (reg.test(text) === false) {
    console.log("Email is Not Correct");
    this.setState({ email: text })
    return false;
  }
  else {
    this.setState({ email: text })
    console.log("Email is Correct");
  }
}
```

2. You TextInput Component:

```
<TextInput
  placeholder="Email ID"
  onChangeText={(text) => this.validate(text)}
  value={this.state.email}
/>
```

* The answers/resolutions are collected from stackoverflow, are licensed under [CC BY-SA 4.0](#)

Some Code Answers

```
class dummytest extends Component{ constructor(props){
super(props);
this.state = {
email:'',
validated: false ,
} };
go = () =>
{const reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w{2,3})+$/;if
(reg.test(this.state.email) === true){ alert( valid);}else{ alert();} }
render(){
return(
<View style={{alignSelf:'center',marginTop:100}}>
<TextInput autoCapitalize="none" autoCorrect={false} style=
{{height:20,width:200,backgroundColor:'blue'}} value={this.setState.email}/>
<Button onPress={this.go.bind(this)}>
```

Us With

🕒 Recently searched

> [Accounting courses](#)

🔍 FAQs

Email Validation React Native Returning The Result As Invalid For All The E?

1. What is email address validation in React Native?

Email address validation is a common operation for processing contact forms, sign-up forms, and so on. This exposes typos when a user enters his or her email address to register for your React Native app. Certainly, you can avoid tinkering with input validation and simply add a confirmation field.

2. How to avoid typos in your react native app?

This exposes typos when a user enters his or her email address to register for your

```
<Text>
GO </Text>
</Button>
</View>
);
} }

validate = (text) =>
{ console.log(text);
  let reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w\\w+)+$/;
  if (reg.test(text) === false) {
console.log("Email is Not Correct");
this.setState({ email: text })
return false;
  } else {
this.setState({ email: text })
console.log("Email is Correct");
  } }

<TextInput placeholder="Email ID"
  onChangeText={(text) =>
this.validate(text)} value={this.state.email} />
```

```
this.state = { email :'', validated : false, }
```

```
go = () =>
{
if (this.state.email.test(/^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w{2,3})+$/)==0)
{ this.setState({ validated : true });
} else { this.setState({ validated : false });
}
}
```

```
npm i validator
```

```
const validator = require('validator');
```

```
validator.isEmail('john.doe@example.com');
// true
```

```
const [email, setEmail] = useState('');
const [emailValidError, setEmailValidError] = useState('');
```

```
const handleValidEmail = val =>
{ let reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w\\w+)+$/;
  if (val.length === 0) { setEmailValidError('email address must be enter');
} else if (reg.test(val) === false) { setEmailValidError('enter valid email address');
} else if (reg.test(val) === true) { setEmailValidError('');
} };

<TextInput
style={styles.input}
placeholder="Email"
value={email}
autoCorrect={false}
autoCapitalize="none"
onChangeText={value =>
{
setEmail(value);

handleValidEmail(value);
}} />
```

React Native app. Certainly, you can avoid tinkering with input validation and simply add a confirmation field. In this case, users will have to type their emails twice, and you won't make it more of a problem for yourself than you have to.

3. What is the use of form validation?

Form validation is a primary part of any application. we always require to add input validation when we are adding form in our application. almost form has email and we must need to validate email address is valid ote not.

4. What is email validation and how does it work?

In terms of this article (and most similar publications on the web), this term refers to the functionality that checks the syntax of input email addresses. Marketers, however, know email validation as a way to learn whether a specific email address is valid or not. For this,

```
{emailValidError ? <Text>{emailValidError}</Text>
: null}
```

```
export default class Helper {
static isValidEmail(email) {
  let reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w{2,3})+$/;
  return reg.test(email) == 0;
} }
```

```
if (Helper.isValidEmail(this.state.emailText)) {
console.log("Email is correct");
} else {
console.log("Email is not correct");
}
```

```
validate = (text) =>
{ console.log(text);
let reg = /^\\w+([\\.-]?\\w+)*@\\w+([\\.-]?\\w+)*(\\.\\w{2,3})+$/ ;
if(reg.test(text) === false) { alert("Email is Not Correct");
this.setState({email:text}) return false;
} else { this.setState({email:text}) alert("Email is Correct");
} } You can put this function validate in onChangeText propert of TextInput
```

```
export function validateIsEmail(email) { return /^\\w+([\\.-]?\\w+)*@\\w+
([\\.-]?\\w+)*(\\.\\w{2,3})+$/ .test(email);
}
```

```
<TextInput ...
onChangeText={emailText =>
{ setEmail(emailText);
setInlineValidations({ ...inlineValidations, emailNotValid:
!validateIsEmail(emailText), });
}}
/>
```

```
isValidEmail = () =>
{
const expression = /(?!.*\\.{2})^([a-z\\d!#$%&'*+\\-\\/= ?^_`{|}~\\u00A0-
\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF]+(\\. [a-z\\d!#$%&'*+\\-\\/= ?^_`{|}~\\u00A0-
\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF)+)*|"((([\\t]*\\r\\n)?[\\t]+)?([\\x01-
\\x08\\x0b\\x0c\\x0e-\\x1f\\x7f\\x21\\x23-\\x5b\\x5d-\\x7e\\u00A0-\\uD7FF\\uF900-
\\uFDCF\\uFDF0-\\uFFEF]|\\[\\x01-\\x09\\x0b\\x0c\\x0d-\\x7f\\u00A0-\\uD7FF\\uF900-
\\uFDCF\\uFDF0-\\uFFEF]))*([\\t]*\\r\\n)?[\\t]+)?" )@((( [a-z\\d\\u00A0-\\uD7FF\\uF900-
\\uFDCF\\uFDF0-\\uFFEF]| [a-z\\d\\u00A0-\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF] [a-
z\\d\\- . _~\\u00A0-\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF] * [a-z\\d\\u00A0-\\uD7FF\\uF900-
\\uFDCF\\uFDF0-\\uFFEF])\\. )+ ( [a-z\\u00A0-\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF] | [a-
z\\u00A0-\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF] [a-z\\d\\- . _~\\u00A0-\\uD7FF\\uF900-
\\uFDCF\\uFDF0-\\uFFEF] * [a-z\\u00A0-\\uD7FF\\uF900-\\uFDCF\\uFDF0-\\uFFEF])\\. ? $ / i ;
return expression.test(String(this.state.email_id).toLowerCase()) }
```

there are plenty of specialized tools like MyEmailVerifier or NeverBounce.

More Answers Related Email Validation React Native Returning The Result As Invalid For All The E

Email Validation (React Native). Returning the result as ...

5 days ago Apr 27, 2017 · But **the result** i am getting is **invalid for all the** entries. UPDATED CODE class dummytest extends Component{ constr... Stack Overflow. About; Products For Teams; Stack

Stack ...

› **Reviews:** 6

› **See also:** [Class](#)

Show details ▶

👁 **Preview site**

React Native Email Validation: Validate Emails in React Native

6 days ago May 25, 2022 · Use **the** Response in **the** Submit Function. Now that we have our response from **the** API, let's use it in our handleSubmit function. Before **the** console.log (**email**) line, add a ...

› **See also:** [Function Date](#)

Show details ▶

👁 **Preview site**

React Native Email Validation | Mailtrap

3 days ago One job is done – you have implemented **the email** syntax validity in your React Native app. But still, this won't prevent you from users who sign up using disposable **email** addresses. So what? Temporary **email** services like Nada can be used as a bypass to abuse freemium features. Also, if your **email** campaign will contain many disposable recipients, yo...

Show details ▶

👁 **Preview site**

Email Validation in React | Mailtrap Blog

1 day ago Jul 27, 2022 · Be careful not to mix **them** up and not to use **them** interchangeably. Email **validation** is a procedure that helps identify if an **email** address is free of typos. Basically, ...

Show details ▶

👁 **Preview site**

How to Validate Emails in React JS (React Email Validation ...

5 days ago May 17, 2022 · Getting Started With Email Validation in React JS. Let's spin up a React app using create-**react**-app: \$ npx create-**react**-app ip-geolocation-app \$ cd ip-geolocation-app. ...

› **See also:** [Date](#)

Show details ▶

👁 **Preview site**

[Solved]-Trouble with email validation-React Native

1 week ago Email Validation (React Native). Returning **the result** as '**invalid**' for **all the** entries; **react native** not suggesting **email** with TextInput; How to resolve "App is having trouble with google ...

Show details ▶

👁 **Preview site**

React Native - Valid email/username with invalid ...

2 days ago Dec 17, 2019 · Describe **the** bug Related to my testing in #4520 (comment), using withAuth**ent**icator and signing in with a valid username and **invalid** password **results** in a null ...

Show details ▶

👁 **Preview site**

How to validate an email in ReactJS - GeeksforGeeks

1 week ago Dec 16, 2020 · Step 1: Create a React application using **the** following command: npx create-**react**-app **email**validatordemo. Step 2: After creating your project folder i.e. ...

› **See also:** [Date](#)



Validating Forms in React Native | Pav Sidhu

2 days ago

Feb 12, 2017 · As I'm in **the** midst of building a React Native app **for** my exam studying tool, Revisify, I needed to find an elegant solution to validating **forms**. One of my favourite ...

› See also: [Forms](#)

React Email Validation Example - ItSolutionStuff.com

1 week ago

Sep 06, 2020 · This article goes in detailed on **react email validation** regex example. i explained simply step by step **email validation** regex **react** js. you'll learn **react email** input **validation**. ...

› See also: [Regex](#)

Validation · React Redux Form - GitHub Pages

1 day ago

The .valid property of **all** parent **forms** of **the** model are set: .valid = true if every field in **the form** is valid. .valid = false if any field in **the form** is **invalid**. Here's an example: import { actions } ...

› See also: [Forms](#)

Please leave your answer here:

Please enter the user name

Please enter the comment here

☐ Não sou um robô

reCAPTCHA
Privacidade - Termos

Submit

Reset

Popular Frameworks

- [Pandas](#)
- [Laravel](#)
- [VueJS](#)
- [ReactJS](#)
- [React Native](#)
- [Flutter](#)
- [Symfony](#)
- [Angular](#)
- [Ruby on Rails](#)
- [Django](#)
- [Express](#)
- [Spring](#)

Programming Languages

- [JavaScript](#)
- [Dart](#)
- [TypeScript](#)
- [PHP](#)
- [Go \(Golang\)](#)
- [Java](#)
- [Swift](#)
- [Python](#)
- [Ruby](#)
- [Scala](#)
- [Rust](#)
- [NodeJS](#)

About US

The display of third-party trademarks and trade names on this site does not necessarily indicate any affiliation or endorsement of FaqCode4U.com.

If you click a merchant link and buy a product or service on their website, we may be paid a fee by the merchant.

