

El teorema de los cuatro colores[☆]

C. Aznarán Laos¹

Radarweg 29, Amsterdam

Elsevier Inc^a, F. Cruz Ordoñez^{b,}*

^a*Facultad de Ciencias - Escuela profesional de Matemática,
Universidad Nacional de Ingeniería, Av. Túpac Amaru 210, Rímac, Lima 25, Peru*

^b*Facultad de Ciencias - Escuela profesional de Ciencia de la Computación,
Universidad Nacional de Ingeniería, Av. Túpac Amaru 210, Rímac, Lima 25, Peru*

Resumen

In this paper, we will review the definitions about the hyperbolic functions, trigonometric functions and deduce their inverse functions in terms of logarithms and exponentials introducing complex numbers. Hence, we will show the mathematical interrelation between this types of functions. Having already present the established definitions for the hyperbolic functions will look for an analog representation for the trigonometric functions.

© Science Department National University of Engineering Publishers Inc. All rights reserved.

Palabras clave: four-color theorem, Kempe's chain, planar graphs

Tabla de contenidos

1	Introducción	10
2	El “camino” hacia la demostración	10
3	Aplicaciones	10
4	Conclusiones	10

1. Introducción

2. El “camino” hacia la demostración

3. Aplicaciones

4. Conclusiones

Agradecimientos

The authors want to thank the Universidad Nacional de Ingeniería and the Undergraduate Mathematics Group for their hospitality during the visits while preparing this paper.

The authors would like to thank professor Johny Valverde for many valuable and constructive suggestions, that have helped to improve the paper.

[☆]This paper are available on GitHub.

*Corresponding author

Email address: support@elsevier.com (F. Cruz Ordoñez)

URL: www.blogdeoromion.pe.hu (Elsevier Inc)

¹Since 1880.

Referencias

- [1] Alfred Bray Kempe. “On the Geographical Problem of the Four Colours”. In: *American Journal of Mathematics* 2.3 (1879), pp. 193–200.
- [2] George D. Birkhoff. “The Reducibility of Maps”. In: *American Journal of Mathematics* 35.2 (1913), pp. 115–128.
- [3] Kenneth Appel and Wolfgang Haken. “The Solution of the Four-Color-Map Problem”. In: *Scientific American* 237.4 (1977), pp. 108–121.
- [4] David Gale. “The Game of Hex and the Brouwer Fixed-Point Theorem”. In: *The American Mathematical Monthly* 86.10 (1979), pp. 818–827.
- [5] Robin Thomas. *The Four Color Theorem*. 1995. URL: <http://people.math.gatech.edu/~thomas/FC/> (visited on 11/13/1995).
- [6] Neil Robertson et al. “The four-colour theorem”. In: *Journal of Combinatorial Theory, Series B* 70.1 (1997), pp. 2–44.
- [7] Rudolf Fritsch and Gerda Fritsch. *The Four-Color Theorem: History, Topological Foundations, and Idea of Proof*. Springer, 1998, pp. 1–41.
- [8] J. Pelikán Lovász L and K. Vesztergombi. *Discrete mathematics, elementary and beyond*. Springer Undergraduate Text in Mathematics, 2003, pp. 189–218.
- [9] Jiří Matoušek and Jaroslav Nešetřil. *Invitation to Discrete Mathematics*. Oxford University Press, 2009, pp. 206–214.
- [10] Combinatorics and Optimization University of Waterloo. *SiGMA 2017 László Miklós Lovász, Extremal graph theory and finite forcibility*. 2017. URL: https://www.youtube.com/watch?v=0fPf4qA1x_k (visited on 06/05/2018).
- [11] Combinatorics and Optimization University of Waterloo. *SiGMA 2017 Paul Seymour, Rainbow induced paths in graphs with large chromatic and small clique number*. 2017. URL: <https://www.youtube.com/watch?v=CnxmwDuYpX8> (visited on 06/06/2018).
- [12] V. Vilfred Kamalappan. “The four color theorem: a new proof by induction”. In: (2017).