

Algorithmical Geometry: Delaunay Triangulation

Markus Pawellek

January 15, 2022



Outline

Introduction

Mathematical Preliminaries

Geometric Primitives

Data Structure

Algorithm


Implementation

Applications

Conclusions


Introduction

Introduction



*<https://upload.wikimedia.org/wikipedia/commons/b/b8/Approx-3tori.svg>, December 29, 2021


Introduction



Educational Problems:

*<https://upload.wikimedia.org/wikipedia/commons/b/b8/Approx-3tori.svg>, December 29, 2021


Introduction



Educational Problems:

- ▶ Many Resources


Introduction



Educational Problems:

- ▶ Many Resources
- ▶ Duality to Voronoi Diagrams


Introduction



Educational Problems:

- ▶ Many Resources
- ▶ Duality to Voronoi Diagrams
- ▶ Multiple Algorithm Types:
Incremental, Sweepline,
Divide-and-Conquer

Introduction



Educational Problems:

- ▶ Many Resources
- ▶ Duality to Voronoi Diagrams
- ▶ Multiple Algorithm Types:
Incremental, Sweepline,
Divide-and-Conquer
- ▶ Varying Data Structures

Introduction: Previous Work




Introduction: Previous Work

1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"



Introduction: Previous Work

- 1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"
- 1985 Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams"



Introduction: Previous Work

- 1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"
- 1985 Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams"
- 1987 Dwyer, "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations"

Introduction: Previous Work

- 1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"
- 1985 Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams"
- 1987 Dwyer, "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations"
- 1996 Shewchuk, "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator"

Introduction: Previous Work

- 1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"
- 1985 Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams"
- 1987 Dwyer, "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations"
- 1996 Shewchuk, "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator"
- 2014 Fuetterling, Lojewski, and Pfreundt, "High-Performance Delaunay Triangulation for Many-Core Computers"

Introduction: Previous Work


- 1980 Lee and Schachter, "Two Algorithms for Constructing a Delaunay Triangulation"
- 1985 **Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams"**
- 1987 Dwyer, "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations"
- 1996 Shewchuk, "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator"
- 2014 Fuetterling, Lojewski, and Pfreundt, "High-Performance Delaunay Triangulation for Many-Core Computers"

Mathematical Preliminaries

Mathematical Preliminaries: Triangle and Circumcircle

Triangle

$A, B, C \in \mathbb{R}^2$ affinely independent
define vertices of a triangle.




Mathematical Preliminaries: Triangle and Circumcircle

Triangle

$A, B, C \in \mathbb{R}^2$ affinely independent
define vertices of a triangle.

Circumcircle


Circle that intersects with
all vertices of the triangle.



Mathematical Preliminaries: Point Set

Point Set

$\mathcal{V} \subset \mathbb{R}^2$ finite, $\#\mathcal{V} \geq 3$,
affinely span \mathbb{R}^2




Mathematical Preliminaries: Triangulation

Point Set

$\mathcal{V} \subset \mathbb{R}^2$ finite, $\#\mathcal{V} \geq 3$,
affinely span \mathbb{R}^2

Triangulation

Planar straight-line graph over \mathcal{V}
such that its edges form a maximal
subset of non-crossing edges.



Mathematical Preliminaries: Delaunay Triangulation

Point Set


$\mathcal{V} \subset \mathbb{R}^2$ finite, $\#\mathcal{V} \geq 3$,
affinely span \mathbb{R}^2

Triangulation

Planar straight-line graph over \mathcal{V}
such that its edges form a maximal
subset of non-crossing edges.

Delaunay Triangulation

Circumcircle of any triangle
contains no other points of \mathcal{V} .



Mathematical Preliminaries: Delaunay Triangulation

Point Set


$\mathcal{V} \subset \mathbb{R}^2$ finite, $\#\mathcal{V} \geq 3$,
affinely span \mathbb{R}^2

Triangulation

Planar straight-line graph over \mathcal{V}
such that its edges form a maximal
subset of non-crossing edges.

Delaunay Triangulation

Circumcircle of any triangle
contains no other points of \mathcal{V} .



Mathematical Preliminaries: Delaunay Triangulation

Point Set


$\mathcal{V} \subset \mathbb{R}^2$ finite, $\#\mathcal{V} \geq 3$,
affinely span \mathbb{R}^2

Triangulation


Planar straight-line graph over \mathcal{V}
such that its edges form a maximal
subset of non-crossing edges.

Delaunay Triangulation


Circumcircle of any triangle
contains no other points of \mathcal{V} .



Mathematical Preliminaries: Properties




Mathematical Preliminaries: Properties






- Optimality: maximization of the minimum angle of all angles

Mathematical Preliminaries: Properties



- ▶ Optimality: maximization of the minimum angle of all angles
- ▶ Convex hull is contained


Mathematical Preliminaries: Properties



- ▶ Optimality: maximization of the minimum angle of all angles
- ▶ Convex hull is contained
- ▶ Voronoi diagram is the dual



Mathematical Preliminaries: Properties of Delaunay Triangulation

- ▶ Duality to Voronoi Diagram (also useful for proofs)
- ▶ always exists -> proof
- ▶ If no points are cocircular, unique -> proof
- ▶ optimality: maximization of the minimum angle of all angles -> proof, reason why delaunay is good
- ▶ boundary is convex hull





Geometric Primitives

Geometric Primitives: Counterclockwise





Counterclockwise Order

Geometric Primitives: Counterclockwise



Counterclockwise Order \iff C is left of \overline{AB}



Geometric Primitives: Counterclockwise



Counterclockwise Order \iff C is left of \overline{AB}

$$0 < \begin{vmatrix} A_x & A_y & 1 \\ B_x & B_y & 1 \\ C_x & C_y & 1 \end{vmatrix}$$



Geometric Primitives: Counterclockwise



Counterclockwise Order \iff C is left of \overline{AB}

$$0 < \begin{vmatrix} A_x & A_y & 1 \\ B_x & B_y & 1 \\ C_x & C_y & 1 \end{vmatrix} = \begin{vmatrix} B_x - A_x & B_y - A_y \\ C_x - A_x & C_y - A_y \end{vmatrix}$$


Geometric Primitives: Counterclockwise



Counterclockwise Order \iff C is left of \overline{AB}


$$0 < \begin{vmatrix} A_x & A_y & 1 \\ B_x & B_y & 1 \\ C_x & C_y & 1 \end{vmatrix} = \begin{vmatrix} B_x - A_x & B_y - A_y \\ C_x - A_x & C_y - A_y \end{vmatrix} = \det \begin{pmatrix} B - A & C - A \end{pmatrix}$$

Geometric Primitives: Inside Circumcircle



Geometric Primitives: Inside Circumcircle


$$0 < \begin{vmatrix} A_x & A_y & A_x^2 + A_y^2 & 1 \\ B_x & B_y & B_x^2 + B_y^2 & 1 \\ C_x & C_y & C_x^2 + C_y^2 & 1 \\ D_x & D_y & D_x^2 + D_y^2 & 1 \end{vmatrix}$$



Data Structure

Data Structure: Quad-Edge


Edge-Based List-Like Data Structure:



Data Structure: Quad-Edge

Edge-Based List-Like Data Structure:


- ▶ Directed edges for vertices



Data Structure: Quad-Edge

Edge-Based List-Like Data Structure:


- ▶ Directed edges for vertices
- ▶ Pointer to ccw. next directed edge with same origin vertex



Data Structure: Quad-Edge

Edge-Based List-Like Data Structure:


- ▶ Directed edges for vertices
- ▶ Pointer to ccw. next directed edge with same origin vertex
- ▶ Directed dual edges for adjacent faces



Data Structure: Quad-Edge

Edge-Based List-Like Data Structure:


- ▶ Directed edges for vertices
- ▶ Pointer to ccw. next directed edge with same origin vertex
- ▶ Directed dual edges for adjacent faces
- ▶ Pointer to ccw. next directed dual edge with same origin face




Data Structure: Quad-Edge

Edge-Based List-Like Data Structure:


- ▶ Directed edges for vertices
- ▶ Pointer to ccw. next directed edge with same origin vertex
- ▶ Directed dual edges for adjacent faces
- ▶ Pointer to ccw. next directed dual edge with same origin face




Data Structure: Quad-Edge Implementation



```
struct edge {  
    size_t next;  
    size_t data;  
};  
  
struct quad_edge {  
    edge data[4];  
};  
  
vector<vertex>    vertices{};  
vector<quad_edge> quad_edges{};  
vector<size_t>    free_edges{};
```




Data Structure: Quad-Edge Implementation





$\text{rot}: \mathbb{N}_0 \rightarrow \mathbb{N}_0$

$$\text{rot}(x) = 4 \cdot \left\lfloor \frac{x}{4} \right\rfloor + (x + 1 \bmod 4)$$



Data Structure: Quad-Edge Functions



Data Structure: Quad-Edge Operations

- ▶ edge functions
- ▶ create edge
- ▶ splice
- ▶ connect
- ▶ delete edge



Algorithm


Algorithm: Overview

1. Sort points by increasing x coordinate
1. If number of points is less than four, create an edge or a triangle.
2. Separate points into left and right half
3. Compute the lower common tangent and make it a cross edge
4. Merge Loop to insert crossing edges until upper tangent is reached
5. Return left and right convex hull edge
1. Remove edges from left partition that fail circle test
2. Remove edges from right partition that fail circle test
3. Check for upper tangent
4. Insert crossing edge by using circle test

Implementation

Implementation

- ▶ Geometric Primitives need exact computation and therefore arbitrary precision



Applications

Conclusions

Thank you for Your Attention!

References

- (1) D. T. Lee and B. J. Schachter. "Two Algorithms for Constructing a Delaunay Triangulation". In: *International Journal of Computer and Information Sciences* 9 (1980), pp. 219–242. DOI: 10.1007/BF00977785.
- (2) Leonidas Guibas and Jorge Stolfi. "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams". In: *ACM Transactions on Graphics* 4 (April 1985), pp. 74–123. DOI: 10.1145/282918.282923. URL: http://sccg.sk/~samuelcik/dgs/quad_edge.pdf (visited on 11/07/2020).
- (3) Rex A. Dwyer. "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations". In: *Algorithmica* 2 (November 1987), pp. 137–151. DOI: 10.1007/BF01840356.
- (4) Jonathan Richard Shewchuk. "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator". In: *Applied Computational Geometry: Towards Geometric Engineering*. Ed. by Ming C. Lin and Dinesh Manocha. Vol. 1148. Lecture Notes in Computer Science. From the First ACM Workshop on Applied Computational Geometry. Springer-Verlag, May 1996.
- (7) D. F. Watson. "Computing the n -Dimensional Delaunay Tessellation with Application to Voronoi Polytopes". In: *The Computer Journal* 24 (1981), pp. 167–172. DOI: 10.1093/comjnl/24.2.167.
- (8) A. Bowyer. "Computing Dirichlet Tessellations". In: *The Computer Journal* 24 (1981), pp. 162–166. DOI: 10.1093/comjnl/24.2.162.
- (9) Christoph Burnikel. *Delaunay Graphs by Divide and Conquer*. 1998. URL: https://pure.mpg.de/rest/items/item_1819432_4/component/file_2599484/content (visited on 11/07/2020).
- (10) P. Cignoni, C. Montani, and R. Scopigno. "DeWall: A Fast Divide-and-Conquer Delaunay Triangulation Algorithm in E^d ". In: *Computer-Aided Design* 30 (1998), pp. 333–341. DOI: 10.1016/S0010-4485(97)00082-1.
- (11) Jyrki Katajainen and Markku Koppinen. "Constructing Delaunay Triangulations by Merging Buckets in Quad-Tree Order". In: *Fundamenta Informaticae* 11 (April 1988), pp. 275–288.