



Algorithmical Geometry: Delaunay Triangulation

Markus Pawellek

December 28, 2021

Outline

Introduction

Background

Geometric Primitives

Data Structures

Algorithm

Implementation Aspects

Applications

Conclusions

Introduction

Introduction: Previous Work and Hands-On Approach

- (1) Shewchuk, "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator", 1996
- (2) Guibas and Stolfi, "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams", 1985
- (3) Dwyer, "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations", 1987

Introduction: Overview

Educational Problems:

- ▶ Duality to Voronoi Diagrams, Dirichlet
- ▶ Incremental, Sweepline, Divide-and-Conquer Algorithms
- ▶ Varying Data Structures

Here: Triangular Data Structure and Divide-and-Conquer Algorithm

- ▶ Smallest Data Structure
- ▶ Fastest Algorithm
- ▶ Robust when using tweaks

Background

Background: Triangle

Definition: (Triangle)

We say that three points $A, B, C \in \mathbb{R}^2$ are building a triangle if they are affine independent.

Definition: (Circumcircle)

If $A, B, C \in \mathbb{R}^2$ are building a triangle, we define the circumcircle of the built triangle to be the circle that intersects with A, B , and C . We call its center the circumcenter of the triangle.

Background: Triangulation

Definition: (Triangulation)

- ▶ $n \in \mathbb{N}, n \geq 3$
- ▶ $\forall i \in \mathbb{N}, i \leq n : \quad x_i \in \mathbb{R}^2$ affine independent
- ▶ $\mathcal{V} := \{x_i \mid i \in \mathbb{N}, i \leq n\}$
- ▶ $\mathcal{T}(\mathcal{V})$ is a planar graph such that all faces are triangles when vertices are drawn at their given positions.
- ▶ $\mathcal{DT}(\mathcal{V})$ is a Delaunay triangulation if it is a triangulation such that for all triangle faces the interior of the circumcircle contains no other points of \mathcal{V} .

Background: Properties of Delaunay Triangulation

- ▶ Duality to Voronoi Diagram
- ▶ always exists
- ▶ If no points are cocircular, unique
- ▶ optimality:
- ▶ boundary is convex hull
- ▶ Delaunay condition implies triangulation

Background: Existence and Uniqueness of Delaunay Triangulation

Geometric Primitives

Geometric Primitives: Counter-Clockwise

$$\begin{vmatrix} A_x & A_y & 1 \\ B_x & B_y & 1 \\ C_x & C_y & 1 \end{vmatrix} > 0$$

Geometric Primitives: Inside Circumcircle

$$\begin{vmatrix} A_x & A_y & A_x^2 + A_y^2 & 1 \\ B_x & B_y & B_x^2 + B_y^2 & 1 \\ C_x & C_y & C_x^2 + C_y^2 & 1 \\ D_x & D_y & D_x^2 + D_y^2 & 1 \end{vmatrix} > 0$$

Data Structures

Algorithm

Implementation Aspects

Applications

Conclusions

Thank you for Your Attention!

References

- (1) Jonathan Richard Shewchuk. "Triangle: Engineering a 2D Quality Mesh Generator and Delaunay Triangulator". In: *Applied Computational Geometry: Towards Geometric Engineering*. Ed. by Ming C. Lin and Dinesh Manocha. Vol. 1148. Lecture Notes in Computer Science. From the First ACM Workshop on Applied Computational Geometry. Springer-Verlag, May 1996, pp. 203–222. URL: <https://people.eecs.berkeley.edu/~jrs/papers/triangle.pdf> (visited on 11/07/2020).
- (2) Leonidas Guibas and Jorge Stolfi. "Primitives for the Manipulation of General Subdivisions and the Computation of Voronoi Diagrams". In: *ACM Transactions on Graphics* 4 (April 1985), pp. 74–123. DOI: 10.1145/282918.282923. URL: http://sccg.sk/~samuelcik/dgs/quad_edge.pdf (visited on 11/07/2020).
- (3) Rex A. Dwyer. "A Faster Divide-and-Conquer Algorithm for Constructing Delaunay Triangulations". In: *Algorithmica* 2 (November 1987), pp. 137–151. DOI: 10.1007/BF01840356.
- (4) Dani Lischinski. *Incremental Delaunay Triangulation*.
- (7) Christoph Burnikel. *Delaunay Graphs by Divide and Conquer*. 1998. URL: https://pure.mpg.de/rest/items/item_1819432_4/component/file_2599484/content (visited on 11/07/2020).
- (8) V. Fuetterling, C. Lojewski, and F.-J. Pfreundt. "High-Performance Delaunay Triangulation for Many-Core Computers". In: *High Performance Graphics 2014* (2014), pp. 97–104. DOI: 10.2312/hpg.20141098.
- (9) D. T. Lee and B. J. Schachter. "Two Algorithms for Constructing a Delaunay Triangulation". In: *International Journal of Computer and Information Sciences* 9 (1980), pp. 219–242. DOI: 10.1007/BF00977785.
- (10) P. Cignoni, C. Montani, and R. Scopigno. "DeWall: A Fast Divide-and-Conquer Delaunay Triangulation Algorithm in E^d ". In: *Computer-Aided Design* 30 (1998), pp. 333–341. DOI: 10.1016/S0010-4485(97)00082-1.
- (11) Jyrki Katajainen and Markku Koppinen. "Constructing Delaunay Triangulations by Merging Buckets in Quad-Tree Order". In: *Fundamenta Informaticae* 11 (April 1988), pp. 275–288.