



1. Crear un par de claves nuevo





2. Lanzar una instancia de servidor web





Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Amazon Machine Image (AMI)
Amazon Linux 2023 kernel-6.18 AMI
Free tier eligible
Description
Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.
Amazon Linux 2023 AMI 2023.12.20260928.0 x86_64 HVM kernel-6.18
Architecture
Boot mode
AMI ID
Creation Date
Username
64-bit (x86)
uefi-preferred
ami-0b245cc5f82576748
2026-09-24
ec2-user
Verified provider
Instance type Info | Get advice
Instance type
t3.micro
Free tier eligible
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code



Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
modulo-1-workshop-carloslopez
Create new key pair
Network settings Info
VPC - required Info
vpc-0b3d08f5f4fcee21a (MI-Red-AWS-vpc)
10.0.0.0/16
Subnet Info
subnet-04c9c28b485b0b700
Mi-Red-AWS-subnet-public1-us-east-1a
Create new subnet
Auto-assign public IP Info
Enable
Additional charges apply when outside of free tier allowance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Security group name - required
launch-wizard-6
This security group will be added to all network interfaces. The name can't be edited after the security group is created. Max length is 255 characters. Valid characters: a-z, A-Z, 0-9, spaces, and ._-:/()#,@[]+=&;{}!$*
Description - required Info
launch-wizard-6 created 2026-09-30T01:16:14.866Z
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 191.89.129.222/32)
Remove
Type Info
Protocol Info
Port range Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code


Launch an instance
us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:
Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
CarlosAlbertoLopezGonzalez
EC2 > Instances > Launch an instance
Inbound Security Group Rules
Security group rule 1 (TCP, 22, 191.89.129.222/32)
Remove
Type | Info
ssh
Protocol | Info
TCP
Port range | Info
22
Source type | Info
My IP
Name | Info
Add CIDR, prefix list or security group
Description - optional | Info
e.g. SSH for admin desktop
191.89.129.222/32
Security group rule 2 (TCP, 80, 0.0.0.0/0)
Remove
Type | Info
HTTP
Protocol | Info
TCP
Port range | Info
80
Source type | Info
Anywhere
Source | Info
Add CIDR, prefix list or security group
Description - optional | Info
e.g. SSH for admin desktop
0.0.0.0/0
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Add security group rule
Advanced network configuration
Configure storage Info
Advanced
1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted
Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage
Add new volume
Summary
Number of instances | Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Launch an instance
us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:
Search [Alt+S] Ask Amazon Q
United States (N. Virginia)
CarlosAlbertoLopezGonzalez
EC2 > Instances > Launch an instance
Metadata IPv6 endpoint | Info
Select
Metadata version | Info
V2 only (token required)
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit | Info
2
Allow tags in metadata | Info
Select
User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
Install web app
cd /var/www/html
if [! -f immersion-day-app-php7.zip]; then
wget -O immersion-day-app-php7.zip
https://static.us-east-1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aa
e7-ea46d24b239e/assets/immersion-day-app-php7.zip
unzip immersion-day-app-php7.zip
fi
Install AWS SDK
if [! -d /var/www/html/vendor]; then
mkdir vendor
cd vendor
wget https://docs.aws.amazon.com/aws-sdk-php/v3/download/aws.zip
unzip aws.zip
fi
User data has already been base64 encoded
Summary
Number of instances | Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0b245cc5f82576748
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance. Charges may apply depending on your account's free tier status.
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences




(se me olvido el pantallazo de los detalles donde muestra la ip pública)





3. Conectarse a la instancia de Linux via SSH






4. Crear un EBS con TAGS y asociarlo a la instancia











```
~
❯ cd Descargas


~/Descargas
❯ ssh -i "modulo-1-workshop-carloslopez.pem" ec2-user@ec2-34-201-4-180.compute-1.amazonaws.com
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Wed Sep 30 01:34:28 2026 from 191.89.129.222
[ec2-user@ip-10-0-7-33 ~]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├─nvme0n1p1   259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
└─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   3G  0 disk
[ec2-user@ip-10-0-7-33 ~]$
```

5. Crear un bucket (S3) con TAGs y subir un archivo .TXT básico






8:59 PM
us-east-1.console.aws.amazon.com/s3/buckets/modulo1-examenpractico-carloslopez?region=us-east-1&tab=objects
Amazon S3 > Buckets > modulo1-examenpractico-carloslopez
modulo1-examenpractico-carloslopez Info
Objects Metadata Properties Permissions Metrics Management File systems Access Points
Objects (1)
Copy S3 URI Copy URL Download Open Delete Actions Create folder Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
Name Type Last modified Size Storage class
myLoremText.txt txt September 29, 2026, 20:59:00 (UTC-05:00) 447.0 B Standard
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences


9:00 PM
us-east-1.console.aws.amazon.com/s3/buckets/modulo1-examenpractico-carloslopez?region=us-east-1&tab=properties
Amazon S3 > Buckets > modulo1-examenpractico-carloslopez
Tags
You can use tags to track storage costs, organize general purpose buckets, and specify permissions for a general purpose bucket. AWS-generated tags are created by AWS and are read-only. Learn more
S3 Console now uses s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets by default. To use these APIs for tagging, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more
User-defined tags AWS-generated tags
User-defined tags (2) Info
Delete Add new tag
Key Value - optional
environment Modulo1-ExamenPractico
name CarlosAlbertoLopezGonzalez
Default encryption
Edit
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more
Enabled
Blocked encryption types Info
Server-Side Encryption with Customer-Provided Keys (SSE-C)
CloudShell Agent Toolkit for AWS Feedback Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences