

1. Keypair




2. grupos de seguridad


- EC2




- RDS




3. Lanzar EC2



RDS y grupo de seguridad





Conexión a la EC2 mediante SSH


```
❯ ssh -i "~/Documentos/AWS-keys/carlos-lopez-Keypair-Workshop1-modulo2.pem" ec2-user@ec2-32-198-36-15.compute-1.amazonaws.com
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Fri Oct 16 01:00:26 2026 from 191.89.129.222
[ec2-user@ip-10-0-15-213 ~]$
```

```
[ec2-user@ip-10-0-15-213 ~]$ mysql -h rds-module2-workshop1-carlos-lopez.czckyeamig9k.us-east-1.rds.amazonaws.com -u admin -p
Enter password:
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MySQL connection id is 29
Server version: 8.4.11 Source distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MySQL [(none)]>
```


ec2-user@ip-10-0-15-213:~
[ec2-user@ip-10-0-15-213 ~]$ mysql -h rds-module2-workshop1-carlos-lopez.czckyeamig9k.us-east-1.rds.amazonaws.com -u admin -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MySQL connection id is 34
Server version: 8.4.11 Source distribution
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MySQL [(none)]> CREATE DATABASE laboratoriocarloslopez;
Query OK, 1 row affected (0.050 sec)
MySQL [(none)]> SHOW DATABASES;
+------------------------+
| Database |
+------------------------+
| information_schema |
| laboratoriocarloslopez |
| mysql |
| performance_schema |
| sys |
+------------------------+
5 rows in set (0.021 sec)
MySQL [(none)]>