# LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 38 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 38 of the manuscript "*LDA2Net*: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

| Human label | 2-gram label | 3-gram label | 4-gram label |
|---|---|---|---|
| effects of vitamin somministration | levels->supplementation (7.3%) | levels->supplementation->significantly (4%) | levels->supplementation->significantly->reduced (1.8%) |

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

| | JSD | Mean propensity | Variance propensity | Modularity | Barrat Clustering Coeff. |
|---|---|---|---|---|---|
| value | 0.550697 | 0.007140 | 0.000314 | 0.156132 | 0.556595 |
| rank | 17 | 10 | 63 | 96 | 35 |

Based on the aforementioned measures, Topic 38 has been classified as a CROSS-CUTTING topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.




Figure 2: Top 25 unigrams (i.e., nodes) by measure.




Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.