## LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 68 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 68 of the manuscript "*LDA2Net*: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

Human label	2-gram label	3-gram label	4-gram label
pandemics in the us	state->local (26.4%)	state->local->federal (15.6%)	state->local->federal->level $(5\%)$

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

	JSD	Mean propensity	Variance propensity	Modularity	Barrat Clustering Coeff.
value	0.643341	0.007622	0.000214	0.017471 $62$	0.564477
rank	53	26	35		45

Based on the aforementioned measures, Topic 68 has been classified as a CROSS-CUTTING topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.

pandemic pan

including the county co

CDC canada including federal centers counties surfaces states census statelocal orders level united county america california

including member county county stingdom by a county states large to states among Odata whether pandemic CDC local throughout

medicaid w pandemic p

community
by solid propulation
county

Out-degree Betweenness PageRank

Figure 2: Top 25 unigrams (i.e., nodes) by measure.



Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.