## LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 9 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 9 of the manuscript "LDA2Net: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

Human label	2-gram label	3-gram label	4-gram label
guidelines for clinical practice management	clinical->practice (19.5%)	clinical->practice->management $(9.2\%)$	clinical->practice->management->regarding (1.7%)

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

	JSD	Mean propensity	Variance propensity	Modularity	Barrat Clustering Coeff.
value	0.681730	0.008420	0.000256	0.000000	0.567098
rank	71	72	45	36	49

Based on the aforementioned measures, Topic 9 has been classified as a CROSS-CUTTING topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.



Out-degree Betweenness PageRank

Figure 2: Top 25 unigrams (i.e., nodes) by measure.

evidence>management
consensus-management
recommendations>guidance
guidance>management
recommendations>guidance
guidance>management
recommendations>guidance
guidance>management
recommendations=guidance
practice>clinical guidance>management
clinical>recommendations
guidance>management
clinical>practice>management
clinical>practice>management
clinical>practice>management
clinical>practice>management
management>recommendations
management>recommendations
management>recommendations
management>recommendations
management>recommendations
management>recommendations
management>coviD-19-pidents
coviD-19-pinfection
systematic-review severe>COVID-19
systemat

regarding-management specific-recommendations recommendations peractices-recommendations, best-practice recommendations, best-practices recommendation

Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.