

Alusi® price extras list

for Automotive Europe



ArcelorMittal

This price list can be accessed at our website: automotive.arcelormittal.com > Product offer > Price lists for Europe or requested through our agencies.

Valid as from 01/01/2016 – version 02/02/2016 (EUR/tonne)

1. User guidelines

1.1 Price calculation

The following document only lists extras.

The price as invoiced includes:

The basis price

+ Transportation extra

+ Transportation tax (depending on the country)

+ Any extras from the list below

+ Warehousing fee

+ Specific logistic extras

1.2 Product availability

Not all combinations of specifications are available at each production facility.

2. Extras

2.1 Steel grades

.1 Steels for cold forming and deep drawing applications

EN 10346:2015	VDA 239-100	ArcelorMittal specific offer	
DX51D +AS		ArcelorMittal 51 +AS	0
DX52D +AS	CR1-AS	ArcelorMittal 52 +AS	25
DX53D +AS	CR2-AS	ArcelorMittal 53 +AS	52
DX54D +AS	CR3-AS	ArcelorMittal 54 +AS	90
DX55D +AS		ArcelorMittal 55 +AS	110
DX56D +AS	CR4-AS	ArcelorMittal 56 +AS	110

.2 Structural steels

EN 10346:2015	
S250GD +AS	5
S280GD +AS	15
S320GD +AS	23
S350GD +AS	40

.3 High Strength Low Alloy steels

EN 10346:2015	VDA 239-100	
H260LAD +AS	CR240LA-AS	35
H300LAD +AS	CR270LA-AS	45
H340LAD +AS	CR300LA-AS	55
H380LAD +AS	CR340LA-AS	70
H420LAD +AS	CR420LA-AS	75

2.2 Dimensions

Extras for thickness / width

Thickness (mm)	Width (mm)					
	600 699	700 799	800 899	900 1099	1100 1219	≥ 1220
0.25 - 0.29	(1)	(1)	(1)	390	-	-
0.30 - 0.34	(1)	(1)	(1)	327	-	-
0.35 - 0.39	(1)	(1)	(1)	252	-	-
0.40 - 0.44	244	226	210	191	191	-
0.45 - 0.49	210	193	179	162	162	-
0.50 - 0.54	171	155	142	128	128	148
0.55 - 0.59	145	137	123	111	111	131
0.60 - 0.69	122	114	102	89	89	109
0.70 - 0.79	97	91	82	74	74	94
0.80 - 0.89	82	75	69	62	62	82
0.90 - 0.99	73	67	62	55	55	73
1.00 - 1.24	64	61	53	48	48	68
1.25 - 1.49	51	45	38	33	33	53
1.50 - 1.99	42	37	32	27	27	44
2.00 - 2.49	41	35	28	24	24	49
2.50 - 3.00	67	63	55	54	54	79

(1) After prior agreement

The thickness must be either the midpoint of the tolerance range specified in the order, or the target thickness ordered, whichever value is the lowest.

>>

2.3 Special tolerances according to EN 10143:2006

Tolerances on dimensions

EN 10143:2006

Thickness	Special	8
Width	Special	15

2.4 Coating

Thickness (mm)	AS50/AS60	AS80/AS100/ AS120	AS150/AS165
0.25 - 0.29	(2)	0	(2)
0.30 - 0.34	(2)	0	(2)
0.35 - 0.39	(2)	0	(2)
0.40 - 0.44	(2)	0	53
0.45 - 0.49	(2)	0	47
0.50 - 0.54	(2)	0	39
0.55 - 0.59	(2)	0	35
0.60 - 0.69	(2)	0	32
0.70 - 0.79	0	0	31
0.80 - 0.89	0	0	27
0.90 - 0.99	0	0	24
1.00 - 1.24	0	0	23
1.25 - 1.49	0	0	20
1.50 - 1.99	0	0	18
2.00 - 2.49	0	0	14
2.50 - 3.00	0	0	11

(2) Not accepted

2.5 Surface aspect

Extras for coils

A	Normal	0
B	Improved	15
C	Superior	42

2.6 Surface treatment

All thicknesses

E	E-Passivation®	5
S	Thin organic coating:	
	Easyfilm®	30
	Easyfilm® + Oil	(1)

(1) After prior agreement

2.7 Coil weight

	Weight (t)		
	3 - 4.999	5 - 9.999	≥ 10
Width (mm)			
600 - 899	20	15	0
≥ 900	25	20	0

2.8 Welds

Welds not accepted (before or after cold rolling)	10
Only welds after cold rolling not accepted	5
Welds after cold rolling accepted but before cold rolling refused	0
All welds accepted	-3

When an order for coils specifies no welds, the weight per coil cannot be specified but must be arranged by prior agreement.

2.9 Order quantities: extras per item

.1 Item definition

An item is defined as a quantity of material specified in one order form for which the steel grade, dimensions, coating, delivery time and the destination are the same.

.2 Extras

Tonnage per item (t) (spot business)

5 - 9.999	25
10 - 14.999	15
15 - 19.999	10
≥ 20	0

Note: the weight of the order item should be expressed as a multiple of the weight of a single coil.

Unit weight / quantities per order unit should be agreed with the factory.

For orders in scheduled business, the minimum monthly tonnage is 20 t. Extra of 50 EUR/t for orders < 20 t/month.

.3 Admitted variation with respect to the specified weight

We reserve the right to deliver the specified weight with a tolerance of:

Item weight (t)	Tolerances (%)
≤ 100	± 20
> 100	± 10

>>

2.10 Packaging

Coils are charged gross for net, wooden pallet included.

Standard ArcelorMittal packaging

no paper	0
paper	5
seaworthy	10

For all other packaging requirements:

After prior agreement, with a minimum of	10
--	----

2.11 Certificates - Inspection

EN 10204:2004

Standard indication

Certificate of compliance with the order	2.1	0
Test report	2.2	0
Inspection certificate ⁽³⁾	3.1	5
Inspection certificate	3.2	10

(3) Electronic version: 2 EUR/t

Supplementary test, not mentioned in a standard	5
---	---

