

Cold rolled price extras list

for Automotive Europe



ArcelorMittal

This price list can be accessed at our website: automotive.arcelormittal.com > Product offer > Price lists for Europe or requested through our agencies.

Valid as from 01/01/2016 – version 02/02/2016 (EUR/tonne)

1. User guidelines

1.1 Price calculation

The following document only lists extras.

The price as invoiced includes:

The basis price

+ Transportation extra

+ Transportation tax (depending on the country)

+ Any extras from the list below

+ Warehousing fee

+ Specific logistic extras

1.2 Product availability

Not all combinations of specifications are available at each production facility.

2. Extras

2.1 Steel grades

.1 Steels for cold forming

EN 10130:2006	VDA 239-100	ArcelorMittal specific offer	
DC01		ArcelorMittal 01	0
	CR1	ArcelorMittal 02	5
DC03	CR2	ArcelorMittal 03	20
DC04	CR3	ArcelorMittal 04	25
DC05	CR4	ArcelorMittal 05	40
DC06	CR5	ArcelorMittal 06	80
DC07		ArcelorMittal 07	105

.2 High Strength Low Alloy steels

EN 10268:2006	VDA 239-100	ArcelorMittal specific offer	
HC260LA	CR240LA	HSLA 260	35
HC300LA	CR270LA	HSLA 300	45
HC340LA	CR300LA	HSLA 340	55
HC380LA	CR340LA	HSLA 380	70
HC420LA	CR420LA	HSLA 420	75

.3 Bake Hardening steels

EN 10268:2006	VDA 239-100	ArcelorMittal specific offer	
HC180B	CR180BH	180 BH	55
HC220B	CR210BH	220 BH	47
HC260B	CR240BH	260 BH	50
HC300B	CR270BH	300 BH	60

.4 Interstitial-Free High Strength steels

EN 10268:2006	VDA 239-100	ArcelorMittal specific offer	
HC180Y	CR180IF	IF 180	55
HC220Y	CR210IF	IF 220	65
HC260Y	CR240IF	IF 260	70
		IF 300	75

.5 TRIP steels

EN 10338:2015	VDA 239-100	ArcelorMittal specific offer	
HCT690T	CR400Y690T-TR	TRIP 690	200
HCT780T	CR450Y780T-TR	TRIP 780	250

.6 Dual Phase steels

EN 10338:2015	VDA 239-100	ArcelorMittal specific offer	
HCT450X		DP 450	120
HCT500X	CR290Y490T-DP	DP 500	130
HCT600X	CR330Y590T-DP	DP 600	150
HCT780X	CR440Y780T-DP	DP 780LCEY450	180
		DP 780LCEY500	190
HCT980XG	CR700Y980T-DP	DP 980Y700	210
		DP 980Y550	230
HCT980X	CR590Y980T-DP	DP 980LCEY600	280
HCT980XG	CR700Y980T-DP	DP 980LCEY700	280
HCT1180G1	CR900Y1180T-CP	DP 1180	260

>>

.7 Complex phase steels

EN 10338:2015	VDA 239-100	ArcelorMittal specific offer	
HCT600C		CP 600	170
HCT780C	CR570Y780T-CP	CP 800Y600	190
HCT980C	CR780Y980T-CP	CP 1000 SF	280

.8 Solid solutions steels

EN 10268:2006	ArcelorMittal specific offer	
HC220P	H 220	35
HC260P	H 260	45
HC300P	H 300	55

.9 Carbon-manganese steel

CMN440	80
--------	----

.10 Martensitic steels

	VDA 239-100	
MartINite® 1500	CR1220Y1500T-MS	330

.11 Fortiform® steels

	VDA 239-100	
Fortiform® 980		(*)
Fortiform® 1050	CR700Y980T-DH	330
Fortiform® 1180		(*)

(*) on request

2.2 Dimensions

Extras for thickness / width

	Width (mm)								
	600	700	800	900	1100	1300	1851	1926	2001
Thickness (mm)	699	799	899	1099	1299	1850	1925	2000	2070
0.50 - 0.54	158	144	117	95	84	84	-	-	-
0.55 - 0.59	146	128	104	87	74	73	-	-	-
0.60 - 0.69	129	113	85	73	63	62	171	-	-
0.70 - 0.79	108	109	82	69	59	59	168	198	-
0.80 - 0.99	96	93	66	53	43	43	152	182	222
1.00 - 1.24	83	82	53	43	35	35	107	137	195
1.25 - 1.49	79	78	51	38	31	31	82	112	140
1.50 - 1.99	74	69	46	33	26	26	90	120	150
2.00 - 2.99	61	58	33	23	15	15	-	-	-

The thickness must be either the midpoint of the tolerance range specified in the order, or the target thickness ordered, whichever value is the lowest.

2.3 Special tolerances according to EN 10131:2006

Tolerances on dimensions

EN 10131:2006		
Thickness	Full EN	0
	Special	8
Width	Special	15

2.4 Surface aspect

EN 10130:2006	
Exposed (aspect B one-sided)	65

2.5 Coil weight

	Weight (t)		
	3 - 4.999	5 - 9.999	≥ 10
Width (mm)			
600 - 799	20	0	0
800 - 1099	20	15	0
1100 - 1499	25	20	0

Permitted deviation for the weight specified per coil

Our factories are not bound to supply the exact coil weight specified. Coil weight may be between 75 and 100% of the weight specified. 20% of the tonnage of the sample ordered as coils may be supplied as lightweight coils, i.e. coils weighing between 25 and 75% of the specified weight.

2.6 Welds

Welds not accepted (before or after cold rolling)	10
Only welds after cold rolling not accepted	5
Welds after cold rolling accepted but before cold rolling refused	0
All welds accepted	-3

When an order for coils specifies no welds, the weight per coil cannot be specified but must be arranged by prior agreement. The weight of coils without welds may be between 50 and 100% of the weight specified.

2.7 Order quantities: extras per item

.1 Item definition

An item is defined as a quantity of material specified in one order form for which the steel grade, dimensions, coating, delivery time and the destination are the same.

.2 Extras

Tonnage per item (t) (spot business)	
5 - 9.999	25
10 - 14.999	15
15 - 19.999	10
≥ 20	0

Note: the weight of the order item should be expressed as a multiple of the weight of a single coil.

Unit weight / quantities per order unit should be agreed with the factory.

For orders in scheduled business, the minimum monthly tonnage is 20 t. Extra of 50 EUR/t for orders < 20 t/month.

>>

.3 Tolerances on quantities (spot business)

Item tonnage (t)	Tolerances (%)
≤ 100	± 20
> 100	± 10

2.8 Packaging

Coils are charged gross for net, wooden pallet included.

Standard ArcelorMittal packaging

no paper	0
paper*	5
seaworthy	10

* Mandatory for uncoiled material

For all other packaging requirements:

After prior agreement, with a minimum of	10
--	----

2.9 Certificates - Inspection

Inspection takes place at the supplier's premises. Coils from which the test pieces are taken, continue to be part of delivery.

EN 10204:2004	Standard indication	
Certificate of compliance with the order	2.1	0
Test report	2.2	0
Inspection certificate ⁽³⁾	3.1	5
Inspection certificate	3.2	10

(3) Electronic version: 2 EUR/t

Supplementary test, not mentioned in a standard	5
---	---

