



Hot-Dip Galvanized Strip Products

Coils and Cut Lengths



Effective 1 October 2016

Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

1.0 BASIS PRICE

Grade DX 51 D + Z (EN 10346-2009)

Eur/t 890

2.0 STEEL GRADE EXTRAS

2.1 STEELS FOR DEEP DRAWING AND COLD FORMING APPLICATIONS

EN 10346 - 2009

DX 51 D + Z	0
DX 52 D + Z	25
DX 53 D + Z	52
DX 54 D + Z	85
DX 56 D + Z	100
DX 57 D + Z *	175

* upon request

2.2 STRUCTURAL STEELS

EN 10346 - 2009

S 220 GD + Z	0
S 250 GD + Z	5
S 280 GD + Z	15
S 320 GD + Z	23
S 350 GD + Z	40



Hot-Dip Galvanized
Strip Products

Coils and Cut Lengths

€

Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

2.3 HIGH STRENGTH STEELS

EN 10346 - 2009		
	HX 260 LAD	30
	HX 300 LAD	40
	HX 340 LAD	50
	HX 380 LAD	60
	HX 420 LAD	80
	HX 180 BD	55
	HX 220 BD	60

3.0 OTHER EXTRAS

3.1 SURFACE ASPECT

Surface aspect	A	0
Surface aspect	B	10
Surface aspect	C	50

3.2 SPECIAL TOLERANCES (ACCORDING TO EN 10143)

	Thickness	3
	Width	15
	Flatness	10

4.0 TEST CERTIFICATES EN 10204

Declaration of Compliance with order - type 2.1	0
Test Report 2.2	0
Heat Analysis Certificate	0
Inspection Certificate 3.1 (by heat or by lot)	4
Inspection Certificate 3.1 (by batch)	6
Inspection Certificate 3.1 C	10
Inspection Certificate 3.2	10



Hot-Dip Galvanized
Strip Products

Coils and Cut Lengths

€

Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

5.0 DIMENSIONAL EXTRAS

The extra is applied to the mean of the ordered thickness after taking tolerances into account.

Width (mm) ►	< 60	60 ÷ 599	600 ÷ 699	700÷799	800 ÷ 899	900 ÷ 1099	1100 ÷ 1299	≥1300
Thickness (mm) ▼								
0,250 ÷ 0,299	373	314	308	308	373	239	-	-
0,300 ÷ 0,349	280	229	223	223	283	162	159	-
0,350 ÷ 0,399	252	208	202	202	240	148	129	-
0,400 ÷ 0,449	194	158	152	152	194	124	106	106
0,450 ÷ 0,499	181	148	142	142	170	118	99	99
0,500 ÷ 0,549	171	140	134	134	142	114	93	93
0,550 ÷ 0,599	156	125	119	119	122	99	78	78
0,600 ÷ 0,699	146	118	112	112	106	93	74	74
0,700 ÷ 0,799	128	102	96	96	87	77	60	60
0,800 ÷ 0,899	127	101	95	95	84	81	59	59
0,900 ÷ 0,999	132	106	100	100	89	86	64	64
1,000 ÷ 1,249	125	99	93	93	77	74	57	57
1,250 ÷ 1,999	110	86	80	80	68	63	46	46
2,000 ÷ 4,000	83	60	54	54	41	40	21	21

6.0 COATING EXTRAS

Coating Mass Riv. (g/m²) ►	Z100	> Z100 ≤ Z140	> Z140 ≤ Z200	> Z200 ≤ Z275	> Z275 ≤ Z350
Thickness (mm) ▼					
0,250 ÷ 0,299	0	31	75	117	206
0,300 ÷ 0,349	0	31	75	117	206
0,350 ÷ 0,399	0	29	73	115	191
0,400 ÷ 0,449	0	26	65	101	169
0,450 ÷ 0,499	0	19	56	85	146
0,500 ÷ 0,549	0	18	49	78	132
0,550 ÷ 0,599	0	17	47	71	118
0,600 ÷ 0,699	0	15	40	63	107
0,700 ÷ 0,799	0	14	38	57	95
0,800 ÷ 0,999	0	8	31	50	82
1,000 ÷ 1,249	0	12	28	39	68
1,250 ÷ 1,999	0	5	19	28	51
2,000 ÷ 4,000	0	8	18	23	38



Hot-Dip Galvanized
Strip Products
Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

7.0 EXTRAS FOR CUTTING

The extra is applied to the mean of the ordered thickness after taking tolerances into account.
The length may not be less than the width.

7.1 CUTTING TO LENGTH

Width (mm) ▶	60 ÷ 499	500 ÷ 799	≥ 800
Thickness (mm) ▼			
0,300 ÷ 0,349	66	61	66
0,350 ÷ 0,399	59	54	59
0,400 ÷ 0,449	51	46	51
0,450 ÷ 0,499	48	43	48
0,500 ÷ 0,549	46	41	46
0,550 ÷ 0,599	46	41	46
0,600 ÷ 0,699	43	38	43
0,700 ÷ 0,799	41	36	41
0,800 ÷ 0,999	41	36	41
1,000 ÷ 1,249	41	36	41
1,250 ÷ 1,999	39	34	39
2,000 ÷ 4,000	38	33	38

8.0 COIL WEIGHT EXTRAS

Coils will be supplied in weights between 50 and 100 % of the maximum coil weight confirmed as per order confirmation.
Maximum 10 % of confirmed quantity may be supplied in underweight coils ≥ 25 % maximum coil weight.

From 7 to 24 kg/mm	0
Less than 7 kg/mm	25

8.1 UNDERWEIGHT COILS (ALLOWANCE, %)

10 % allowed	0
Not allowed	25