



Hot-Rolled Strip Products

Coils and Cut Lengths



Effective 1 October 2016

Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

1.0 BASIS PRICE

Grade DD11 (EN 10111)

Eur/t 800

2.0 STEEL GRADE EXTRAS

2.1 STRUCTURAL STEELS

EN 10025-2/2004

S 185 + M	0
S 235 JR + M	3
S 235 J0 + M	12
S 235 J2 + M	12
S 235 JRC + M	16
S 235 J0C + M	22
S 235 J2C + M	22
S 275 JR + M	20
S 275 J0 + M	27
S 275 J2 + M	27
S 275 JRC + M	32
S 275 J0C + M	32
S 275 J2C + M	32
S 355 JR + M	30
S 355 J0 + M	35
S 355 J2 + M	40
S 355 JRC + M	50
S 355 J0C + M	45
S 355 J2C + M	45
S 355 K2 + M *	45
S 235 JR + N	8
S 235 J0 + N	17
S 235 J2 + N	17
S 275 J2 + N	33
S 275 J0C + N	43

* upon request



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

2.2 ATMOSPHERIC CORROSION RESISTANT STEELS

EN 10025-5/2004	
S 355 J0WP + AR	120

2.3 HIGH YIELD STRENGTH STEELS FOR COLD FORMING

EN 10149-2	
S 315 MC	35
S 355 MC	42
S 420 MC	60
S 500 MC	80
S 550 MC *	95

* upon request

2.4 STEELS FOR DEEP DRAWING AND COLD FORMING APPLICATIONS

EN 10111	
DD 11	0
DD 12	5
DD 13	12
DD 14	16
DD 14 Bor (boron alloyed)	25
DD 14 Ti (titanium alloyed) *	25

* upon request

2.5 STEELS FOR COLD ROLLING

ILVA GRADE	
RH 20 (for DC03-EN 10130)	0
RH 40 (for DC04-EN 10130)	10
RH 50 (for DC05-EN 10130)	22



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

2.6 STEELS FOR GAS CONTAINERS

EN 10120		
	P 245 NB *	30
	P 265 NB *	35
	P 310 NB *	40
	P 355 NB *	47

* upon request

2.7 STEELS FOR SIMPLE PRESSURE VESSELS

EN 10207		
	P 235 S *	35
	P 265 S *	40

* upon request

2.8 STEELS FOR BOILER AND PRESSURE VESSELS

2.8.1

EN 10028-2		
	P 235 GH *	30
	P 265 GH *	35
	P 295 GH *	60
	P 355 GH *	70

* upon request

2.8.2

AD 2000-W1		
	S 235 JR + N	12
	S 235 J2 + N	32
	S 275 JR + N	35
	S 275 J2 + N	37



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

2.9 WELDABLE FINE GRAIN STEELS NORMALIZED FOR PRESSURE PURPOSES

EN 10028-3		
P 355 N *		85

* upon request

2.10 STEELS FOR PIPES

EN 10028-2 (CLASS B)		API-5L/42^ED.2000 E 43^ED.2004
	Gr B PSL1 *	25
	Gr B PSL2 *	25
L245/MB *		25
	X42 PSL1 *	35
	X42 PSL2 *	35
L290/MB *		34
	X46PSL1 *	45
	X46PSL2 *	45
	X52PSL1 *	52
	X52PSL2 *	52
L360/MB *		50
	X56 PSL1 *	68
	X56 PSL2 *	68
	X60 PSL1 *	70
	X60 PSL2 *	70
L415/MB *		70
	X65PSL1 *	78
	X65PSL2 *	78
L450/MB *		75
	X70 PSL1 *	87
	X70 PSL2 *	87
L485/MB *		87

* upon request



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

3.0 ADDITIONAL EXTRAS FOR SPECIAL REQUIREMENTS

3.1 SULPHUR CONTENT

S > 0,005 and ≤ 0,010%	5
S ≤ 0,005 %	10

3.2 COPPER CONTENT

Cu 0,20 ÷ 0,35%	20
Cu 0,36 ÷ 0,50%	30

3.3 FLATNESS TOLERANCE

EN 10051	0
EN 10051 Reduced tolerance (Skinpassed)	22

3.4 EDGE TRIMMING

Unpickled	22
Pickled	12

3.5 INSIDE DIAMETER

Unpickled, mill edges	762 ± 7%	0
Unpickled, mill edges	762 ± 3%	15
Unpickled, mill edges	610 ± 3%	15
Unpickled, trimmed edges	all	0

3.6 FLOOR PLATES

Teardrop / Chequered	30
----------------------	----

3.7 PICKLING

Thickness (mm)	1,500 ÷ 1,749	45
Thickness (mm)	1,750 ÷ 1,999	40
Thickness (mm)	2,000 ÷ 6,000	30
Thickness (mm)	> 6,000	45



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

3.8 SURFACE ASPECT

IMPROVED SURFACE ASPECT	
Thickness ≥ 2 mm	10
Thickness < 2 mm	25

4.0 TEST CERTIFICATES EN 10204

Declaration of Compliance with order - type 2.1	0
Test Report 2.2	0
Heat Analysis certificate	0
Inspection Certificate 3.1 (by heat or by lot)	3
Double Inspection Certificate 3.1 (by heat or by lot)	13
Inspection Certificate 3.1 (by batch)	5
Double Inspection Certificate 3.1 (by batch)	16
ISPESL Test Certificate + 2 o 3 Inspection Certificates 3.1	25
Inspection Certificate 3.1 C	10
Inspection Certificate 3.2	10

5.0 DIMENSIONAL EXTRAS

The extra is applied to the mean of the ordered thickness after taking tolerances into account.

Width (mm) ►	< 60	60 ÷ 599	600 ÷ 799	800 ÷ 1099	1100 ÷ 1549	1550 ÷ 1849	1850 ÷ 2135
Thickness (mm) ▼							
1,500 ÷ 1,749	86	67	40	31	32	-	-
1,750 ÷ 1,999	79	60	35	30	25	28	-
2,000 ÷ 2,499	72	54	33	28	20	23	-
2,500 ÷ 2,999	70	52	30	25	18	20	28
3,000 ÷ 3,999	63	47	28	23	15	18	40
4,000 ÷ 6,999	59	44	25	20	13	16	40
7,000 ÷ 12,000	69	54	35	28	23	25	40



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

6.0 EXTRAS FOR CUTTING

The extra is applied to the mean of the ordered thickness after taking tolerances into account.
The length may not be less than the width.

6.1 LENGTH EXTRAS FOR CUT LENGTHS

Width (mm) ►	60 ÷ 499	500 ÷ 799	≥ 800
Thickness (mm) ▼			
1,500 ÷ 1,999	34	29	34
2,000 ÷ 2,499	33	28	33
2,500 ÷ 2,999	33	28	33
3,000 ÷ 3,999	31	26	31
4,000 ÷ 6,999	30	25	30
7,000 ÷ 12,000	30	25	30

7.0 EXTRAS FOR SAND BLASTING

Thickness (mm)	
4,000 ÷ 4,999	77
5,000 ÷ 6,999	58
7,000 ÷ 11,999	34
12,000 ÷ 14,999	28
15,000 ÷ 19,999	24

8.0 EXTRAS FOR PROTECTIVE COATING

8.1 EPOXY PRIMER

Thickness (mm)	
4,000 ÷ 4,999	20
5,000 ÷ 6,999	17
7,000 ÷ 11,999	16
12,000 ÷ 14,999	12
15,000 ÷ 19,999	11



Hot-Rolled Strip Products

Coils and Cut Lengths



Sales Office: V.le Certosa, 239 - 20151 Milan - Tel: +39 02 30035 750 - Email: commerciale@gruppoilva.com

The Price List is effective for deliveries within the European Union. Prices and extras are shown in Euro per metric tonne and are an integral and indivisible part of the standard conditions of sale, transport and delivery.

8.2 ZINC SILICATE PRIMER

Thickness (mm)	
4,000 ÷ 4,999	40
5,000 ÷ 6,999	34
7,000 ÷ 11,999	28
12,000 ÷ 14,999	24
15,000 ÷ 19,999	21

9.0 COIL WEIGHT EXTRAS

Depending on the coil weight chosen, the following extras or discounts will be applied.

9.1 COIL WEIGHT - UNPICKLED - UNTRIMMED

Coils will be supplied in weights between 50 and 100 % of the maximum coil weight as per order confirmation.

<11 kg/mm	15
From 11 to 15 kg/mm (coil width up to 1540 mm)	3
Other	0

9.2 COIL WEIGHT - TEARDROP /CHEQUERED

Coils will be supplied in weights between 50 and 100 % of the maximum coil weight as per order confirmation.

<11 kg/mm	15
from 11 to 24 kg/mm	0

9.3 COIL WEIGHT - PICKLED

Coils will be supplied in weights between 50 and 100 % of the maximum coil weight as per order confirmation.

<11 kg/mm	15
from 11 to 24 kg/mm	0