

Ymagine® strip products

Price extras in Euros

Effective 1 July 2023

General

This document shows price extras only.

The invoiced price comprises these extras plus basis price, distribution and tax.

Material is charged on gross weight. Lengths and widths should be specified in whole millimetres.

Unless otherwise agreed with Tata Steel, sales are FCA Tata Steel IJmuiden loading quay (ship), FCA

Tata Steel IJmuiden loading dock (truck) or FCA Tata Steel IJmuiden railway yard (rail).

All prices in this list are in EUR/tonne and do not include value-added tax or any other tax relating to the sale and delivery of the goods. If delivery is within the European Union, the purchaser will bear all taxes and will reimburse Tata Steel for any taxes charged to Tata Steel in respect of the sale or delivery of the goods.

All transactions are subject to Tata Steel IJmuiden BV General Conditions of Sale.

Specifications are subject to mill acceptance and not all combinations of extras are necessarily

available. For specific information about products and their availability, please check

www.tatasteeleurope.com or consult Tata Steel.

1. Quality

1.1 Steel for drawing and cold forming

Tata Steel	€/tonne
Ymagine D1	0

1.2 Structural steel

Tata Steel	€/tonne
Ymagine S1	5

1.3 High-strength low-alloy steel

Tata Steel	€/tonne
Ymagine H240	20
Ymagine H320	35
Ymagine H360	45
Ymagine H420	65
Ymagine H500	80

2. Dimensions

2.1 Thickness and width: coils

Thickness (mm)		Width (mm)				
		≥ 1000	≥ 1100	≥ 1200	≥ 1300	≥ 1400
		< 1100	< 1200	< 1300	< 1400	≤ 1530
≥	<	€/tonne				
1.15	1.25	84	64	56	52	47
1.25	1.50	72	52	45	40	35
1.50	1.80	63	43	36	31	26
1.80	2.00	51	31	24	19	15
2.00	2.50	46	26	19	14	11
2.50	3.20	42	22	15	10	7
3.20	4.10	40	20	13	8	5

Note:

Where dimensions are specified as a range, a maximum (with all tolerances under) or a minimum (with all tolerances over), the extras applicable are those for the mean of the range as specified or implied.

3. Dimensional tolerances

3.1 Thickness tolerances

	€/tonne
Standard Ymagine tolerance	0
Special tolerance (tighter than Ymagine norm)	10

3.2 Width tolerances and side trimming

EN 10131 : 2006	€/tonne
Normal	0
Special/Outside EN 10131 : 2006 (Side Trimmed Last)	15

4. Quantity

4.1 Coil weights

Max. coil weight		Width (mm)			
		≥ 1000	≥ 1100	≥ 1300	≥ 1500
		< 1100	< 1300	< 1500	≤ 1530
≥	<	€/tonne			
5	10	30	30	30	35
10	15	0	0	0	0
15		0	0	0	0

Notes:

1. Coil weight price extras apply unless the specified coil weight is the result of technical limitations at Tata Steel.
2. The minimum specifiable coil weight is 5 tonnes.
3. Specified coil weights must be in balance with the ordered quantity.

4.2 Order quantity per order item

Quantity (tonnes)		Tata Steel tolerance	€/tonne
≥	<		
100		±10%	0
40	100	±20%	0
20	40	±20%	10

Notes:

1. An order item is a quantity of material specified in one order of which the specification (grade, dimension, etc.), delivery time and destination is the same.
2. The minimum order quantity is 20 tonnes.
3. Material should be ordered in quantities that are multiples of whole coils.
4. Tata Steel will seek to supply the nearest number of whole coils to meet the ordered quantity or a quantity that is within the tolerances shown.
5. Where quantity is specified as a range, a maximum (with all tolerances under) or a minimum (with all tolerances over), the extras applicable are those for the mean of the range as specified or implied.

4.3 Welds

	€/tonne
The material is supplied without welds	0

5. Testing and inspection

5.1 Test certificates

	€/tonne
to EN 10204 : 2004	
Declaration of compliance with order - type 2.1	0
Test report (cast analysis only) - type 2.2	0
Test report (cast analysis and mechanical properties) - type 2.2	3
Inspection certificate (cast analysis and mechanical properties based on specific testing) - type 3.1	5
Inspection certificate (signed by an authorised representative of a test agency, appointed by the purchaser) - type 3.2*	10
* Personal inspection costs will be invoiced to the purchaser or his customer by the inspection agency and must be paid direct to the inspection agency	
Note: At purchaser's choice only one certificate to EN 10204 will be issued, to be agreed on ordering.	

6. Other extras

	€/tonne
Edge trimming	
The Ymagine product will be supplied with trimmed edges	0
Surface Treatment	
Oiled	0
Uncoiled	10
Fit for specific application	
Safety critical parts (safety parts)	5

7. Packing

	€/tonne
Steel strapping	0
Paper/film and steel strapping	3
Steel/board box, paper/film and steel strapping	5
Notes:	
1. For weighing and invoicing gross equals net.	
2. The wood if used in packing is included in the weight.	
3. Packaging materials are to be regarded as non-returnable.	

www.tatasteeleurope.com

Ymagine® is a trademark of Tata Steel.

While care has been taken to ensure that the information contained in this publication is accurate, neither Tata Steel, nor its subsidiaries, accept responsibility or liability for errors or for information which is found to be misleading. Before using products or services supplied or manufactured by Tata Steel and its subsidiaries, customers should satisfy themselves as to their suitability.

Tata Steel reserves the right to change this information at any time without prior notice. The latest version will take precedence over the prior version at any moment in time.

Copyright 2023
Tata Steel IJmuiden B.V.

Tata Steel
Wenckebachstraat 1
1951 JZ Velsen-Noord
The Netherlands
E: connect.engineering@tatasteeleurope.com
www.tatasteeleurope.com/engineering

E0130:EN:PDF:0423



Scan for the
latest product
information