

DS-2CE16D0T-WL3 **HD 1080p White Supplement Light Bullet Camera**











Key Features

- 2 megapixel high performance CMOS
- Analog HD output, up to 1080p resolution
- White supplement light (up to 30 m distance)
- **IP66**
- Up the Coax (Hikvision-C)





Specifications


| Camera | |
|----------------------|--|
| Image Sensor | 2 MP CMOS image sensor |
| Signal System | PAL/NTSC |
| Effective Pixels | 1920 (H) × 1080 (V) |
| Min. illumination | 0.01 Lux@(F1.2, AGC ON) |
| Shutter Time | PAL: 1/25 s to 1/50, 000 s NTSC: 1/30 s to 1/50, 000 s |
| Lens | 3.6 mm (6 mm optional) |
| | Field of view: 82° (3.6 mm), 54° (6 mm) |
| Lens Mount | M12 |
| Day & Night | Color |
| Angle Adjustment | Pan: 0° to 360°, tilt: 0° to 90° |
| Synchronization | Internal synchronization |
| Video Frame Rate | 1080p@25fps 1080p@30fps |
| HD Video Output | 1 analog HD output |
| S/N Ratio | > 62 dB |
| General | |
| Operating Conditions | -40 °C to 60 °C (-40 °F to 140 °F), humidity: 90% or less (non-condensation) |
| Power Supply | 12 V DC ±10% |
| Power Consumption | Max. 1 W (white supplement light off) Max. 3 W (white supplement light on) |
| Protection Level | IP66 |
| White Light Distance | Up to 30 m |
| Dimensions | 194.07 mm × 93.52 mm × 93.87 mm (7.64" × 3.68" × 3.7") |
| Weight | Approx. 450 g (0.99 lb.) |


Order Model

DS-2CE16D0T-WL3



Dimensions





Accessories









DS-1298ZJ (Standard)
Wall Mounting Bracket

DS-1292ZJ (Optional)
Wall Mounting Bracket

DS-1296ZJ (Optional)
Wall Mounting Bracket

DS-1299ZJ (Optional)
Pendant Mounting Bracket

Distributed by

1

HIKVISION°

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA

T +1-909-895-0400 sales.usa@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Africa T +27 (10) 0351172 sale.africa@hikvision.com

Hikvision Europe T +31-23-55-42-770 info.eu@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Oceania T +61-2-8599-4233 salesau@hikvision.com

Hikvision Hong Kong T +852-2151-1761

Hikvision Middle East T +971-4-8816086 salesme@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Canada T +1-909-895-0400 sales.usa@hikvision.com Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Poland T +48-22-460-01-50 poland@hikvision.com

Hikvision Korea T +82-31-731-8841 sales.korea@hikvision.com Hikvision India T +91-22-28469900 sales@pramahikvision.com

Hikvision UK T+01628-902140 support.uk@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com