

PLATAFORMA UTILIZADA AWS:

INSTANCIA EC2

i-02c919db642ad7fa9 (server)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary Info

Instance ID

i-02c919db642ad7fa9

IPv6 address

-

Hostname type

IP name: ip-172-31-45-118.us-east-2.compute.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

Public IPv4 address

52.14.219.174 | open address ↗

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-45-118.us-east-2.compute.internal

Instance type

t3.micro

VPC ID

Private IPv4 addresses

172.31.45.118

Public DNS

ec2-52-14-219-174.us-east-2.compute.amazonaws.com | open address ↗

Elastic IP addresses

-

AWS Compute Optimizer finding

Mobile App

© 2026 Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferen

CONFIGURACION VPC:

Your VPCs

VPCs

VPC encryption controls

Your VPCs (1/1) Info

Last updated less than a minute ago

Actions

Create VP

Find VPCs by attribute or tag

Name

VPC ID

State

Encryption c...

Encryption control ...

Block Public...

IPv4 CIDR

-

vpc-02f6fb00901e61180

Available

-

-

Off

172.31.0.0/16

vpc-02f6fb00901e61180

Details

Resource map

CIDRs

Flow logs

Tags

Integrations

VPC ID

vpc-02f6fb00901e61180

DNS resolution

Enabled

Main network ACL

acl-0cbabb8ddf93a5efc

IPv6 CIDR

-

Encryption control ID

-

State

Available

Tenancy

default

Default VPC

Yes

Network Address Usage metrics

Disabled

Encryption control mode

-

Block Public Access

Off

DHCP option set

dopt-0ae312f1473ae4236

IPv4 CIDR

172.31.0.0/16

Route 53 Resolver DNS Firewall rule groups

-

DNS hostnames

Enabled

Main route table

rtb-0307c2659297a485a

IPv6 pool

-

Owner ID

638175140897

SUBNET:

The screenshot shows the AWS Subnets console. At the top, there's a header for 'Subnets (1/3)' with an 'Info' link. Below it is a search bar and a table of subnets. The table has columns: Name, Subnet ID, State, VPC, Block Public..., and IPv4 CIDR. Three subnets are listed, all in 'Available' state and associated with VPC 'vpc-02f6fb00901e61180'. The second subnet, 'subnet-0d8911ae689f9158e', is selected. Below the table, the details for this subnet are shown. The 'Route table' tab is active, displaying 'Route table: rtb-0307c2659297a485a'. Under 'Routes (2)', there are two routes: one for destination '172.31.0.0/16' with target 'local', and another for '0.0.0.0/0' with target 'igw-03737898b2f459c9d'.

Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
-	subnet-0ae33c960671922bf	Available	vpc-02f6fb00901e61180	Off	172.31.16.0/20
-	subnet-0d8911ae689f9158e	Available	vpc-02f6fb00901e61180	Off	172.31.0.0/20
-	subnet-05936fab6c0ab7b3a	Available	vpc-02f6fb00901e61180	Off	172.31.32.0/20

subnet-0d8911ae689f9158e

Details | Flow logs | **Route table** | Network ACL | CIDR reservations | Sharing | Tags

Route table: rtb-0307c2659297a485a

Routes (2)

Destination	Target
172.31.0.0/16	local
0.0.0.0/0	igw-03737898b2f459c9d

ROUTE TABLE:

The screenshot shows the AWS Route Tables console. At the top, there's a header for 'Route tables (1/1)' with an 'Info' link. Below it is a search bar and a table of route tables. The table has columns: Name, Route table ID, Explicit subnet associ..., Edge associations, Main, VPC, and Owner ID. One route table is listed: 'rtb-0307c2659297a485a', which is the 'Main' route table for VPC 'vpc-02f6fb00901e61180'. Below the table, the details for this route table are shown. The 'Routes' tab is active, displaying 'Routes (2)'. There are two routes: one for destination '0.0.0.0/0' with target 'igw-03737898b2f459c9d' and status 'Active', and another for '172.31.0.0/16' with target 'local' and status 'Active'.

Name	Route table ID	Explicit subnet associ...	Edge associations	Main	VPC	Owner ID
-	rtb-0307c2659297a485a	-	-	Yes	vpc-02f6fb00901e61180	63817514...


rtb-0307c2659297a485a

Details | **Routes** | Subnet associations | Edge associations | Route propagation | Tags

Routes (2)

Destination	Target	Status	Propagated	Route Origin
0.0.0.0/0	igw-03737898b2f459c9d	Active	No	Create Route
172.31.0.0/16	local	Active	No	Create Route Table

GATEWAY:



Internet gateways (1/1) Info

Find internet gateways by attribute or tag

Name	Internet gateway ID	State	VPC ID	Owner
-	igw-03737898b2f459c9d	Attached	vpc-02f6fb00901e61180	638175140897

igw-03737898b2f459c9d

Details


Internet gateway ID: igw-03737898b2f459c9d

State: Attached

VPC ID: vpc-02f6fb00901e61180

Owner: 638175140897

SECURITY GRUOP:



Security Groups (1/2) Info

Find security groups by attribute or tag

Name	Security group ID	Security group name	VPC ID	Description
-	sg-0e5ee733370b59988	default	vpc-02f6fb00901e61180	default VPC security group
-	sg-0e2c6ef8987a7e483	launch-wizard-1	vpc-02f6fb00901e61180	launch-wizard-1 created 2026-06-20T1...

sg-0e2c6ef8987a7e483 - launch-wizard-1

Inbound rules (3)

Name	Security group rule ID	IP version	Type	Protocol	Port range	Source
-	sgr-074187e1980b1a166	IPv4	HTTP	TCP	80	0.0.0.0/0
-	sgr-04680a580e4d053d8	IPv4	SSH	TCP	22	0.0.0.0/0
-	sgr-0567a0da579c26079	IPv4	HTTPS	TCP	443	0.0.0.0/0

BUCKET:

uckets > bucket-cti-soluciones

bucket-cti-soluciones info

Objects Metadata Properties Permissions Metrics Management File systems - new Access Points

Objects (11)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 Inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

< 1 >

☐	Name	Type	Last modified	Size	Storage class
☐	_banner.scss	scss	June 9, 2026, 14:32:05 (UTC-07:00)	1.7 KB	Standard
☐	_editorconfig	editorconfig	June 9, 2026, 14:32:05 (UTC-07:00)	339.0 B	Standard
☐	contacto.html	html	June 9, 2026, 14:32:06 (UTC-07:00)	10.1 KB	Standard
☐	dist/	Folder	-	-	-
☐	documentation_proyecto.md	md	June 9, 2026, 14:32:06 (UTC-07:00)	3.3 KB	Standard
☐	index.html	html	June 9, 2026, 14:32:06 (UTC-07:00)	13.0 KB	Standard
☐	nosotros.html	html	June 9, 2026, 14:32:06 (UTC-07:00)	14.4 KB	Standard
☐	others/	Folder	-	-	-
☐	preguntas-frecuentes.html	html	June 9, 2026, 14:32:06 (UTC-07:00)	8.6 KB	Standard
☐	soporte.html	html	June 9, 2026, 14:32:07 (UTC-07:00)	13.1 KB	Standard
☐	src/	Folder	-	-	-

uckets > bucket-cti-soluciones

Permissions

Permissions overview

Access finding

Access findings are provided by IAM external access analyzers. Learn more about [How IAM analyzer findings work](#)

[View analyzer for us-east-2](#)

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

OFF

Individual Block Public Access settings for this bucket

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "PublicReadGetObject",
      "Effect": "Allow",
      "Principal": "*",
      "Action": "s3:GetObject",
      "Resource": "arn:aws:s3::bucket-cti-soluciones/*"
    }
  ]
}
```