

## Exercício – Subconsultas

1. SELECT  
NOME, DT\_NASC  
FROM EMP  
WHERE COD\_DPTO IN ( SELECT COD\_DPTO  
FROM EMP  
WHERE NOME = 'Bruce')  
AND NOME <> 'Bruce';
2. SELECT NUM\_EMP, NOME  
FROM EMP  
WHERE SAL > ( SELECT AVG(SAL)  
FROM EMP)  
ORDER BY SAL;
3. SELECT NUM\_EMP, NOME  
FROM EMP  
WHERE COD\_DPTO IN ( SELECT COD\_DPTO  
FROM DEPART  
WHERE NOME\_DPTO LIKE '%T%' );
4. SELECT NOME, COD\_DPTO, CARGO  
FROM EMP  
WHERE COD\_DPTO IN ( SELECT COD\_DPTO  
FROM DEPART  
WHERE LOCAL = 'DALLAS');
5. SELECT NOME, SAL  
FROM EMP  
WHERE COD\_GERENTE = ( SELECT COD\_GERENTE  
FROM GERENTE  
WHERE NOME = 'KING');
6. SELECT COD\_DPTO, NOME, CARGO  
FROM EMP  
WHERE COD\_DPTO IN ( SELECT COD\_DPTO  
FROM DEPART  
WHERE NOME\_DPTO = 'SALES');