



杭州镭速清洗设备有限公司



Hangzhou Leisu Cleaning Equipment Co., Ltd



ADD: No.89 GaoXin 11th Rd, XiaoShan, Hangzhou, ZheJiang, China, 311200


Website: <http://www.leisuwash.com/> <http://www.leisu360.com/>

Mobile Ph.: +86-15990194568 (WhatsApp, Wechat) Email: Leisuwash01@gmail.com

LEISUWASH QUOTATION SHEET


Model No.	Spec.	Pic.	Unit Price.
Leisuwash 360 Standard Version	Leisuwash 360 wash system with under chassis wash, two pre-soaks, high pressure wash, magic shampoo (angle shampoo), wax application, spot free rinse, automatic chemical mixing, integrated air dryers, mounting frames. PF36 pump + 18 or 22kw motor		US\$23,000.00
Leisuwash 360 Optionals	Overglow lava foam + led light + transparent panel		US\$2,000.00
	Upgrade single color to tri-color magic shampoo (angle shampoo)		US\$2,000.00
	Side spray system (two columns one set)		US\$1200.00 turbine nozzles US\$600.00 SPRAY nozzles
	Rotate side spray (two columns one set)		US\$1,200.00
	Side dryers		US\$2500.00 Siemens motor US\$2000.00 China motor

Leisuwash 360 Optionals	Upgrade PF36 to WH-12140 pump + 22Kw motor (Made in Taiwan)		US\$5,000.00
	Upgrade PF36 to AR pump (Made in Italy)		US\$1,000.00
Save installation space, make water pump, chemical proportioning, and frequency conversion control to be 3 in 1. Add 30kw Delta frequency conversion control, make water pump and air fan (support 4 top fans) start, stop and running smoothly, reduce the loss of motor and transmission mechanism, and easily cope with the situation of power supply capacity shortage. Improve maintenance convenience, no need to exhaust air like dosing pump, reduce maintenance cost. Made of 304 stainless steel frame which is more durable. Upgrade small water pump to a 2.2KW multi-stage pump.			US\$2,000.00
Leisuwash 360 Optionals	Upgrade main bridge from galvanized steel to stainless steel		US\$4,000.00
	Upgrade all pneumatic connectors on the machine from plastic to copper or stainless steel		US\$300.00 nickel plated copper US\$700.00 stainless steel
	485 modebus parts for payment terminal connection		US\$500.00
	More Open Bay: 4.2M mounting width. Different from 3.8m standard width, 4.2m open bay is more convenient for car parking and large SUV cleaning.		US\$500.00

Leisuwash SG PLUS	Leisuwash SG PLUS car wash with under chassis wash, contour-following high pressure wash, side high pressure wash, presoak application, chemical mixing system, wax application system, spot free rinse, Magic shampoo or lava foam, Machine body stainless steel, six air dryers established with 5.5kw Siemens motors, (four top air dryers + two side air dryers) 3 in 1 pump system with 30kw Delta frequency conversion control, Water pump (AR or Pinfl pump)		US\$28,000.00
Leisuwash DG Classic Version	Contour-following high pressure wash, side high pressure wash, presoak application, wax application system, chemical mixing system, fixed air dryers in the top, Water pump (Pinfl36 pump)		US\$27,000.00
Leisuwash DG Smart Version	Contour-following high pressure wash + side pressure wash, Contour-following air dryer + side air dryer, wheel brushes + LED screen, presoak application, wax application system, chemical mixing system, Water pump (AR pump made in Italy)		US\$32,000.00
DG Optionals	Bottom wash (under chassis wash)		US\$500.00
	magic shampoo (from top)		US\$1,000.00
	Overglow lava foam + led light		US\$2,000.00
	Swing high pressure jet		US\$5,000.00

Leisuwash EG	Special Vehicle Cleaning and Disinfection Equipment (Swing high pressure jet) Wash height, width, and length can customized according to different mini bus sizes.		US\$38000.00 ~45000.00 (according to mini bus sizes)
Leisuwash S90 2024 year New version	Under chassis wash, Single presoak, High pressre wash, Magic shampoo or Overglow shampoo (one of them) Wax application 6*5.5kw air dryers with China brand motors PT45 pump + 15kw motor		US\$11000.00 without air dryer US\$13000.00 four air dryers US\$15000.00 six air dryers
One set chemicals could apply for 300 cars	pre-soak (20L)		US\$35.00
	shampoo (20L)		US\$35.00
	Crystal wax (20L)		US\$50.00
OPTIONAL DEVICES QUOTATION			
Starter ATIK Touch 5" Made in Italy	Keypad with 8 programme selection buttons. Programmes managed via 8 NO relays and 8 opto-insulated inputs. Power supply voltage: 230V Power consumption: 25 W It accept all payment systems: banknotes, coins, loyalty, fidelity, Qcode, POS, credit card, APP!		USD6500.

Automatic shutter door	Automatic shutter door equipped servo motor Double-sided button Infrared sensor protection (stainless steel or galvanized frame available)		USD2500/pc (stainless steel) USD2000/pc (galvanized)
Water recycling 2m³/h	Power Consumption: 370W+(250W) Capacity: 2m³/h Weight: 220kgs Meas: 120*55*140cm		USD3500 (2m³/h) USD4500 (4m³/h)
Water softener 2~4m³/h	Water output: 2~4m³/h Filter speed: 20~25m/h Input water hardness: $\leq 8\text{mmol}$ output water hardness: $\leq 0.03\text{mmol}$ Design pressure: $\leq 0.6\text{Mpa}$ Working pressure: 0.2~0.45Mpa Working temperature: 5~50 °C It's necessary for water supply from under ground		USD1200 (2~4m³/h) USD1600 (3~6m³/h) USD1800 (4~8m³/h)
Water reverse osmosis	500~1000L/h It's necessary for car wash machine with RO function.		USD3500 (500L/h) USD5500 (1000L/h)
Air compressor	10HP, 160~180L tank		USD1000.
Water tank	2000L, 3000L.		USD200. (2000L) USD300. (3000L)

Himore High pressure washer	Model No: QL-380C Rated pressure: 7Mpa flow: 20L / min Rated speed: 1420rpm Matching power: 3kw Power supply: 380V / 50Hz Weight: 54kg		USD500.
Car wash grille	Material: Reinforced plastic Color available: red, blue, green, yellow, gray. Size: 500*500*60mm		USD25/m ²
Car mat spin drier PC-1	Power supply: 220V(380V) 50Hz Power: 750W Loading capacity: 13~20kg		USD350
Carpet quick drier TS728	Function: with disinfection Power supply: 220V/50Hz Power consumption: 3000W+250W+50W Measurement: 80*60*130cm		USD550
Automatic mat cleaner TJ638	Cleaning method: water+foam+mixed Power supply: 230V/50~60Hz Power consumption: 300W carpet meas: ≤ 60cm Meas: 94*50*102cm Weight: 85kgs		USD850
Vacuum cleaner 301-70L	Power consumption: 2000W 3000W Noise: ≤78db vacuum degree: 20kpa Filter system: 4 layers Wire length: 7.5m		USD200.

Self-service car wash box


Self-service car wash box

Features include:

- * Fashionable design
- * Stainless steel case
- * Ready to use
- * Easy operation panel
- * Easy maintenance
- * Easy upgrade program
- * Automatic anti-frozen
- * Auto-Manual options
- * Italian pump 3 ceramic pistons & brass head



Model no.	Volt	Power	Max. Pressure		Flow	
	V	Kw	bar	Psi	L	GPM
W 10	380-415	4.0	150	2175	13	3.43



Unit price: USD5000/set

Include: main machine with PLC, motor+pump(Hawk/AR), 2 dosing pumps(made in Italy), Coin recognition, car wash boom, hose, spray gun HP, spray gun foam, gun holder.

Wash steps: foam active, rinse, wax, osmosis