Data 360 Headless



User Guide

Table of Contents

Data 360 Headless **1**
User Guide **1**
Table of Contents **2**
Data Activation with Data 360 ..... **4**
What we'll build 4
Pre-Work 4
Pre-work 1: Update your user's email address 4
Pre-work 2: Create an External Client App 5
Headless Data 360 ..... **7**
Exercise 0: Configure Claude as MCP Client **7**
Exercise 1 - First contact with the MCP server **10**
Exercise 2 - Create Data 360 components **10**
Exercise 3 - Get Context headlessly **11**

Data Activation with Data 360

Hands-On Data 360 Headless

What we'll build

We'll connect a **MCP Server to Claude Desktop**, acting as an external agent that needs the customer context living in Data 360. Using natural language, we'll query both structured and unstructured data – no UI, no code – to see how any agent, inside or outside Salesforce, can ground itself in trusted customer data.

Pre-Work

Before we start the exercises, we need to prepare the org so that every piece of the workshop is in place. This pre-work takes about 15 minutes and only needs to be done once.

In this section, you'll:


1. **Update your user's email address.** The org ships with a placeholder email that can't receive messages. You'll need a working address to complete the verification steps later, when Claude authenticates against your org for the first time.
2. **Create an External Client App.** This is what allows Claude to connect to your org. The External Client App exposes the OAuth configuration – consumer key, consumer secret, callback URL, and scopes – that the Data 360 MCP server will use to authenticate and authorize every request Claude makes on your behalf.

Complete all three steps before moving on – the exercises that follow assume the org is in this state.

Pre-work 1: Update your user's email address

This step is necessary to obtain the necessary credentials to configure the connector in Claude.

1. Click your avatar in the **upper right corner** of the screen and select **View Profile** to access your user data.

1. 


2. Click **Settings** (or the gear icon) to open your personal settings, then go to **My Personal Information → Personal Information**.
3. Replace the value in the **Email** field with an address you can actually access, and click **Save**.
4. Salesforce will send a confirmation message to the new address. Open it and click the verification link to complete the change.

Pre-work 2: Create an External Client App.

MCP clients authenticate via OAuth 2.0 using an External Client App. Connected Apps are not supported for this purpose.

1. From Setup, enter “External Client Apps” in the Quick Find box and select External Client App Manager or click on External Client App link in Configuration Checks section in Home Page.
2. Click New External Client App.
3. Complete the Basic Information section (name, API name, contact email, description):

   Name: `Data Headless 360`



4. Expand API (Enable OAuth Settings) and select the Enable OAuth checkbox.
5. In Callback URL, enter the Claude and Claude Desktop callback URLs:

   https://claude.ai/api/mcp/auth_callback

   http://localhost:3334/oauth/callback


6. In OAuth Scopes, add the following two scopes:

- Access MCP servers (mcp_api)
- Perform requests at any time (refresh_token)

7. Under Security:

- Select “Issue JSON Web Token (JWT)-based access tokens for named users.”
- Deselect any other option that does not require contacting Salesforce Customer Support to change.






8. Click Create.

Timing: The External Client App can take up to 10 minutes to become fully available and operational – similar to DNS propagation for a new domain.


Headless Data 360

Exercise 0: Configure Claude as MCP Client


1. Go to org: Setup > External Client App Manager and open the External Client App that were created during the org configuration.
2. Click on “Settings” tab:




3. In the Oauth section, click on “Consumer Key and Secret”:




4. Go to your email to get the verification code:




5. Don’t close the tab with the Client Id and Client Secret.
6. In other tab, go to Setup > MCP Servers and Activate “Data 360” MCP:




7. Open Claude.ai in your browser



8. Click on “+” and “Add connector” > “Add custom connector”




9. Fill in the blanks with the Salesforce Org data:



- **Name:** `Headless Data 360`
- **Remote MCP server URL:** `https://api.salesforce.com/platform/mcp/v1/data360` (you can copy it from the MCP Data 360 in Salesforce org)
- **Oauth Client Id:** copy/paste the Client Id in the External Client App
- **Oauth Client Secret:** copy/paste the Client Secret in the External Client App
- **Click "Add"**

10. Authenticate in Salesforce using user/password provided

After authentication, connector should be available and active:



Exercise 1 - First contact with the MCP server

Goal: Explore the 350+ tools the Data 360 MCP server exposes in headless mode and understand how they're organized.

Hint: headless mode doesn't expose a flat list – start from `search` to navigate tool families by intent.

Expected result: an inventory of the main families with one example tool from each.

1. In Claude, write: *What can you do with Data 360? Show me the tools you have available.*

2. In Claude, write: *Tell me more about the MachineLearning tools in Data 360. Can I create a Retriever with any of them?*

Exercise 2 - Create Data 360 components

Goal: Move from reading to writing — create a working RAG Retriever over the Knowledge search index using only natural language.

Hint: the agent needs the search index first; the Retriever can't be created without knowing which index it grounds on.

Expected result: an active NoCode Retriever, with its API name and ID, ready to ground an Agentforce agent.

1. In Claude, write: *List the data streams in Data 360*

2. In Claude, write: *Create a new data stream from CRM with the cases object.*

Exercise 3 - Get Context headlessly

Goal: Use the components you just built to actually retrieve grounded context — first unstructured (Knowledge articles via the Retriever), then structured (a unified customer profile and its related data).

Hint: the two questions take completely different paths. One goes through the Retriever and hybrid search; the other goes through profile and data graph queries. Watch which tools the agent picks.

Expected result: a cited answer sourced from Knowledge articles, and a consolidated 360º view of a customer assembled from several DMOs.