```
2535  0  INSERT FILE='E:/Documents/GitHub/biostatistics-portfolio/_spss_tmp/depress-descr
iptives.sps' ERROR=CONTINUE.
2535  0  * Set once: the folder that contains this repository, then run.
2536  0  CD 'E:/Documents/GitHub/biostatistics-portfolio'.
2537  0  GET FILE='data/raw/depress data.sav'.
2538  0  DATASET NAME DataSet1 WINDOW=FRONT.
```

Dataset Name

Notes

Output Created		03-NOV-2026 15:40:44
Comments		
Input	Data	E:\Documents\GitHub\biostatistics-portfolio\data\raw\depress data.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		DATASET NAME DataSet1 ...
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Warnings

The active dataset will replace the existing dataset named DataSet1.

```
2539  0  * Encoding: UTF-8.
2540  0
2541  0  *import data
2542  0
2543  0
2544  0
2545  0
2546  0  *DATA INSPECTION AND CLEANIG
2547  0  * Identify Duplicate Cases.
2548  0  * depress data.sav already contains PrimaryLast from an earlier run of this bloc
k; drop it so the block can recreate it.
2549  0  MATCH FILES FILE=* /DROP=PrimaryLast.
2550  0  SORT CASES BY ID(A).
2551  0  MATCH FILES
2552  0    /FILE=*
2553  0    /BY ID
2554  0    /FIRST=PrimaryFirst
```

```
2555  0    /LAST=PrimaryLast.
2556  0  DO IF (PrimaryFirst).
2557  1  COMPUTE  MatchSequence=1-PrimaryLast.
2558  1  ELSE.
2559  1  COMPUTE  MatchSequence=MatchSequence+1.
2560  1  END IF.
2561  0  LEAVE  MatchSequence.
2562  0  FORMATS  MatchSequence (f7).
2563  0  COMPUTE  InDupGrp=MatchSequence>0.
2564  0  SORT CASES InDupGrp(D).
2565  0  MATCH FILES
2566  0    /FILE=*
2567  0    /DROP=PrimaryFirst InDupGrp MatchSequence.
2568  0  VARIABLE LABELS  PrimaryLast 'Indicator of each last matching case as Primary'.
2569  0  VALUE LABELS  PrimaryLast 0 'Duplicate Case' 1 'Primary Case'.
2570  0  VARIABLE LEVEL  PrimaryLast (ORDINAL).
2571  0  FREQUENCIES VARIABLES=PrimaryLast.
```

Frequencies

Notes

Output Created		03-NOV-2026 15:40:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=PrimaryLast.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

[DataSet1] E:\Documents\GitHub\biostatistics-portfolio\data\raw\depress data.sav

Statistics

Indicator of each last matching case as Primary

N	Valid	60
	Missing	0

Indicator of each last matching case as Primary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Primary Case	60	100.0	100.0	100.0

```
2572  0  EXECUTE.
2573  0  *no duplicates
2574  0
2575  0  *outliers and missing  IN  original DATASET
2576  0
2577  0  FREQUENCIES VARIABLES=ID treatment dep_t0 dep_t1 dep_t3 dep_t6 age sex education
 PrimaryLast
2578  0    /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN
2579  0    /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created		03-NOV-2026 15:40:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.

Notes

Syntax		FREQUENCIES VARIABLES=ID treatment dep_t0 dep_t1 dep_t3 dep_t6 age sex education PrimaryLast /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.06
	Elapsed Time	00:00:00.06

Statistics

		Subject ID	Treatment Group	Depression Score at Baseline	Depression Score at 1 Week	Depression Score at 3 Weeks
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		30.50	1.50	294.60	197.18	174.55
Median		30.50	1.50	301.00	170.00	147.00
Std. Deviation		17.464	.504	78.568	117.369	85.910
Minimum		1	1	138	31	16
Maximum		60	2	447	402	334

Statistics

		Depression Score at 6 Weeks	Age (Years)	Sex	Education Level	Indicator of each last matching case as Primary
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		162.43	49.93	1.52	2.58	1.00
Median		141.00	49.00	2.00	3.00	1.00
Std. Deviation		70.939	19.782	.504	1.139	.000
Minimum		6	18	1	1	1
Maximum		368	101	2	4	1

Frequency Table

Subject ID

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.7	1.7	1.7
	2	1	1.7	1.7	3.3
	3	1	1.7	1.7	5.0
	4	1	1.7	1.7	6.7
	5	1	1.7	1.7	8.3
	6	1	1.7	1.7	10.0
	7	1	1.7	1.7	11.7
	8	1	1.7	1.7	13.3
	9	1	1.7	1.7	15.0
	10	1	1.7	1.7	16.7
	11	1	1.7	1.7	18.3
	12	1	1.7	1.7	20.0
	13	1	1.7	1.7	21.7
	14	1	1.7	1.7	23.3
	15	1	1.7	1.7	25.0
	16	1	1.7	1.7	26.7
	17	1	1.7	1.7	28.3
	18	1	1.7	1.7	30.0
	19	1	1.7	1.7	31.7
	20	1	1.7	1.7	33.3
	21	1	1.7	1.7	35.0
	22	1	1.7	1.7	36.7
	23	1	1.7	1.7	38.3
	24	1	1.7	1.7	40.0
	25	1	1.7	1.7	41.7
	26	1	1.7	1.7	43.3
	27	1	1.7	1.7	45.0
	28	1	1.7	1.7	46.7
	29	1	1.7	1.7	48.3
	30	1	1.7	1.7	50.0
	31	1	1.7	1.7	51.7
	32	1	1.7	1.7	53.3
	33	1	1.7	1.7	55.0
	34	1	1.7	1.7	56.7
	35	1	1.7	1.7	58.3

Subject ID

		Frequency	Percent	Valid Percent	Cumulative Percent
	36	1	1.7	1.7	60.0
	37	1	1.7	1.7	61.7
	38	1	1.7	1.7	63.3
	39	1	1.7	1.7	65.0
	40	1	1.7	1.7	66.7
	41	1	1.7	1.7	68.3
	42	1	1.7	1.7	70.0
	43	1	1.7	1.7	71.7
	44	1	1.7	1.7	73.3
	45	1	1.7	1.7	75.0
	46	1	1.7	1.7	76.7
	47	1	1.7	1.7	78.3
	48	1	1.7	1.7	80.0
	49	1	1.7	1.7	81.7
	50	1	1.7	1.7	83.3
	51	1	1.7	1.7	85.0
	52	1	1.7	1.7	86.7
	53	1	1.7	1.7	88.3
	54	1	1.7	1.7	90.0
	55	1	1.7	1.7	91.7
	56	1	1.7	1.7	93.3
	57	1	1.7	1.7	95.0
	58	1	1.7	1.7	96.7
	59	1	1.7	1.7	98.3
	60	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	30	50.0	50.0	50.0
	2	30	50.0	50.0	100.0
	Total	60	100.0	100.0	

Depression Score at Baseline

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	138	1	1.7	1.7	1.7
	140	3	5.0	5.0	6.7
	148	1	1.7	1.7	8.3
	150	2	3.3	3.3	11.7
	202	1	1.7	1.7	13.3
	210	1	1.7	1.7	15.0
	212	1	1.7	1.7	16.7
	219	1	1.7	1.7	18.3
	220	1	1.7	1.7	20.0
	222	1	1.7	1.7	21.7
	250	1	1.7	1.7	23.3
	255	1	1.7	1.7	25.0
	256	1	1.7	1.7	26.7
	263	1	1.7	1.7	28.3
	273	1	1.7	1.7	30.0
	275	1	1.7	1.7	31.7
	282	1	1.7	1.7	33.3
	286	1	1.7	1.7	35.0
	292	2	3.3	3.3	38.3
	296	1	1.7	1.7	40.0
	299	1	1.7	1.7	41.7
	300	5	8.3	8.3	50.0
	302	1	1.7	1.7	51.7
	306	2	3.3	3.3	55.0
	309	1	1.7	1.7	56.7
	310	2	3.3	3.3	60.0
	311	1	1.7	1.7	61.7
	316	1	1.7	1.7	63.3
	317	1	1.7	1.7	65.0
	319	1	1.7	1.7	66.7
	321	1	1.7	1.7	68.3
	327	2	3.3	3.3	71.7
	329	1	1.7	1.7	73.3
	338	1	1.7	1.7	75.0
	339	1	1.7	1.7	76.7

Depression Score at Baseline

		Frequency	Percent	Valid Percent	Cumulative Percent
	348	1	1.7	1.7	78.3
	362	1	1.7	1.7	80.0
	365	2	3.3	3.3	83.3
	366	1	1.7	1.7	85.0
	372	1	1.7	1.7	86.7
	375	2	3.3	3.3	90.0
	376	1	1.7	1.7	91.7
	407	1	1.7	1.7	93.3
	437	2	3.3	3.3	96.7
	447	2	3.3	3.3	100.0
	Total	60	100.0	100.0	

Depression Score at 1 Week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	31	2	3.3	3.3	3.3
	38	1	1.7	1.7	5.0
	48	2	3.3	3.3	8.3
	60	2	3.3	3.3	11.7
	62	1	1.7	1.7	13.3
	68	2	3.3	3.3	16.7
	70	2	3.3	3.3	20.0
	75	1	1.7	1.7	21.7
	81	1	1.7	1.7	23.3
	94	3	5.0	5.0	28.3
	100	1	1.7	1.7	30.0
	104	2	3.3	3.3	33.3
	125	1	1.7	1.7	35.0
	126	1	1.7	1.7	36.7
	132	2	3.3	3.3	40.0
	138	1	1.7	1.7	41.7
	139	3	5.0	5.0	46.7
	154	1	1.7	1.7	48.3
	165	1	1.7	1.7	50.0
	175	1	1.7	1.7	51.7

Depression Score at 1 Week

	Frequency	Percent	Valid Percent	Cumulative Percent
186	2	3.3	3.3	55.0
238	1	1.7	1.7	56.7
245	2	3.3	3.3	60.0
248	1	1.7	1.7	61.7
256	1	1.7	1.7	63.3
266	2	3.3	3.3	66.7
271	1	1.7	1.7	68.3
291	1	1.7	1.7	70.0
300	3	5.0	5.0	75.0
301	2	3.3	3.3	78.3
325	2	3.3	3.3	81.7
329	2	3.3	3.3	85.0
335	2	3.3	3.3	88.3
344	1	1.7	1.7	90.0
364	1	1.7	1.7	91.7
373	1	1.7	1.7	93.3
402	4	6.7	6.7	100.0
Total	60	100.0	100.0	

Depression Score at 3 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16	1	1.7	1.7	1.7
	20	1	1.7	1.7	3.3
	55	1	1.7	1.7	5.0
	62	1	1.7	1.7	6.7
	67	1	1.7	1.7	8.3
	71	1	1.7	1.7	10.0
	72	1	1.7	1.7	11.7
	82	1	1.7	1.7	13.3
	85	2	3.3	3.3	16.7
	91	2	3.3	3.3	20.0
	95	2	3.3	3.3	23.3
	97	1	1.7	1.7	25.0
	104	3	5.0	5.0	30.0
	105	1	1.7	1.7	31.7
	107	1	1.7	1.7	33.3
	114	2	3.3	3.3	36.7
	135	2	3.3	3.3	40.0
	137	1	1.7	1.7	41.7
	140	1	1.7	1.7	43.3
	141	2	3.3	3.3	46.7
	144	2	3.3	3.3	50.0
	150	1	1.7	1.7	51.7
	177	1	1.7	1.7	53.3
	187	1	1.7	1.7	55.0
	200	1	1.7	1.7	56.7
	210	1	1.7	1.7	58.3
	225	3	5.0	5.0	63.3
	236	2	3.3	3.3	66.7
	238	3	5.0	5.0	71.7
	240	2	3.3	3.3	75.0
	250	1	1.7	1.7	76.7
	253	3	5.0	5.0	81.7
	260	1	1.7	1.7	83.3
	270	1	1.7	1.7	85.0
	284	3	5.0	5.0	90.0

Depression Score at 3 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
	294	2	3.3	3.3	93.3
	304	2	3.3	3.3	96.7
	334	2	3.3	3.3	100.0
	Total	60	100.0	100.0	

Depression Score at 6 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6	1	1.7	1.7	1.7
	12	1	1.7	1.7	3.3
	58	1	1.7	1.7	5.0
	77	2	3.3	3.3	8.3
	85	2	3.3	3.3	11.7
	88	1	1.7	1.7	13.3
	95	1	1.7	1.7	15.0
	114	2	3.3	3.3	18.3
	120	2	3.3	3.3	21.7
	125	1	1.7	1.7	23.3
	126	1	1.7	1.7	25.0
	129	4	6.7	6.7	31.7
	134	3	5.0	5.0	36.7
	135	2	3.3	3.3	40.0
	136	1	1.7	1.7	41.7
	137	4	6.7	6.7	48.3
	140	1	1.7	1.7	50.0
	142	2	3.3	3.3	53.3
	150	2	3.3	3.3	56.7
	170	2	3.3	3.3	60.0
	173	2	3.3	3.3	63.3
	174	2	3.3	3.3	66.7
	184	3	5.0	5.0	71.7
	189	1	1.7	1.7	73.3
	194	3	5.0	5.0	78.3
	197	1	1.7	1.7	80.0
	232	1	1.7	1.7	81.7

Depression Score at 6 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
	242	1	1.7	1.7	83.3
	248	1	1.7	1.7	85.0
	256	2	3.3	3.3	88.3
	266	3	5.0	5.0	93.3
	268	2	3.3	3.3	96.7
	358	1	1.7	1.7	98.3
	368	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Age (Years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	1	1.7	1.7	1.7
	19	1	1.7	1.7	3.3
	20	1	1.7	1.7	5.0
	21	1	1.7	1.7	6.7
	22	2	3.3	3.3	10.0
	23	1	1.7	1.7	11.7
	24	2	3.3	3.3	15.0
	26	1	1.7	1.7	16.7
	27	1	1.7	1.7	18.3
	28	1	1.7	1.7	20.0
	30	1	1.7	1.7	21.7
	31	1	1.7	1.7	23.3
	32	2	3.3	3.3	26.7
	34	1	1.7	1.7	28.3
	37	2	3.3	3.3	31.7
	39	1	1.7	1.7	33.3
	40	1	1.7	1.7	35.0
	41	2	3.3	3.3	38.3
	43	1	1.7	1.7	40.0
	45	2	3.3	3.3	43.3
	47	2	3.3	3.3	46.7
	48	1	1.7	1.7	48.3
	49	2	3.3	3.3	51.7

Age (Years)

		Frequency	Percent	Valid Percent	Cumulative Percent
	52	1	1.7	1.7	53.3
	53	1	1.7	1.7	55.0
	54	1	1.7	1.7	56.7
	57	2	3.3	3.3	60.0
	58	2	3.3	3.3	63.3
	59	1	1.7	1.7	65.0
	60	1	1.7	1.7	66.7
	65	2	3.3	3.3	70.0
	67	1	1.7	1.7	71.7
	68	3	5.0	5.0	76.7
	69	3	5.0	5.0	81.7
	70	2	3.3	3.3	85.0
	71	3	5.0	5.0	90.0
	75	1	1.7	1.7	91.7
	76	2	3.3	3.3	95.0
	78	1	1.7	1.7	96.7
	80	1	1.7	1.7	98.3
	101	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	29	48.3	48.3	48.3
	2	31	51.7	51.7	100.0
	Total	60	100.0	100.0	

Education Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	23.3	23.3	23.3
	2	14	23.3	23.3	46.7
	3	15	25.0	25.0	71.7
	4	17	28.3	28.3	100.0
	Total	60	100.0	100.0	

Indicator of each last matching case as Primary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Primary Case	60	100.0	100.0	100.0

```
2580  0  *no missing values ; wrong coding for categorical variables and
2581  0
2582  0
2583  0
2584  0  *collapse educaton; yes or no
2585  0
2586  0  ONEWAY dep_t0 BY education
2587  0    /STATISTICS DESCRIPTIVES HOMOGENEITY
2588  0    /MISSING ANALYSIS
2589  0    /CRITERIA=CILEVEL(0.95)
2590  0    /POSTHOC=BTUKEY ALPHA(0.05).
```

Oneway

Notes

Output Created		03-NOV-2026 15:40:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY dep_t0 BY education /STATISTICS DESCRIPTIVES HOMOGENEITY /MISSING ANALYSIS /CRITERIA=CILEVEL (0.95) /POSTHOC=BTUKEY ALPHA(0.05).

Notes

Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.07

Descriptives

Depression Score at Baseline

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum
					Lower Bound	Upper Bound	
1	14	253.50	81.287	21.725	206.57	300.43	138
2	14	310.36	63.762	17.041	273.54	347.17	150
3	15	319.13	75.793	19.570	277.16	361.11	140
4	17	293.82	82.485	20.006	251.41	336.23	140
Total	60	294.60	78.568	10.143	274.30	314.90	138

Descriptives

Depression Score at Baseline

	Maximum
1	372
2	437
3	447
4	447
Total	447

Tests of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Depression Score at Baseline	Based on Mean	.807	3	56	.495
	Based on Median	.728	3	56	.539
	Based on Median and with adjusted df	.728	3	55.354	.539
	Based on trimmed mean	.780	3	56	.510

ANOVA

Depression Score at Baseline

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	36163.482	3	12054.494	2.058	.116
Within Groups	328034.918	56	5857.766		
Total	364198.400	59			

Post Hoc Tests

Homogeneous Subsets

Depression Score at Baseline

Tukey B[a,b]

Education Level	N	Subset for alpha = 0.05
		1
1	14	253.50
4	17	293.82
2	14	310.36
3	15	319.13

Means for groups in homogeneous subsets are displayed.

a. Uses Harmonic Mean Sample Size = 14.906.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.

```
2591  0
2592  0  *normality checks within each group
2593  0
2594  0  EXAMINE VARIABLES=dep_t0 dep_t1 dep_t3 dep_t6 BY treatment
2595  0    /PLOT BOXPLOT NPPLOT
2596  0    /COMPARE GROUPS
2597  0    /STATISTICS DESCRIPTIVES
2598  0    /CINTERVAL 95
2599  0    /MISSING LISTWISE
2600  0    /NOTOTAL.
```

Explore

Notes

Output Created		03-NOV-2026 15:40:46
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=dep_t0 dep_t1 dep_t3 dep_t6 BY treatment /PLOT BOXPLOT NPPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:04.77
	Elapsed Time	00:00:04.77

Treatment Group

Case Processing Summary

		Cases				
		Valid		Missing		Total
	Treatment Group	N	Percent	N	Percent	N
Depression Score at Baseline	1	30	100.0%	0	0.0%	30
	2	30	100.0%	0	0.0%	30
Depression Score at 1 Week	1	30	100.0%	0	0.0%	30
	2	30	100.0%	0	0.0%	30
Depression Score at 3 Weeks	1	30	100.0%	0	0.0%	30
	2	30	100.0%	0	0.0%	30
Depression Score at 6 Weeks	1	30	100.0%	0	0.0%	30
	2	30	100.0%	0	0.0%	30

Case Processing Summary

		Cases
		Total
	Treatment Group	Percent
Depression Score at Baseline	1	100.0%
	2	100.0%
Depression Score at 1 Week	1	100.0%
	2	100.0%
Depression Score at 3 Weeks	1	100.0%
	2	100.0%
Depression Score at 6 Weeks	1	100.0%
	2	100.0%

Descriptives

	Treatment Group			Statistic	Std. Error
Depression Score at Baseline	1	Mean		313.20	14.813
		95% Confidence Interval for Mean	Lower Bound	282.90	
			Upper Bound	343.50	
		5% Trimmed Mean		315.20	
		Median		309.50	
		Variance		6582.648	
		Std. Deviation		81.134	
		Minimum		140	
		Maximum		447	
		Range		307	
		Interquartile Range		90	
		Skewness		-.218	.427
		Kurtosis		-.181	.833
	2	Mean		276.00	13.242
		95% Confidence Interval for Mean	Lower Bound	248.92	
			Upper Bound	303.08	
		5% Trimmed Mean		278.19	
		Median		296.00	
		Variance		5260.138	
		Std. Deviation		72.527	
		Minimum		138	
		Maximum		375	
		Range		237	
		Interquartile Range		85	
		Skewness		-.812	.427
		Kurtosis		-.376	.833
Depression Score at 1 Week	1	Mean		268.73	19.416
		95% Confidence Interval for Mean	Lower Bound	229.02	
			Upper Bound	308.44	
		5% Trimmed Mean		272.93	
		Median		300.00	
		Variance		11308.892	
		Std. Deviation		106.343	
		Minimum		60	
		Maximum		402	
		Range		342	

Descriptives

	Treatment Group			Statistic	Std. Error
		Interquartile Range		115	
		Skewness		-.791	.427
		Kurtosis		-.318	.833
	2	Mean		125.63	14.289
		95% Confidence Interval for Mean	Lower Bound	96.41	
			Upper Bound	154.86	
		5% Trimmed Mean		119.89	
		Median		104.00	
		Variance		6125.413	
		Std. Deviation		78.265	
		Minimum		31	
		Maximum		335	
		Range		304	
		Interquartile Range		75	
		Skewness		1.212	.427
		Kurtosis		1.091	.833
Depression Score at 3 Weeks	1	Mean		221.77	13.313
		95% Confidence Interval for Mean	Lower Bound	194.54	
			Upper Bound	249.00	
		5% Trimmed Mean		224.26	
		Median		239.00	
		Variance		5317.357	
		Std. Deviation		72.920	
		Minimum		71	
		Maximum		334	
		Range		263	
		Interquartile Range		114	
		Skewness		-.724	.427
		Kurtosis		-.480	.833
	2	Mean		127.33	13.020
		95% Confidence Interval for Mean	Lower Bound	100.70	
			Upper Bound	153.96	
		5% Trimmed Mean		123.70	
		Median		106.00	
		Variance		5085.471	
		Std. Deviation		71.312	

Descriptives

	Treatment Group			Statistic	Std. Error
		Minimum		16	
		Maximum		334	
		Range		318	
		Interquartile Range		59	
		Skewness		1.062	.427
		Kurtosis		1.215	.833
Depression Score at 6 Weeks	1	Mean		199.70	12.377
		95% Confidence Interval for Mean	Lower Bound	174.39	
			Upper Bound	225.01	
		5% Trimmed Mean		194.57	
		Median		181.00	
		Variance		4595.597	
		Std. Deviation		67.791	
		Minimum		126	
		Maximum		368	
		Range		242	
		Interquartile Range		122	
		Skewness		.896	.427
		Kurtosis		.184	.833
	2	Mean		125.17	9.607
		95% Confidence Interval for Mean	Lower Bound	105.52	
			Upper Bound	144.82	
		5% Trimmed Mean		125.56	
		Median		131.50	
		Variance		2769.109	
		Std. Deviation		52.622	
		Minimum		6	
		Maximum		256	
		Range		250	
		Interquartile Range		63	
		Skewness		-.115	.427
		Kurtosis		.910	.833

Tests of Normality

	Treatment Group	Kolmogorov-Smirnov[a] Statistic	df	Sig.	Shapiro-Wilk Statistic	df
Depression Score at Baseline	1	.149	30	.086	.950	30
	2	.154	30	.067	.891	30
Depression Score at 1 Week	1	.153	30	.071	.895	30
	2	.199	30	.004	.884	30
Depression Score at 3 Weeks	1	.211	30	.002	.917	30
	2	.208	30	.002	.903	30
Depression Score at 6 Weeks	1	.153	30	.070	.879	30
	2	.141	30	.131	.964	30


Tests of Normality


	Treatment Group	Shapiro-... Sig.
Depression Score at Baseline	1	.173
	2	.005
Depression Score at 1 Week	1	.006
	2	.003
Depression Score at 3 Weeks	1	.023
	2	.010
Depression Score at 6 Weeks	1	.003
	2	.388

a. Lilliefors Significance Correction


Depression Score at Baseline


Normal Q-Q Plots






Detrended Normal Q-Q Plots



Detrended Normal Q-Q Plot of Depression Score at Baseline
for treatment= 1
Dev from Normal
0.4
0.2
0.0000
-0.2
-0.4
-0.6
100
200
300
400
500
Observed Value



Detrended Normal Q-Q Plot of Depression Score at Baseline
for treatment= 2
Dev from Normal
0.25
0.00
-0.25
-0.50
-0.75
100
150
200
250
300
350
400
Observed Value




Depression Score at 1 Week


Normal Q-Q Plots






Detrended Normal Q-Q Plots










Depression Score at 3 Weeks


Normal Q-Q Plots






Detrended Normal Q-Q Plots



Detrended Normal Q-Q Plot of Depression Score at 3 Weeks
for treatment= 1
Dev from Normal
0.50
0.25
0.00
-0.25
-0.50
50
100
150
200
250
300
350
Observed Value



Detrended Normal Q-Q Plot of Depression Score at 3 Weeks
for treatment= 2
Dev from Normal
1.5
1.0
0.5
0.0
-0.5
0
100
200
300
400
Observed Value




Depression Score at 6 Weeks


Normal Q-Q Plots






Detrended Normal Q-Q Plots








```
2601  0
2602  0  *Running Mixed Design Repeated Measures ANOVA ;examining the effect of time, tre
atment, sex, education, and age on depressi
           on scores
```

```
2603  0
2604  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age
2605  0    /WSFACTOR=time 4 Polynomial
2606  0    /METHOD=SSTYPE(3)
2607  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUT
O
2608  0    /EMMEANS=TABLES(time) WITH(age=MEAN)COMPARE ADJ(BONFERRONI)
2609  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN)COMPARE ADJ(BONFERRONI)
2610  0    /EMMEANS=TABLES(treatment*time) WITH(age=MEAN)
2611  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2612  0    /CRITERIA=ALPHA(.05)
2613  0    /WSDESIGN=time
2614  0    /DESIGN=age treatment sex education treatment*sex treatment*education sex*educ
ation
2615  0      treatment*sex*education.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:40:51
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.

Notes

Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN)COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (treatment*time) WITH (age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time /DESIGN=age treatment sex education treatment*sex treatment*education sex*education treatment*sex*education.
Resources	Processor Time	00:00:00.25
	Elapsed Time	00:00:00.27

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		N
Treatment Group	1	30
	2	30
Sex	1	29
	2	31
Education Level	1	14
	2	14
	3	15
	4	17

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
Depression Score at Baseline	1	1	2	334.00	35.879
			3	242.67	114.409
			4	267.40	48.278
			Total	283.42	71.263
		2	1	276.00	56.000
			2	295.33	143.535
			3	341.43	69.500
			4	378.20	63.480
			Total	333.06	83.064
		Total	1	276.00	56.000
			2	317.43	89.097
			3	311.80	91.678
			4	322.80	78.975
			Total	313.20	81.134
	2	1	1	254.43	80.390
			2	303.33	27.099
			3	308.50	12.021
			4	281.60	59.840
			Total	277.41	62.473
		2	1	235.00	112.481
			2	303.25	31.910
			3	350.67	21.079
			4	179.50	55.861
			Total	274.15	86.612

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
Depression Score at Baseline	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
		Total	1	247.36	88.143
			2	303.29	27.457
			3	333.80	28.137
			4	252.43	73.412
			Total	276.00	72.527
	Total	1	1	254.43	80.390
			2	320.86	34.017
			3	269.00	88.775
			4	274.50	51.801
			Total	279.90	65.072
		2	1	252.57	88.609
			2	299.86	85.991
			3	344.20	57.783
			4	321.43	112.281
			Total	308.35	88.223
		Total	1	253.50	81.287
			2	310.36	63.762
			3	319.13	75.793
			4	293.82	82.485
			Total	294.60	78.568
Depression Score at 1 Week	1	1	2	312.75	14.151
			3	218.33	140.692
			4	191.80	127.304
			Total	238.75	112.488
		2	1	198.67	122.272
			2	307.00	83.072
			3	269.00	104.841
			4	359.40	45.009
			Total	288.72	100.231
		Total	1	198.67	122.272
			2	310.29	49.091
			3	253.80	111.020
			4	275.60	126.118
			Total	268.73	106.343
	2	1	1	97.43	77.923
			2	152.33	129.739

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 1 Week	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			3	84.50	75.660
			4	135.00	18.507
			Total	116.65	73.887
		2	1	100.75	62.925
			2	175.00	60.366
			3	189.00	127.448
			4	58.00	14.142
			Total	137.38	85.206
		Total	1	98.64	69.526
			2	165.29	87.061
			3	147.20	113.264
			4	113.00	40.906
			Total	125.63	78.265
	Total	1	1	97.43	77.923
			2	244.00	114.295
			3	164.80	129.235
			4	163.40	90.836
			Total	167.17	108.795
		2	1	142.71	98.502
			2	231.57	95.397
			3	245.00	111.493
			4	273.29	151.700
			Total	225.26	119.832
		Total	1	120.07	88.502
			2	237.79	101.346
			3	218.27	119.560
			4	208.65	127.979
			Total	197.18	117.369
Depression Score at 3 Weeks	1	1	2	274.75	34.326
			3	186.00	90.089
			4	178.00	80.944
			Total	212.25	79.505
		2	1	173.00	89.437
			2	224.67	75.268

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 3 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
		3	225.14	77.911
		4	267.40	23.362
		Total	228.11	69.815
	Total	1	173.00	89.437
		2	253.29	56.518
		3	213.40	78.790
		4	222.70	73.312
		Total	221.77	72.920
2	1	1	113.29	69.533
		2	145.00	88.425
		3	99.50	20.506
		4	114.00	17.321
		Total	117.47	55.549
	2	1	110.00	93.527
		2	170.50	66.159
		3	165.67	146.090
		4	102.00	7.071
		Total	140.23	88.644
	Total	1	112.09	74.350
		2	159.57	70.574
		3	139.20	109.953
		4	110.57	15.576
		Total	127.33	71.312
Total	1	1	113.29	69.533
		2	219.14	89.473
		3	151.40	80.049
		4	146.00	64.677
		Total	156.69	80.643
	2	1	137.00	90.410
		2	193.71	70.109
		3	207.30	98.056
		4	220.14	82.981
		Total	191.26	88.590
	Total	1	125.14	78.457
		2	206.43	78.342
		3	188.67	93.572

Descriptive Statistics

Treatment Group	Sex	Education Level	N
		3	7
		4	5
		Total	18
	Total	1	3
		2	7
		3	10
		4	10
		Total	30
2	1	1	7
		2	3
		3	2
		4	5
		Total	17
	2	1	4
		2	4
		3	3
		4	2
		Total	13
	Total	1	11
		2	7
		3	5
		4	7
		Total	30
Total	1	1	7
		2	7
		3	5
		4	10
		Total	29
	2	1	7
		2	7
		3	10
		4	7
		Total	31
	Total	1	14
		2	14
		3	15

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			4	176.53	79.686
			Total	174.55	85.910
Depression Score at 6 Weeks	1	1	2	150.50	30.643
			3	175.67	69.573
			4	206.80	100.243
			Total	180.25	73.744
		2	1	172.67	32.716
			2	235.67	54.280
			3	202.14	48.872
			4	237.60	91.175
			Total	212.67	62.255
		Total	1	172.67	32.716
			2	187.00	59.363
			3	194.20	53.212
			4	222.20	91.783
			Total	199.70	67.791
	2	1	1	127.43	73.225
			2	112.33	96.397
			3	147.00	38.184
			4	168.00	30.496
			Total	139.00	62.918
		2	1	117.00	16.793
			2	121.75	30.071
			3	88.00	36.756
			4	86.50	2.121
			Total	107.08	28.076
		Total	1	123.64	57.701
			2	117.71	59.791
			3	111.60	45.654
			4	144.71	46.928
			Total	125.17	52.622
	Total	1	1	127.43	73.225
			2	134.14	63.112
			3	164.20	55.056
			4	187.40	72.785
			Total	156.07	69.469

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			4	17
			Total	60
Depression Score at 6 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
	2	1	140.86	37.191
		2	170.57	71.707
		3	167.90	70.232
		4	194.43	104.779
		Total	168.39	72.916
	Total	1	134.14	56.229
		2	152.36	67.593
		3	166.67	63.563
		4	190.29	84.318
		Total	162.43	70.939

Descriptive Statistics

Treatment Group	Sex	Education Level	N
	2	1	7
		2	7
		3	10
		4	7
		Total	31
	Total	1	14
		2	14
		3	15
		4	17
		Total	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	107.159
F	2.108
df1	30
df2	842.425
Sig.	.001

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time	Pillai's Trace	.411	9.788[b]	3.000	42.000
	Wilks' Lambda	.589	9.788[b]	3.000	42.000
	Hotelling's Trace	.699	9.788[b]	3.000	42.000
	Roy's Largest Root	.699	9.788[b]	3.000	42.000
time * age	Pillai's Trace	.116	1.833[b]	3.000	42.000
	Wilks' Lambda	.884	1.833[b]	3.000	42.000
	Hotelling's Trace	.131	1.833[b]	3.000	42.000
	Roy's Largest Root	.131	1.833[b]	3.000	42.000
time * treatment	Pillai's Trace	.373	8.313[b]	3.000	42.000
	Wilks' Lambda	.627	8.313[b]	3.000	42.000
	Hotelling's Trace	.594	8.313[b]	3.000	42.000
	Roy's Largest Root	.594	8.313[b]	3.000	42.000
time * sex	Pillai's Trace	.068	1.016[b]	3.000	42.000
	Wilks' Lambda	.932	1.016[b]	3.000	42.000
	Hotelling's Trace	.073	1.016[b]	3.000	42.000
	Roy's Largest Root	.073	1.016[b]	3.000	42.000
time * education	Pillai's Trace	.247	1.317	9.000	132.000
	Wilks' Lambda	.769	1.296	9.000	102.368
	Hotelling's Trace	.280	1.263	9.000	122.000
	Roy's Largest Root	.181	2.658[c]	3.000	44.000
time * treatment * sex	Pillai's Trace	.171	2.887[b]	3.000	42.000
	Wilks' Lambda	.829	2.887[b]	3.000	42.000
	Hotelling's Trace	.206	2.887[b]	3.000	42.000
	Roy's Largest Root	.206	2.887[b]	3.000	42.000
time * treatment * education	Pillai's Trace	.124	.633	9.000	132.000
	Wilks' Lambda	.880	.616	9.000	102.368
	Hotelling's Trace	.133	.599	9.000	122.000
	Roy's Largest Root	.083	1.217[c]	3.000	44.000
time * sex * education	Pillai's Trace	.190	.994	9.000	132.000
	Wilks' Lambda	.815	.999	9.000	102.368
	Hotelling's Trace	.221	.999	9.000	122.000
	Roy's Largest Root	.188	2.759[c]	3.000	44.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time	Pillai's Trace	.000	.411
	Wilks' Lambda	.000	.411
	Hotelling's Trace	.000	.411
	Roy's Largest Root	.000	.411
time * age	Pillai's Trace	.156	.116
	Wilks' Lambda	.156	.116
	Hotelling's Trace	.156	.116
	Roy's Largest Root	.156	.116
time * treatment	Pillai's Trace	.000	.373
	Wilks' Lambda	.000	.373
	Hotelling's Trace	.000	.373
	Roy's Largest Root	.000	.373
time * sex	Pillai's Trace	.395	.068
	Wilks' Lambda	.395	.068
	Hotelling's Trace	.395	.068
	Roy's Largest Root	.395	.068
time * education	Pillai's Trace	.234	.082
	Wilks' Lambda	.248	.084
	Hotelling's Trace	.264	.085
	Roy's Largest Root	.060	.153
time * treatment * sex	Pillai's Trace	.047	.171
	Wilks' Lambda	.047	.171
	Hotelling's Trace	.047	.171
	Roy's Largest Root	.047	.171
time * treatment * education	Pillai's Trace	.767	.041
	Wilks' Lambda	.781	.042
	Hotelling's Trace	.796	.042
	Roy's Largest Root	.315	.077
time * sex * education	Pillai's Trace	.448	.063
	Wilks' Lambda	.446	.066
	Hotelling's Trace	.445	.069
	Roy's Largest Root	.053	.158

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time * treatment * sex * education	Pillai's Trace	.228	1.842	6.000	86.000
	Wilks' Lambda	.780	1.852[b]	6.000	84.000
	Hotelling's Trace	.272	1.860	6.000	82.000
	Roy's Largest Root	.229	3.285[c]	3.000	43.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time * treatment * sex * education	Pillai's Trace	.100	.114
	Wilks' Lambda	.099	.117
	Hotelling's Trace	.098	.120
	Roy's Largest Root	.030	.186

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. Exact statistic

c. The statistic is an upper bound on F that yields a lower bound on the significance level.

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.457	33.451	5	.000	.747

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
time	1.000	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	148491.633	3	49497.211	17.049
	Greenhouse-Geisser	148491.633	2.241	66275.635	17.049
	Huynh-Feldt	148491.633	3.000	49497.211	17.049
	Lower-bound	148491.633	1.000	148491.633	17.049
time * age	Sphericity Assumed	21202.039	3	7067.346	2.434
	Greenhouse-Geisser	21202.039	2.241	9463.015	2.434
	Huynh-Feldt	21202.039	3.000	7067.346	2.434
	Lower-bound	21202.039	1.000	21202.039	2.434
time * treatment	Sphericity Assumed	77758.775	3	25919.592	8.928
	Greenhouse-Geisser	77758.775	2.241	34705.741	8.928
	Huynh-Feldt	77758.775	3.000	25919.592	8.928
	Lower-bound	77758.775	1.000	77758.775	8.928
time * sex	Sphericity Assumed	6728.366	3	2242.789	.773
	Greenhouse-Geisser	6728.366	2.241	3003.043	.773
	Huynh-Feldt	6728.366	3.000	2242.789	.773
	Lower-bound	6728.366	1.000	6728.366	.773
time * education	Sphericity Assumed	37203.490	9	4133.721	1.424
	Greenhouse-Geisser	37203.490	6.722	5534.958	1.424
	Huynh-Feldt	37203.490	9.000	4133.721	1.424
	Lower-bound	37203.490	3.000	12401.163	1.424
time * treatment * sex	Sphericity Assumed	13220.611	3	4406.870	1.518
	Greenhouse-Geisser	13220.611	2.241	5900.699	1.518
	Huynh-Feldt	13220.611	3.000	4406.870	1.518
	Lower-bound	13220.611	1.000	13220.611	1.518
time * treatment * education	Sphericity Assumed	18791.020	9	2087.891	.719
	Greenhouse-Geisser	18791.020	6.722	2795.638	.719

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.279
	Greenhouse-Geisser	.000	.279
	Huynh-Feldt	.000	.279
	Lower-bound	.000	.279
time * age	Sphericity Assumed	.068	.052
	Greenhouse-Geisser	.087	.052
	Huynh-Feldt	.068	.052
	Lower-bound	.126	.052
time * treatment	Sphericity Assumed	.000	.169
	Greenhouse-Geisser	.000	.169
	Huynh-Feldt	.000	.169
	Lower-bound	.005	.169
time * sex	Sphericity Assumed	.511	.017
	Greenhouse-Geisser	.478	.017
	Huynh-Feldt	.511	.017
	Lower-bound	.384	.017
time * education	Sphericity Assumed	.184	.088
	Greenhouse-Geisser	.207	.088
	Huynh-Feldt	.184	.088
	Lower-bound	.249	.088
time * treatment * sex	Sphericity Assumed	.213	.033
	Greenhouse-Geisser	.222	.033
	Huynh-Feldt	.213	.033
	Lower-bound	.224	.033
time * treatment * education	Sphericity Assumed	.691	.047
	Greenhouse-Geisser	.650	.047

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
	Huynh-Feldt	18791.020	9.000	2087.891	.719
	Lower-bound	18791.020	3.000	6263.673	.719
time * sex * education	Sphericity Assumed	28002.444	9	3111.383	1.072
	Greenhouse-Geisser	28002.444	6.722	4166.070	1.072
	Huynh-Feldt	28002.444	9.000	3111.383	1.072
	Lower-bound	28002.444	3.000	9334.148	1.072
time * treatment * sex * education	Sphericity Assumed	26276.285	6	4379.381	1.508
	Greenhouse-Geisser	26276.285	4.481	5863.891	1.508
	Huynh-Feldt	26276.285	6.000	4379.381	1.508
	Lower-bound	26276.285	2.000	13138.143	1.508
Error(time)	Sphericity Assumed	383233.163	132	2903.282	
	Greenhouse-Geisser	383233.163	98.583	3887.428	
	Huynh-Feldt	383233.163	132.000	2903.282	
	Lower-bound	383233.163	44.000	8709.845	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
	Huynh-Feldt	.691	.047
	Lower-bound	.546	.047
time * sex * education	Sphericity Assumed	.388	.068
	Greenhouse-Geisser	.387	.068
	Huynh-Feldt	.388	.068
	Lower-bound	.371	.068
time * treatment * sex * education	Sphericity Assumed	.180	.064
	Greenhouse-Geisser	.200	.064
	Huynh-Feldt	.180	.064
	Lower-bound	.232	.064
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	102371.160	1	102371.160	24.191	.000
	Quadratic	33328.261	1	33328.261	10.041	.003
	Cubic	12792.212	1	12792.212	11.039	.002
time * age	Linear	8684.535	1	8684.535	2.052	.159
	Quadratic	6824.740	1	6824.740	2.056	.159
	Cubic	5692.764	1	5692.764	4.913	.032
time * treatment	Linear	7460.201	1	7460.201	1.763	.191
	Quadratic	50036.735	1	50036.735	15.075	.000
	Cubic	20261.839	1	20261.839	17.485	.000
time * sex	Linear	2964.266	1	2964.266	.700	.407
	Quadratic	3060.162	1	3060.162	.922	.342
	Cubic	703.939	1	703.939	.607	.440
time * education	Linear	22280.955	3	7426.985	1.755	.170
	Quadratic	12224.208	3	4074.736	1.228	.311
	Cubic	2698.326	3	899.442	.776	.514
time * treatment * sex	Linear	275.965	1	275.965	.065	.800
	Quadratic	10195.453	1	10195.453	3.072	.087
	Cubic	2749.193	1	2749.193	2.372	.131
time * treatment * education	Linear	14136.409	3	4712.136	1.114	.354
	Quadratic	2039.480	3	679.827	.205	.893
	Cubic	2615.131	3	871.710	.752	.527
time * sex * education	Linear	12653.340	3	4217.780	.997	.403
	Quadratic	13716.702	3	4572.234	1.377	.262
	Cubic	1632.401	3	544.134	.470	.705
time * treatment * sex * education	Linear	14219.034	2	7109.517	1.680	.198
	Quadratic	7489.539	2	3744.770	1.128	.333
	Cubic	4567.712	2	2283.856	1.971	.151
Error(time)	Linear	186197.899	44	4231.770		
	Quadratic	146046.899	44	3319.248		
	Cubic	50988.365	44	1158.826		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.355
	Quadratic	.186
	Cubic	.201
time * age	Linear	.045
	Quadratic	.045
	Cubic	.100
time * treatment	Linear	.039
	Quadratic	.255
	Cubic	.284
time * sex	Linear	.016
	Quadratic	.021
	Cubic	.014
time * education	Linear	.107
	Quadratic	.077
	Cubic	.050
time * treatment * sex	Linear	.001
	Quadratic	.065
	Cubic	.051
time * treatment * education	Linear	.071
	Quadratic	.014
	Cubic	.049
time * sex * education	Linear	.064
	Quadratic	.086
	Cubic	.031
time * treatment * sex * education	Linear	.071
	Quadratic	.049
	Cubic	.082
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	2.432	14	45	.012
Depression Score at 1 Week	2.491	14	45	.010
Depression Score at 3 Weeks	3.440	14	45	.001
Depression Score at 6 Weeks	1.936	14	45	.048

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	885717.492	1	885717.492	66.271	.000
age	5419.650	1	5419.650	.406	.528
treatment	273197.516	1	273197.516	20.441	.000
sex	19014.171	1	19014.171	1.423	.239
education	72285.605	3	24095.202	1.803	.161
treatment * sex	27089.954	1	27089.954	2.027	.162
treatment * education	36464.394	3	12154.798	.909	.444
sex * education	14494.514	3	4831.505	.362	.781
treatment * sex * education	67677.170	2	33838.585	2.532	.091
Error	588066.465	44	13365.147		

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Partial Eta Squared
Intercept	.601
age	.009
treatment	.317
sex	.031
education	.109
treatment * sex	.044
treatment * education	.058
sex * education	.024
treatment * sex * education	.103
Error	

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	290.995[a,b]	9.911	271.021	310.969
2	188.763[a,b]	12.261	164.052	213.473
3	169.404[a,b]	10.200	148.847	189.961
4	155.793[a,b]	8.491	138.680	172.906

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[c]	95% Confidence Interval for Difference[c] Lower Bound	Upper Bound
1	2	102.232*,[b]	11.951	.000	69.214	135.250
	3	121.591*,[b]	11.128	.000	90.845	152.337
	4	135.202*,[b]	13.293	.000	98.477	171.927
2	1	-102.232*,[b]	11.951	.000	-135.250	-69.214
	3	19.359*,[b]	5.543	.007	4.045	34.673
	4	32.970*,[b]	10.431	.017	4.151	61.788
3	1	-121.591*,[b]	11.128	.000	-152.337	-90.845
	2	-19.359*,[b]	5.543	.007	-34.673	-4.045
	4	13.611[b]	9.348	.915	-12.216	39.438
4	1	-135.202*,[b]	13.293	.000	-171.927	-98.477
	2	-32.970*,[b]	10.431	.017	-61.788	-4.151
	3	-13.611[b]	9.348	.915	-39.438	12.216

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Based on modified population marginal mean.

c. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.758[a]	43.839[b]	3.000	42.000	.000	.758
Wilks' lambda	.242[a]	43.839[b]	3.000	42.000	.000	.758
Hotelling's trace	3.131[a]	43.839[b]	3.000	42.000	.000	.758
Roy's largest root	3.131[a]	43.839[b]	3.000	42.000	.000	.758

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Based on modified population marginal mean.

b. Exact statistic

2. Treatment Group

Estimates

Measure: MEASURE_1

Treatment Group	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	246.289[a,b]	11.062	223.996	268.583
2	161.820[a]	11.480	138.683	184.957

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	Mean Difference (I-J)	Std. Error	Sig.[d]	95% Confidence [d]...
					Lower Bound
1	2	84.469[*,b]	15.924	.000	52.376
2	1	-84.469[*,c]	15.924	.000	-116.562

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	95% Confidence Interval for [d]...
		Upper Bound
1	2	116.562
2	1	-52.376

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. An estimate of the modified population marginal mean (I).

c. An estimate of the modified population marginal mean (J).

d. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	94015.610	1	94015.610	28.138	.000	.390
Error	147016.616	44	3341.287			

The F tests the effect of Treatment Group. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.

3. Treatment Group * time


Measure: MEASURE_1

				95% Confidence Interval	
Treatment Group	time	Mean	Std. Error	Lower Bound	Upper Bound
1	1	305.483[a,b]	13.674	277.926	333.041
	2	264.662[a,b]	16.916	230.570	298.755
	3	218.147[a,b]	14.073	189.785	246.509
	4	196.864[a,b]	11.715	173.254	220.475
2	1	278.318[a]	14.191	249.718	306.918
	2	122.351[a]	17.556	86.968	157.734
	3	126.755[a]	14.605	97.320	156.190
	4	119.856[a]	12.159	95.352	144.360

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Profile Plots



Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93

```
2616  0
2617  0
2618  0
2619  0
2620  0
2621  0
2622  0
2623  0
2624  0
2625  0  * End of INSERT and INCLUDE nesting level 02.
2625  0
2626  0  OUTPUT EXPORT /CONTENTS EXPORT=ALL /PDF DOCUMENTFILE='E:/Documents/GitHub/biosta
tistics-portfolio/group-comparisons/spss/sp
           ss-files/depress-descriptives.pdf'.
```