```
2628  0  INSERT FILE='E:/Documents/GitHub/biostatistics-portfolio/_spss_tmp/depress-glm.s
ps' ERROR=CONTINUE.
2628  0  * Set once: the folder that contains this repository, then run.
2629  0  CD 'E:/Documents/GitHub/biostatistics-portfolio'.
2630  0  GET FILE='data/raw/depress data.sav'.

>Warning # 67 on line 2630.  Command name: GET FILE
>The document is already in use by another user or process.  If you make
>changes to the document they may overwrite changes made by others or your
>changes may be overwritten by others.
>File opened E:\Documents\GitHub\biostatistics-portfolio\data\raw\depress data.sav
2631  0  DATASET NAME DataSet1 WINDOW=FRONT.
```

Dataset Name

Notes

Output Created		03-NOV-2026 15:41:01
Comments		
Input	Data	E:\Documents\GitHub\biostatistics-portfolio\data\raw\depress data.sav
	Filter	<none>
	Weight	<none>
	Split File	<none>
Syntax		DATASET NAME DataSet1 ...
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Warnings

The active dataset will replace the existing dataset named DataSet1.

```
2632  0  * Encoding: UTF-8.
2633  0
2634  0  *import data
2635  0
2636  0
2637  0
2638  0
2639  0  *DATA INSPECTION AND CLEANIG
2640  0  * Identify Duplicate Cases.
2641  0  * depress data.sav already contains PrimaryLast from an earlier run of this bloc
k; drop it so the block can recreate it.
```

```
2642  0  MATCH FILES FILE=* /DROP=PrimaryLast.
2643  0  SORT CASES BY ID(A).
2644  0  MATCH FILES
2645  0    /FILE=*
2646  0    /BY ID
2647  0    /FIRST=PrimaryFirst
2648  0    /LAST=PrimaryLast.
2649  0  DO IF (PrimaryFirst).
2650  1  COMPUTE  MatchSequence=1-PrimaryLast.
2651  1  ELSE.
2652  1  COMPUTE  MatchSequence=MatchSequence+1.
2653  1  END IF.
2654  0  LEAVE  MatchSequence.
2655  0  FORMATS  MatchSequence (f7).
2656  0  COMPUTE  InDupGrp=MatchSequence>0.
2657  0  SORT CASES InDupGrp(D).
2658  0  MATCH FILES
2659  0    /FILE=*
2660  0    /DROP=PrimaryFirst InDupGrp MatchSequence.
2661  0  VARIABLE LABELS  PrimaryLast 'Indicator of each last matching case as Primary'.
2662  0  VALUE LABELS  PrimaryLast 0 'Duplicate Case' 1 'Primary Case'.
2663  0  VARIABLE LEVEL  PrimaryLast (ORDINAL).
2664  0  FREQUENCIES VARIABLES=PrimaryLast.
```

Frequencies

Notes

Output Created		03-NOV-2026 15:41:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=PrimaryLast.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

Statistics

Indicator of each last matching case as Primary

N	Valid	60
	Missing	0

Indicator of each last matching case as Primary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Primary Case	60	100.0	100.0	100.0

```
2665  0  EXECUTE.
2666  0  *no duplicates
2667  0
2668  0  *outliers and missing  IN  original DATASET
2669  0
2670  0  FREQUENCIES VARIABLES=ID treatment dep_t0 dep_t1 dep_t3 dep_t6 age sex education
 PrimaryLast
2671  0    /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN
2672  0    /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created		03-NOV-2026 15:41:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.

Notes

Syntax		FREQUENCIES VARIABLES=ID treatment dep_t0 dep_t1 dep_t3 dep_t6 age sex education PrimaryLast /STATISTICS=STDDEV MINIMUM MAXIMUM MEAN MEDIAN /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.04

Statistics

		Subject ID	Treatment Group	Depression Score at Baseline	Depression Score at 1 Week	Depression Score at 3 Weeks
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		30.50	1.50	294.60	197.18	174.55
Median		30.50	1.50	301.00	170.00	147.00
Std. Deviation		17.464	.504	78.568	117.369	85.910
Minimum		1	1	138	31	16
Maximum		60	2	447	402	334

Statistics

		Depression Score at 6 Weeks	Age (Years)	Sex	Education Level	Indicator of each last matching case as Primary
N	Valid	60	60	60	60	60
	Missing	0	0	0	0	0
Mean		162.43	49.93	1.52	2.58	1.00
Median		141.00	49.00	2.00	3.00	1.00
Std. Deviation		70.939	19.782	.504	1.139	.000
Minimum		6	18	1	1	1
Maximum		368	101	2	4	1

Frequency Table

Subject ID

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.7	1.7	1.7
	2	1	1.7	1.7	3.3
	3	1	1.7	1.7	5.0
	4	1	1.7	1.7	6.7
	5	1	1.7	1.7	8.3
	6	1	1.7	1.7	10.0
	7	1	1.7	1.7	11.7
	8	1	1.7	1.7	13.3
	9	1	1.7	1.7	15.0
	10	1	1.7	1.7	16.7
	11	1	1.7	1.7	18.3
	12	1	1.7	1.7	20.0
	13	1	1.7	1.7	21.7
	14	1	1.7	1.7	23.3
	15	1	1.7	1.7	25.0
	16	1	1.7	1.7	26.7
	17	1	1.7	1.7	28.3
	18	1	1.7	1.7	30.0
	19	1	1.7	1.7	31.7
	20	1	1.7	1.7	33.3
	21	1	1.7	1.7	35.0
	22	1	1.7	1.7	36.7
	23	1	1.7	1.7	38.3
	24	1	1.7	1.7	40.0
	25	1	1.7	1.7	41.7
	26	1	1.7	1.7	43.3
	27	1	1.7	1.7	45.0
	28	1	1.7	1.7	46.7
	29	1	1.7	1.7	48.3
	30	1	1.7	1.7	50.0
	31	1	1.7	1.7	51.7
	32	1	1.7	1.7	53.3
	33	1	1.7	1.7	55.0
	34	1	1.7	1.7	56.7
	35	1	1.7	1.7	58.3

Subject ID

		Frequency	Percent	Valid Percent	Cumulative Percent
	36	1	1.7	1.7	60.0
	37	1	1.7	1.7	61.7
	38	1	1.7	1.7	63.3
	39	1	1.7	1.7	65.0
	40	1	1.7	1.7	66.7
	41	1	1.7	1.7	68.3
	42	1	1.7	1.7	70.0
	43	1	1.7	1.7	71.7
	44	1	1.7	1.7	73.3
	45	1	1.7	1.7	75.0
	46	1	1.7	1.7	76.7
	47	1	1.7	1.7	78.3
	48	1	1.7	1.7	80.0
	49	1	1.7	1.7	81.7
	50	1	1.7	1.7	83.3
	51	1	1.7	1.7	85.0
	52	1	1.7	1.7	86.7
	53	1	1.7	1.7	88.3
	54	1	1.7	1.7	90.0
	55	1	1.7	1.7	91.7
	56	1	1.7	1.7	93.3
	57	1	1.7	1.7	95.0
	58	1	1.7	1.7	96.7
	59	1	1.7	1.7	98.3
	60	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Treatment Group

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	30	50.0	50.0	50.0
	2	30	50.0	50.0	100.0
	Total	60	100.0	100.0	

Depression Score at Baseline

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	138	1	1.7	1.7	1.7
	140	3	5.0	5.0	6.7
	148	1	1.7	1.7	8.3
	150	2	3.3	3.3	11.7
	202	1	1.7	1.7	13.3
	210	1	1.7	1.7	15.0
	212	1	1.7	1.7	16.7
	219	1	1.7	1.7	18.3
	220	1	1.7	1.7	20.0
	222	1	1.7	1.7	21.7
	250	1	1.7	1.7	23.3
	255	1	1.7	1.7	25.0
	256	1	1.7	1.7	26.7
	263	1	1.7	1.7	28.3
	273	1	1.7	1.7	30.0
	275	1	1.7	1.7	31.7
	282	1	1.7	1.7	33.3
	286	1	1.7	1.7	35.0
	292	2	3.3	3.3	38.3
	296	1	1.7	1.7	40.0
	299	1	1.7	1.7	41.7
	300	5	8.3	8.3	50.0
	302	1	1.7	1.7	51.7
	306	2	3.3	3.3	55.0
	309	1	1.7	1.7	56.7
	310	2	3.3	3.3	60.0
	311	1	1.7	1.7	61.7
	316	1	1.7	1.7	63.3
	317	1	1.7	1.7	65.0
	319	1	1.7	1.7	66.7
	321	1	1.7	1.7	68.3
	327	2	3.3	3.3	71.7
	329	1	1.7	1.7	73.3
	338	1	1.7	1.7	75.0
	339	1	1.7	1.7	76.7

Depression Score at Baseline

		Frequency	Percent	Valid Percent	Cumulative Percent
	348	1	1.7	1.7	78.3
	362	1	1.7	1.7	80.0
	365	2	3.3	3.3	83.3
	366	1	1.7	1.7	85.0
	372	1	1.7	1.7	86.7
	375	2	3.3	3.3	90.0
	376	1	1.7	1.7	91.7
	407	1	1.7	1.7	93.3
	437	2	3.3	3.3	96.7
	447	2	3.3	3.3	100.0
	Total	60	100.0	100.0	

Depression Score at 1 Week

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	31	2	3.3	3.3	3.3
	38	1	1.7	1.7	5.0
	48	2	3.3	3.3	8.3
	60	2	3.3	3.3	11.7
	62	1	1.7	1.7	13.3
	68	2	3.3	3.3	16.7
	70	2	3.3	3.3	20.0
	75	1	1.7	1.7	21.7
	81	1	1.7	1.7	23.3
	94	3	5.0	5.0	28.3
	100	1	1.7	1.7	30.0
	104	2	3.3	3.3	33.3
	125	1	1.7	1.7	35.0
	126	1	1.7	1.7	36.7
	132	2	3.3	3.3	40.0
	138	1	1.7	1.7	41.7
	139	3	5.0	5.0	46.7
	154	1	1.7	1.7	48.3
	165	1	1.7	1.7	50.0
	175	1	1.7	1.7	51.7

Depression Score at 1 Week

	Frequency	Percent	Valid Percent	Cumulative Percent
186	2	3.3	3.3	55.0
238	1	1.7	1.7	56.7
245	2	3.3	3.3	60.0
248	1	1.7	1.7	61.7
256	1	1.7	1.7	63.3
266	2	3.3	3.3	66.7
271	1	1.7	1.7	68.3
291	1	1.7	1.7	70.0
300	3	5.0	5.0	75.0
301	2	3.3	3.3	78.3
325	2	3.3	3.3	81.7
329	2	3.3	3.3	85.0
335	2	3.3	3.3	88.3
344	1	1.7	1.7	90.0
364	1	1.7	1.7	91.7
373	1	1.7	1.7	93.3
402	4	6.7	6.7	100.0
Total	60	100.0	100.0	

Depression Score at 3 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	16	1	1.7	1.7	1.7
	20	1	1.7	1.7	3.3
	55	1	1.7	1.7	5.0
	62	1	1.7	1.7	6.7
	67	1	1.7	1.7	8.3
	71	1	1.7	1.7	10.0
	72	1	1.7	1.7	11.7
	82	1	1.7	1.7	13.3
	85	2	3.3	3.3	16.7
	91	2	3.3	3.3	20.0
	95	2	3.3	3.3	23.3
	97	1	1.7	1.7	25.0
	104	3	5.0	5.0	30.0
	105	1	1.7	1.7	31.7
	107	1	1.7	1.7	33.3
	114	2	3.3	3.3	36.7
	135	2	3.3	3.3	40.0
	137	1	1.7	1.7	41.7
	140	1	1.7	1.7	43.3
	141	2	3.3	3.3	46.7
	144	2	3.3	3.3	50.0
	150	1	1.7	1.7	51.7
	177	1	1.7	1.7	53.3
	187	1	1.7	1.7	55.0
	200	1	1.7	1.7	56.7
	210	1	1.7	1.7	58.3
	225	3	5.0	5.0	63.3
	236	2	3.3	3.3	66.7
	238	3	5.0	5.0	71.7
	240	2	3.3	3.3	75.0
	250	1	1.7	1.7	76.7
	253	3	5.0	5.0	81.7
	260	1	1.7	1.7	83.3
	270	1	1.7	1.7	85.0
	284	3	5.0	5.0	90.0

Depression Score at 3 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
	294	2	3.3	3.3	93.3
	304	2	3.3	3.3	96.7
	334	2	3.3	3.3	100.0
	Total	60	100.0	100.0	

Depression Score at 6 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6	1	1.7	1.7	1.7
	12	1	1.7	1.7	3.3
	58	1	1.7	1.7	5.0
	77	2	3.3	3.3	8.3
	85	2	3.3	3.3	11.7
	88	1	1.7	1.7	13.3
	95	1	1.7	1.7	15.0
	114	2	3.3	3.3	18.3
	120	2	3.3	3.3	21.7
	125	1	1.7	1.7	23.3
	126	1	1.7	1.7	25.0
	129	4	6.7	6.7	31.7
	134	3	5.0	5.0	36.7
	135	2	3.3	3.3	40.0
	136	1	1.7	1.7	41.7
	137	4	6.7	6.7	48.3
	140	1	1.7	1.7	50.0
	142	2	3.3	3.3	53.3
	150	2	3.3	3.3	56.7
	170	2	3.3	3.3	60.0
	173	2	3.3	3.3	63.3
	174	2	3.3	3.3	66.7
	184	3	5.0	5.0	71.7
	189	1	1.7	1.7	73.3
	194	3	5.0	5.0	78.3
	197	1	1.7	1.7	80.0
	232	1	1.7	1.7	81.7

Depression Score at 6 Weeks

		Frequency	Percent	Valid Percent	Cumulative Percent
	242	1	1.7	1.7	83.3
	248	1	1.7	1.7	85.0
	256	2	3.3	3.3	88.3
	266	3	5.0	5.0	93.3
	268	2	3.3	3.3	96.7
	358	1	1.7	1.7	98.3
	368	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Age (Years)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	1	1.7	1.7	1.7
	19	1	1.7	1.7	3.3
	20	1	1.7	1.7	5.0
	21	1	1.7	1.7	6.7
	22	2	3.3	3.3	10.0
	23	1	1.7	1.7	11.7
	24	2	3.3	3.3	15.0
	26	1	1.7	1.7	16.7
	27	1	1.7	1.7	18.3
	28	1	1.7	1.7	20.0
	30	1	1.7	1.7	21.7
	31	1	1.7	1.7	23.3
	32	2	3.3	3.3	26.7
	34	1	1.7	1.7	28.3
	37	2	3.3	3.3	31.7
	39	1	1.7	1.7	33.3
	40	1	1.7	1.7	35.0
	41	2	3.3	3.3	38.3
	43	1	1.7	1.7	40.0
	45	2	3.3	3.3	43.3
	47	2	3.3	3.3	46.7
	48	1	1.7	1.7	48.3
	49	2	3.3	3.3	51.7

Age (Years)

		Frequency	Percent	Valid Percent	Cumulative Percent
	52	1	1.7	1.7	53.3
	53	1	1.7	1.7	55.0
	54	1	1.7	1.7	56.7
	57	2	3.3	3.3	60.0
	58	2	3.3	3.3	63.3
	59	1	1.7	1.7	65.0
	60	1	1.7	1.7	66.7
	65	2	3.3	3.3	70.0
	67	1	1.7	1.7	71.7
	68	3	5.0	5.0	76.7
	69	3	5.0	5.0	81.7
	70	2	3.3	3.3	85.0
	71	3	5.0	5.0	90.0
	75	1	1.7	1.7	91.7
	76	2	3.3	3.3	95.0
	78	1	1.7	1.7	96.7
	80	1	1.7	1.7	98.3
	101	1	1.7	1.7	100.0
	Total	60	100.0	100.0	

Sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	29	48.3	48.3	48.3
	2	31	51.7	51.7	100.0
	Total	60	100.0	100.0	

Education Level

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	23.3	23.3	23.3
	2	14	23.3	23.3	46.7
	3	15	25.0	25.0	71.7
	4	17	28.3	28.3	100.0
	Total	60	100.0	100.0	

Indicator of each last matching case as Primary

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Primary Case	60	100.0	100.0	100.0

```
2673  0  *no missing values ; wrong coding for categorical variables and
2674  0
2675  0
2676  0
2677  0  *collapse educaton; yes or no
2678  0
2679  0  * MODEL 1 - Education with all four original categories.
2680  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age
2681  0    /WSFACTOR=time 4 Polynomial
2682  0    /METHOD=SSTYPE(3)
2683  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO
2684  0     MEANREFERENCE=NO YAXIS=AUTO
2685  0    /EMMEANS=TABLES(time) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2686  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2687  0    /EMMEANS=TABLES(treatment*time) WITH(age=MEAN)
2688  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2689  0    /CRITERIA=ALPHA(.05)
2690  0    /WSDESIGN=time
2691  0    /DESIGN=age treatment sex education treatment*sex treatment*education
2692  0     sex*education treatment*sex*education.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:41:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.
Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN) COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (treatment*time) WITH (age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time /DESIGN=age treatment sex education treatment*sex treatment*education sex*education ...

Notes

Resources	Processor Time	00:00:00.34
	Elapsed Time	00:00:00.35

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		N
Treatment Group	1	30
	2	30
Sex	1	29
	2	31
Education Level	1	14
	2	14
	3	15
	4	17

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
Depression Score at Baseline	1	1	2	334.00	35.879
			3	242.67	114.409
			4	267.40	48.278
			Total	283.42	71.263
		2	1	276.00	56.000
			2	295.33	143.535
			3	341.43	69.500
			4	378.20	63.480
			Total	333.06	83.064
		Total	1	276.00	56.000
			2	317.43	89.097
			3	311.80	91.678
			4	322.80	78.975
			Total	313.20	81.134
	2	1	1	254.43	80.390
			2	303.33	27.099
			3	308.50	12.021
			4	281.60	59.840
			Total	277.41	62.473
		2	1	235.00	112.481
			2	303.25	31.910
			3	350.67	21.079
			4	179.50	55.861
			Total	274.15	86.612
		Total	1	247.36	88.143
			2	303.29	27.457
			3	333.80	28.137
			4	252.43	73.412
			Total	276.00	72.527
	Total	1	1	254.43	80.390
			2	320.86	34.017
			3	269.00	88.775
			4	274.50	51.801
			Total	279.90	65.072
		2	1	252.57	88.609
			2	299.86	85.991

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
Depression Score at Baseline	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			3	344.20	57.783
			4	321.43	112.281
			Total	308.35	88.223
		Total	1	253.50	81.287
			2	310.36	63.762
			3	319.13	75.793
			4	293.82	82.485
			Total	294.60	78.568
Depression Score at 1 Week	1	1	2	312.75	14.151
			3	218.33	140.692
			4	191.80	127.304
			Total	238.75	112.488
		2	1	198.67	122.272
			2	307.00	83.072
			3	269.00	104.841
			4	359.40	45.009
			Total	288.72	100.231
		Total	1	198.67	122.272
			2	310.29	49.091
			3	253.80	111.020
			4	275.60	126.118
			Total	268.73	106.343
	2	1	1	97.43	77.923
			2	152.33	129.739
			3	84.50	75.660
			4	135.00	18.507
			Total	116.65	73.887
		2	1	100.75	62.925
			2	175.00	60.366
			3	189.00	127.448
			4	58.00	14.142
			Total	137.38	85.206
		Total	1	98.64	69.526
			2	165.29	87.061

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 1 Week	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			3	147.20	113.264
			4	113.00	40.906
			Total	125.63	78.265
	Total	1	1	97.43	77.923
			2	244.00	114.295
			3	164.80	129.235
			4	163.40	90.836
			Total	167.17	108.795
		2	1	142.71	98.502
			2	231.57	95.397
			3	245.00	111.493
			4	273.29	151.700
			Total	225.26	119.832
		Total	1	120.07	88.502
			2	237.79	101.346
			3	218.27	119.560
			4	208.65	127.979
			Total	197.18	117.369
Depression Score at 3 Weeks	1	1	2	274.75	34.326
			3	186.00	90.089
			4	178.00	80.944
			Total	212.25	79.505
		2	1	173.00	89.437
			2	224.67	75.268
			3	225.14	77.911
			4	267.40	23.362
			Total	228.11	69.815
		Total	1	173.00	89.437
			2	253.29	56.518
			3	213.40	78.790
			4	222.70	73.312
			Total	221.77	72.920
	2	1	1	113.29	69.533
			2	145.00	88.425

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 3 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			3	99.50	20.506
			4	114.00	17.321
			Total	117.47	55.549
		2	1	110.00	93.527
			2	170.50	66.159
			3	165.67	146.090
			4	102.00	7.071
			Total	140.23	88.644
		Total	1	112.09	74.350
			2	159.57	70.574
			3	139.20	109.953
			4	110.57	15.576
			Total	127.33	71.312
	Total	1	1	113.29	69.533
			2	219.14	89.473
			3	151.40	80.049
			4	146.00	64.677
			Total	156.69	80.643
		2	1	137.00	90.410
			2	193.71	70.109
			3	207.30	98.056
			4	220.14	82.981
			Total	191.26	88.590
		Total	1	125.14	78.457
			2	206.43	78.342
			3	188.67	93.572
			4	176.53	79.686
			Total	174.55	85.910
Depression Score at 6 Weeks	1	1	2	150.50	30.643
			3	175.67	69.573
			4	206.80	100.243
			Total	180.25	73.744
		2	1	172.67	32.716
			2	235.67	54.280

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 6 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
		3	202.14	48.872
		4	237.60	91.175
		Total	212.67	62.255
	Total	1	172.67	32.716
		2	187.00	59.363
		3	194.20	53.212
		4	222.20	91.783
		Total	199.70	67.791
2	1	1	127.43	73.225
		2	112.33	96.397
		3	147.00	38.184
		4	168.00	30.496
		Total	139.00	62.918
	2	1	117.00	16.793
		2	121.75	30.071
		3	88.00	36.756
		4	86.50	2.121
		Total	107.08	28.076
	Total	1	123.64	57.701
		2	117.71	59.791
		3	111.60	45.654
		4	144.71	46.928
		Total	125.17	52.622
Total	1	1	127.43	73.225
		2	134.14	63.112
		3	164.20	55.056
		4	187.40	72.785
		Total	156.07	69.469
	2	1	140.86	37.191
		2	170.57	71.707
		3	167.90	70.232
		4	194.43	104.779
		Total	168.39	72.916
	Total	1	134.14	56.229
		2	152.36	67.593
		3	166.67	63.563

Descriptive Statistics

Treatment Group	Sex	Education Level	N
		3	7
		4	5
		Total	18
	Total	1	3
		2	7
		3	10
		4	10
		Total	30
2	1	1	7
		2	3
		3	2
		4	5
		Total	17
	2	1	4
		2	4
		3	3
		4	2
		Total	13
	Total	1	11
		2	7
		3	5
		4	7
		Total	30
Total	1	1	7
		2	7
		3	5
		4	10
		Total	29
	2	1	7
		2	7
		3	10
		4	7
		Total	31
	Total	1	14
		2	14
		3	15

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
		4	190.29	84.318
		Total	162.43	70.939

Descriptive Statistics

Treatment Group	Sex	Education Level	N
		4	17
		Total	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	107.159
F	2.108
df1	30
df2	842.425
Sig.	.001

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time	Pillai's Trace	.411	9.788[b]	3.000	42.000
	Wilks' Lambda	.589	9.788[b]	3.000	42.000
	Hotelling's Trace	.699	9.788[b]	3.000	42.000
	Roy's Largest Root	.699	9.788[b]	3.000	42.000
time * age	Pillai's Trace	.116	1.833[b]	3.000	42.000
	Wilks' Lambda	.884	1.833[b]	3.000	42.000
	Hotelling's Trace	.131	1.833[b]	3.000	42.000
	Roy's Largest Root	.131	1.833[b]	3.000	42.000
time * treatment	Pillai's Trace	.373	8.313[b]	3.000	42.000
	Wilks' Lambda	.627	8.313[b]	3.000	42.000
	Hotelling's Trace	.594	8.313[b]	3.000	42.000
	Roy's Largest Root	.594	8.313[b]	3.000	42.000
time * sex	Pillai's Trace	.068	1.016[b]	3.000	42.000
	Wilks' Lambda	.932	1.016[b]	3.000	42.000
	Hotelling's Trace	.073	1.016[b]	3.000	42.000
	Roy's Largest Root	.073	1.016[b]	3.000	42.000
time * education	Pillai's Trace	.247	1.317	9.000	132.000
	Wilks' Lambda	.769	1.296	9.000	102.368
	Hotelling's Trace	.280	1.263	9.000	122.000
	Roy's Largest Root	.181	2.658[c]	3.000	44.000
time * treatment * sex	Pillai's Trace	.171	2.887[b]	3.000	42.000
	Wilks' Lambda	.829	2.887[b]	3.000	42.000
	Hotelling's Trace	.206	2.887[b]	3.000	42.000
	Roy's Largest Root	.206	2.887[b]	3.000	42.000
time * treatment * education	Pillai's Trace	.124	.633	9.000	132.000
	Wilks' Lambda	.880	.616	9.000	102.368
	Hotelling's Trace	.133	.599	9.000	122.000
	Roy's Largest Root	.083	1.217[c]	3.000	44.000
time * sex * education	Pillai's Trace	.190	.994	9.000	132.000
	Wilks' Lambda	.815	.999	9.000	102.368
	Hotelling's Trace	.221	.999	9.000	122.000
	Roy's Largest Root	.188	2.759[c]	3.000	44.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time	Pillai's Trace	.000	.411
	Wilks' Lambda	.000	.411
	Hotelling's Trace	.000	.411
	Roy's Largest Root	.000	.411
time * age	Pillai's Trace	.156	.116
	Wilks' Lambda	.156	.116
	Hotelling's Trace	.156	.116
	Roy's Largest Root	.156	.116
time * treatment	Pillai's Trace	.000	.373
	Wilks' Lambda	.000	.373
	Hotelling's Trace	.000	.373
	Roy's Largest Root	.000	.373
time * sex	Pillai's Trace	.395	.068
	Wilks' Lambda	.395	.068
	Hotelling's Trace	.395	.068
	Roy's Largest Root	.395	.068
time * education	Pillai's Trace	.234	.082
	Wilks' Lambda	.248	.084
	Hotelling's Trace	.264	.085
	Roy's Largest Root	.060	.153
time * treatment * sex	Pillai's Trace	.047	.171
	Wilks' Lambda	.047	.171
	Hotelling's Trace	.047	.171
	Roy's Largest Root	.047	.171
time * treatment * education	Pillai's Trace	.767	.041
	Wilks' Lambda	.781	.042
	Hotelling's Trace	.796	.042
	Roy's Largest Root	.315	.077
time * sex * education	Pillai's Trace	.448	.063
	Wilks' Lambda	.446	.066
	Hotelling's Trace	.445	.069
	Roy's Largest Root	.053	.158

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time * treatment * sex * education	Pillai's Trace	.228	1.842	6.000	86.000
	Wilks' Lambda	.780	1.852[b]	6.000	84.000
	Hotelling's Trace	.272	1.860	6.000	82.000
	Roy's Largest Root	.229	3.285[c]	3.000	43.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time * treatment * sex * education	Pillai's Trace	.100	.114
	Wilks' Lambda	.099	.117
	Hotelling's Trace	.098	.120
	Roy's Largest Root	.030	.186

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. Exact statistic

c. The statistic is an upper bound on F that yields a lower bound on the significance level.

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.457	33.451	5	.000	.747

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
time	1.000	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	148491.633	3	49497.211	17.049
	Greenhouse-Geisser	148491.633	2.241	66275.635	17.049
	Huynh-Feldt	148491.633	3.000	49497.211	17.049
	Lower-bound	148491.633	1.000	148491.633	17.049
time * age	Sphericity Assumed	21202.039	3	7067.346	2.434
	Greenhouse-Geisser	21202.039	2.241	9463.015	2.434
	Huynh-Feldt	21202.039	3.000	7067.346	2.434
	Lower-bound	21202.039	1.000	21202.039	2.434
time * treatment	Sphericity Assumed	77758.775	3	25919.592	8.928
	Greenhouse-Geisser	77758.775	2.241	34705.741	8.928
	Huynh-Feldt	77758.775	3.000	25919.592	8.928
	Lower-bound	77758.775	1.000	77758.775	8.928
time * sex	Sphericity Assumed	6728.366	3	2242.789	.773
	Greenhouse-Geisser	6728.366	2.241	3003.043	.773
	Huynh-Feldt	6728.366	3.000	2242.789	.773
	Lower-bound	6728.366	1.000	6728.366	.773
time * education	Sphericity Assumed	37203.490	9	4133.721	1.424
	Greenhouse-Geisser	37203.490	6.722	5534.958	1.424
	Huynh-Feldt	37203.490	9.000	4133.721	1.424
	Lower-bound	37203.490	3.000	12401.163	1.424
time * treatment * sex	Sphericity Assumed	13220.611	3	4406.870	1.518
	Greenhouse-Geisser	13220.611	2.241	5900.699	1.518
	Huynh-Feldt	13220.611	3.000	4406.870	1.518
	Lower-bound	13220.611	1.000	13220.611	1.518
time * treatment * education	Sphericity Assumed	18791.020	9	2087.891	.719
	Greenhouse-Geisser	18791.020	6.722	2795.638	.719

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.279
	Greenhouse-Geisser	.000	.279
	Huynh-Feldt	.000	.279
	Lower-bound	.000	.279
time * age	Sphericity Assumed	.068	.052
	Greenhouse-Geisser	.087	.052
	Huynh-Feldt	.068	.052
	Lower-bound	.126	.052
time * treatment	Sphericity Assumed	.000	.169
	Greenhouse-Geisser	.000	.169
	Huynh-Feldt	.000	.169
	Lower-bound	.005	.169
time * sex	Sphericity Assumed	.511	.017
	Greenhouse-Geisser	.478	.017
	Huynh-Feldt	.511	.017
	Lower-bound	.384	.017
time * education	Sphericity Assumed	.184	.088
	Greenhouse-Geisser	.207	.088
	Huynh-Feldt	.184	.088
	Lower-bound	.249	.088
time * treatment * sex	Sphericity Assumed	.213	.033
	Greenhouse-Geisser	.222	.033
	Huynh-Feldt	.213	.033
	Lower-bound	.224	.033
time * treatment * education	Sphericity Assumed	.691	.047
	Greenhouse-Geisser	.650	.047

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
	Huynh-Feldt	18791.020	9.000	2087.891	.719
	Lower-bound	18791.020	3.000	6263.673	.719
time * sex * education	Sphericity Assumed	28002.444	9	3111.383	1.072
	Greenhouse-Geisser	28002.444	6.722	4166.070	1.072
	Huynh-Feldt	28002.444	9.000	3111.383	1.072
	Lower-bound	28002.444	3.000	9334.148	1.072
time * treatment * sex * education	Sphericity Assumed	26276.285	6	4379.381	1.508
	Greenhouse-Geisser	26276.285	4.481	5863.891	1.508
	Huynh-Feldt	26276.285	6.000	4379.381	1.508
	Lower-bound	26276.285	2.000	13138.143	1.508
Error(time)	Sphericity Assumed	383233.163	132	2903.282	
	Greenhouse-Geisser	383233.163	98.583	3887.428	
	Huynh-Feldt	383233.163	132.000	2903.282	
	Lower-bound	383233.163	44.000	8709.845	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
	Huynh-Feldt	.691	.047
	Lower-bound	.546	.047
time * sex * education	Sphericity Assumed	.388	.068
	Greenhouse-Geisser	.387	.068
	Huynh-Feldt	.388	.068
	Lower-bound	.371	.068
time * treatment * sex * education	Sphericity Assumed	.180	.064
	Greenhouse-Geisser	.200	.064
	Huynh-Feldt	.180	.064
	Lower-bound	.232	.064
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	102371.160	1	102371.160	24.191	.000
	Quadratic	33328.261	1	33328.261	10.041	.003
	Cubic	12792.212	1	12792.212	11.039	.002
time * age	Linear	8684.535	1	8684.535	2.052	.159
	Quadratic	6824.740	1	6824.740	2.056	.159
	Cubic	5692.764	1	5692.764	4.913	.032
time * treatment	Linear	7460.201	1	7460.201	1.763	.191
	Quadratic	50036.735	1	50036.735	15.075	.000
	Cubic	20261.839	1	20261.839	17.485	.000
time * sex	Linear	2964.266	1	2964.266	.700	.407
	Quadratic	3060.162	1	3060.162	.922	.342
	Cubic	703.939	1	703.939	.607	.440
time * education	Linear	22280.955	3	7426.985	1.755	.170
	Quadratic	12224.208	3	4074.736	1.228	.311
	Cubic	2698.326	3	899.442	.776	.514
time * treatment * sex	Linear	275.965	1	275.965	.065	.800
	Quadratic	10195.453	1	10195.453	3.072	.087
	Cubic	2749.193	1	2749.193	2.372	.131
time * treatment * education	Linear	14136.409	3	4712.136	1.114	.354
	Quadratic	2039.480	3	679.827	.205	.893
	Cubic	2615.131	3	871.710	.752	.527
time * sex * education	Linear	12653.340	3	4217.780	.997	.403
	Quadratic	13716.702	3	4572.234	1.377	.262
	Cubic	1632.401	3	544.134	.470	.705
time * treatment * sex * education	Linear	14219.034	2	7109.517	1.680	.198
	Quadratic	7489.539	2	3744.770	1.128	.333
	Cubic	4567.712	2	2283.856	1.971	.151
Error(time)	Linear	186197.899	44	4231.770		
	Quadratic	146046.899	44	3319.248		
	Cubic	50988.365	44	1158.826		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.355
	Quadratic	.186
	Cubic	.201
time * age	Linear	.045
	Quadratic	.045
	Cubic	.100
time * treatment	Linear	.039
	Quadratic	.255
	Cubic	.284
time * sex	Linear	.016
	Quadratic	.021
	Cubic	.014
time * education	Linear	.107
	Quadratic	.077
	Cubic	.050
time * treatment * sex	Linear	.001
	Quadratic	.065
	Cubic	.051
time * treatment * education	Linear	.071
	Quadratic	.014
	Cubic	.049
time * sex * education	Linear	.064
	Quadratic	.086
	Cubic	.031
time * treatment * sex * education	Linear	.071
	Quadratic	.049
	Cubic	.082
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	2.432	14	45	.012
Depression Score at 1 Week	2.491	14	45	.010
Depression Score at 3 Weeks	3.440	14	45	.001
Depression Score at 6 Weeks	1.936	14	45	.048

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	885717.492	1	885717.492	66.271	.000
age	5419.650	1	5419.650	.406	.528
treatment	273197.516	1	273197.516	20.441	.000
sex	19014.171	1	19014.171	1.423	.239
education	72285.605	3	24095.202	1.803	.161
treatment * sex	27089.954	1	27089.954	2.027	.162
treatment * education	36464.394	3	12154.798	.909	.444
sex * education	14494.514	3	4831.505	.362	.781
treatment * sex * education	67677.170	2	33838.585	2.532	.091
Error	588066.465	44	13365.147		

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Partial Eta Squared
Intercept	.601
age	.009
treatment	.317
sex	.031
education	.109
treatment * sex	.044
treatment * education	.058
sex * education	.024
treatment * sex * education	.103
Error	

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	290.995[a,b]	9.911	271.021	310.969
2	188.763[a,b]	12.261	164.052	213.473
3	169.404[a,b]	10.200	148.847	189.961
4	155.793[a,b]	8.491	138.680	172.906

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[c]	95% Confidence Interval for Difference[c] Lower Bound	Upper Bound
1	2	102.232*,[b]	11.951	.000	69.214	135.250
	3	121.591*,[b]	11.128	.000	90.845	152.337
	4	135.202*,[b]	13.293	.000	98.477	171.927
2	1	-102.232*,[b]	11.951	.000	-135.250	-69.214
	3	19.359*,[b]	5.543	.007	4.045	34.673
	4	32.970*,[b]	10.431	.017	4.151	61.788
3	1	-121.591*,[b]	11.128	.000	-152.337	-90.845
	2	-19.359*,[b]	5.543	.007	-34.673	-4.045
	4	13.611[b]	9.348	.915	-12.216	39.438
4	1	-135.202*,[b]	13.293	.000	-171.927	-98.477
	2	-32.970*,[b]	10.431	.017	-61.788	-4.151
	3	-13.611[b]	9.348	.915	-39.438	12.216

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Based on modified population marginal mean.

c. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.758[a]	43.839[b]	3.000	42.000	.000	.758
Wilks' lambda	.242[a]	43.839[b]	3.000	42.000	.000	.758
Hotelling's trace	3.131[a]	43.839[b]	3.000	42.000	.000	.758
Roy's largest root	3.131[a]	43.839[b]	3.000	42.000	.000	.758

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Based on modified population marginal mean.

b. Exact statistic

2. Treatment Group

Estimates

Measure: MEASURE_1

Treatment Group	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	246.289[a,b]	11.062	223.996	268.583
2	161.820[a]	11.480	138.683	184.957

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	Mean Difference (I-J)	Std. Error	Sig.[d]	95% Confidence [d]...
					Lower Bound
1	2	84.469[*,b]	15.924	.000	52.376
2	1	-84.469[*,c]	15.924	.000	-116.562

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	95% Confidence Interval for [d]...
		Upper Bound
1	2	116.562
2	1	-52.376

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. An estimate of the modified population marginal mean (I).

c. An estimate of the modified population marginal mean (J).

d. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	94015.610	1	94015.610	28.138	.000	.390
Error	147016.616	44	3341.287			

The F tests the effect of Treatment Group. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.

3. Treatment Group * time


Measure: MEASURE_1

				95% Confidence Interval	
Treatment Group	time	Mean	Std. Error	Lower Bound	Upper Bound
1	1	305.483[a,b]	13.674	277.926	333.041
	2	264.662[a,b]	16.916	230.570	298.755
	3	218.147[a,b]	14.073	189.785	246.509
	4	196.864[a,b]	11.715	173.254	220.475
2	1	278.318[a]	14.191	249.718	306.918
	2	122.351[a]	17.556	86.968	157.734
	3	126.755[a]	14.605	97.320	156.190
	4	119.856[a]	12.159	95.352	144.360

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Profile Plots



Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93

```
2693  0
2694  0  * Recode education into binary variable.
2695  0  RECODE education (1=1) (2=1) (3=2) (4=2) INTO edu_binary.
2696  0  VARIABLE LABELS edu_binary 'Education Binary (1=Lower, 2=Higher)'.
2697  0  VALUE LABELS edu_binary 1 'Lower (No edu + Primary)' 2 'Higher (Secondary + Tert
iary)'.
2698  0  EXECUTE.
2699  0
2700  0  * MODEL 2 - Education collapsed into two categories.
2701  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex edu_binary WITH age
2702  0    /WSFACTOR=time 4 Polynomial
2703  0    /METHOD=SSTYPE(3)
2704  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO
2705  0     MEANREFERENCE=NO YAXIS=AUTO
2706  0    /EMMEANS=TABLES(time) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2707  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2708  0    /EMMEANS=TABLES(treatment*time) WITH(age=MEAN)
2709  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2710  0    /CRITERIA=ALPHA(.05)
2711  0    /WSDESIGN=time
2712  0    /DESIGN=age treatment sex edu_binary treatment*sex treatment*edu_binary
2713  0     sex*edu_binary treatment*sex*edu_binary.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:41:03
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.
Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex edu_binary WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN) COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (treatment*time) WITH (age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time /DESIGN=age treatment sex edu_binary treatment*sex treatment*edu_binary sex*edu_binary treatment*sex*edu_binary.

Notes

Resources	Processor Time	00:00:00.36
	Elapsed Time	00:00:00.35

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		Value Label	N
Treatment Group	1		30
	2		30
Sex	1		29
	2		31
Education Binary (1=Lower, 2=Higher)	1.00	Lower (No edu + Primary)	28
	2.00	Higher (Secondary + Tertiary)	32

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Mean
Depression Score at Baseline	1	1	Lower (No edu + Primary)	334.00
			Higher (Secondary + Tertiary)	258.13
			Total	283.42
		2	Lower (No edu + Primary)	285.67
			Higher (Secondary + Tertiary)	356.75
			Total	333.06
		Total	Lower (No edu + Primary)	305.00
			Higher (Secondary + Tertiary)	317.30
			Total	313.20
	2	1	Lower (No edu + Primary)	269.10
			Higher (Secondary + Tertiary)	289.29
			Total	277.41
		2	Lower (No edu + Primary)	269.12
			Higher (Secondary + Tertiary)	282.20
			Total	274.15
		Total	Lower (No edu + Primary)	269.11
			Higher (Secondary + Tertiary)	286.33
			Total	276.00
	Total	1	Lower (No edu + Primary)	287.64
			Higher (Secondary + Tertiary)	272.67
			Total	279.90
		2	Lower (No edu + Primary)	276.21
			Higher (Secondary + Tertiary)	334.82
			Total	308.35
		Total	Lower (No edu + Primary)	281.93
			Higher (Secondary + Tertiary)	305.69
			Total	294.60

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Std. Deviation
Depression Score at Baseline	1	1	Lower (No edu + Primary)	35.879
			Higher (Secondary + Tertiary)	72.357
			Total	71.263
		2	Lower (No edu + Primary)	98.018
			Higher (Secondary + Tertiary)	66.773
			Total	83.064
		Total	Lower (No edu + Primary)	79.935
			Higher (Secondary + Tertiary)	83.471
			Total	81.134
	2	1	Lower (No edu + Primary)	70.920
			Higher (Secondary + Tertiary)	50.829
			Total	62.473
		2	Lower (No edu + Primary)	84.791
			Higher (Secondary + Tertiary)	98.953
			Total	86.612
		Total	Lower (No edu + Primary)	74.988
			Higher (Secondary + Tertiary)	70.591
			Total	72.527
	Total	1	Lower (No edu + Primary)	68.592
			Higher (Secondary + Tertiary)	63.119
			Total	65.072
		2	Lower (No edu + Primary)	87.399
			Higher (Secondary + Tertiary)	82.092
			Total	88.223
		Total	Lower (No edu + Primary)	77.311
			Higher (Secondary + Tertiary)	79.187
			Total	78.568

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	N
Depression Score at Baseline	1	1	Lower (No edu + Primary)	4
			Higher (Secondary + Tertiary)	8
			Total	12
		2	Lower (No edu + Primary)	6
			Higher (Secondary + Tertiary)	12
			Total	18
		Total	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	20
			Total	30
	2	1	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	7
			Total	17
		2	Lower (No edu + Primary)	8
			Higher (Secondary + Tertiary)	5
			Total	13
		Total	Lower (No edu + Primary)	18
			Higher (Secondary + Tertiary)	12
			Total	30
	Total	1	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	15
			Total	29
		2	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	17
			Total	31
		Total	Lower (No edu + Primary)	28
			Higher (Secondary + Tertiary)	32
			Total	60

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Mean
Depression Score at 1 Week	1	1	Lower (No edu + Primary)	312.75
			Higher (Secondary + Tertiary)	201.75
			Total	238.75
		2	Lower (No edu + Primary)	252.83
			Higher (Secondary + Tertiary)	306.67
			Total	288.72
		Total	Lower (No edu + Primary)	276.80
			Higher (Secondary + Tertiary)	264.70
			Total	268.73
	2	1	Lower (No edu + Primary)	113.90
			Higher (Secondary + Tertiary)	120.57
			Total	116.65
		2	Lower (No edu + Primary)	137.88
			Higher (Secondary + Tertiary)	136.60
			Total	137.38
		Total	Lower (No edu + Primary)	124.56
			Higher (Secondary + Tertiary)	127.25
			Total	125.63
	Total	1	Lower (No edu + Primary)	170.71
			Higher (Secondary + Tertiary)	163.87
			Total	167.17
		2	Lower (No edu + Primary)	187.14
			Higher (Secondary + Tertiary)	256.65
			Total	225.26
		Total	Lower (No edu + Primary)	178.93
			Higher (Secondary + Tertiary)	213.16
			Total	197.18

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Std. Deviation
Depression Score at 1 Week	1	1	Lower (No edu + Primary)	14.151
			Higher (Secondary + Tertiary)	122.902
			Total	112.488
		2	Lower (No edu + Primary)	110.731
			Higher (Secondary + Tertiary)	94.334
			Total	100.231
		Total	Lower (No edu + Primary)	88.521
			Higher (Secondary + Tertiary)	116.180
			Total	106.343
	2	1	Lower (No edu + Primary)	92.151
			Higher (Secondary + Tertiary)	42.304
			Total	73.887
		2	Lower (No edu + Primary)	69.526
			Higher (Secondary + Tertiary)	115.411
			Total	85.206
		Total	Lower (No edu + Primary)	81.464
			Higher (Secondary + Tertiary)	76.732
			Total	78.265
	Total	1	Lower (No edu + Primary)	120.895
			Higher (Secondary + Tertiary)	100.383
			Total	108.795
		2	Lower (No edu + Primary)	103.943
			Higher (Secondary + Tertiary)	125.809
			Total	119.832
		Total	Lower (No edu + Primary)	110.946
			Higher (Secondary + Tertiary)	122.200
			Total	117.369

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	N
Depression Score at 1 Week	1	1	Lower (No edu + Primary)	4
			Higher (Secondary + Tertiary)	8
			Total	12
		2	Lower (No edu + Primary)	6
			Higher (Secondary + Tertiary)	12
			Total	18
		Total	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	20
			Total	30
	2	1	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	7
			Total	17
		2	Lower (No edu + Primary)	8
			Higher (Secondary + Tertiary)	5
			Total	13
		Total	Lower (No edu + Primary)	18
			Higher (Secondary + Tertiary)	12
			Total	30
	Total	1	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	15
			Total	29
		2	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	17
			Total	31
		Total	Lower (No edu + Primary)	28
			Higher (Secondary + Tertiary)	32
			Total	60

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Mean
Depression Score at 3 Weeks	1	1	Lower (No edu + Primary)	274.75
			Higher (Secondary + Tertiary)	181.00
			Total	212.25
		2	Lower (No edu + Primary)	198.83
			Higher (Secondary + Tertiary)	242.75
			Total	228.11
		Total	Lower (No edu + Primary)	229.20
			Higher (Secondary + Tertiary)	218.05
			Total	221.77
	2	1	Lower (No edu + Primary)	122.80
			Higher (Secondary + Tertiary)	109.86
			Total	117.47
		2	Lower (No edu + Primary)	140.25
			Higher (Secondary + Tertiary)	140.20
			Total	140.23
		Total	Lower (No edu + Primary)	130.56
			Higher (Secondary + Tertiary)	122.50
			Total	127.33
	Total	1	Lower (No edu + Primary)	166.21
			Higher (Secondary + Tertiary)	147.80
			Total	156.69
		2	Lower (No edu + Primary)	165.36
			Higher (Secondary + Tertiary)	212.59
			Total	191.26
		Total	Lower (No edu + Primary)	165.79
			Higher (Secondary + Tertiary)	182.22
			Total	174.55

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Std. Deviation
Depression Score at 3 Weeks	1	1	Lower (No edu + Primary)	34.326
			Higher (Secondary + Tertiary)	77.974
			Total	79.505
		2	Lower (No edu + Primary)	79.162
			Higher (Secondary + Tertiary)	63.110
			Total	69.815
		Total	Lower (No edu + Primary)	73.560
			Higher (Secondary + Tertiary)	74.224
			Total	72.920
	2	1	Lower (No edu + Primary)	72.080
			Higher (Secondary + Tertiary)	17.893
			Total	55.549
		2	Lower (No edu + Primary)	81.673
			Higher (Secondary + Tertiary)	109.086
			Total	88.644
		Total	Lower (No edu + Primary)	74.678
			Higher (Secondary + Tertiary)	68.891
			Total	71.312
	Total	1	Lower (No edu + Primary)	94.569
			Higher (Secondary + Tertiary)	67.282
			Total	80.643
		2	Lower (No edu + Primary)	83.109
			Higher (Secondary + Tertiary)	89.627
			Total	88.590
		Total	Lower (No edu + Primary)	87.361
			Higher (Secondary + Tertiary)	85.261
			Total	85.910

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	N
Depression Score at 3 Weeks	1	1	Lower (No edu + Primary)	4
			Higher (Secondary + Tertiary)	8
			Total	12
		2	Lower (No edu + Primary)	6
			Higher (Secondary + Tertiary)	12
			Total	18
		Total	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	20
			Total	30
	2	1	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	7
			Total	17
		2	Lower (No edu + Primary)	8
			Higher (Secondary + Tertiary)	5
			Total	13
		Total	Lower (No edu + Primary)	18
			Higher (Secondary + Tertiary)	12
			Total	30
	Total	1	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	15
			Total	29
		2	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	17
			Total	31
		Total	Lower (No edu + Primary)	28
			Higher (Secondary + Tertiary)	32
			Total	60

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Mean
Depression Score at 6 Weeks	1	1	Lower (No edu + Primary)	150.50
			Higher (Secondary + Tertiary)	195.13
			Total	180.25
		2	Lower (No edu + Primary)	204.17
			Higher (Secondary + Tertiary)	216.92
			Total	212.67
		Total	Lower (No edu + Primary)	182.70
			Higher (Secondary + Tertiary)	208.20
			Total	199.70
	2	1	Lower (No edu + Primary)	122.90
			Higher (Secondary + Tertiary)	162.00
			Total	139.00
		2	Lower (No edu + Primary)	119.38
			Higher (Secondary + Tertiary)	87.40
			Total	107.08
		Total	Lower (No edu + Primary)	121.33
			Higher (Secondary + Tertiary)	130.92
			Total	125.17
	Total	1	Lower (No edu + Primary)	130.79
			Higher (Secondary + Tertiary)	179.67
			Total	156.07
		2	Lower (No edu + Primary)	155.71
			Higher (Secondary + Tertiary)	178.82
			Total	168.39
		Total	Lower (No edu + Primary)	143.25
			Higher (Secondary + Tertiary)	179.22
			Total	162.43

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	Std. Deviation
Depression Score at 6 Weeks	1	1	Lower (No edu + Primary)	30.643
			Higher (Secondary + Tertiary)	85.934
			Total	73.744
		2	Lower (No edu + Primary)	52.890
			Higher (Secondary + Tertiary)	68.257
			Total	62.255
		Total	Lower (No edu + Primary)	51.333
			Higher (Secondary + Tertiary)	74.417
			Total	67.791
	2	1	Lower (No edu + Primary)	75.450
			Higher (Secondary + Tertiary)	31.113
			Total	62.918
		2	Lower (No edu + Primary)	22.690
			Higher (Secondary + Tertiary)	26.025
			Total	28.076
		Total	Lower (No edu + Primary)	56.825
			Higher (Secondary + Tertiary)	47.433
			Total	52.622
	Total	1	Lower (No edu + Primary)	65.767
			Higher (Secondary + Tertiary)	66.331
			Total	69.469
		2	Lower (No edu + Primary)	57.003
			Higher (Secondary + Tertiary)	84.099
			Total	72.916
		Total	Lower (No edu + Primary)	61.710
			Higher (Secondary + Tertiary)	75.084
			Total	70.939

Descriptive Statistics

	Treatment Group	Sex	Education Binary (1=Lower, 2=Higher)	N
Depression Score at 6 Weeks	1	1	Lower (No edu + Primary)	4
			Higher (Secondary + Tertiary)	8
			Total	12
		2	Lower (No edu + Primary)	6
			Higher (Secondary + Tertiary)	12
			Total	18
		Total	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	20
			Total	30
	2	1	Lower (No edu + Primary)	10
			Higher (Secondary + Tertiary)	7
			Total	17
		2	Lower (No edu + Primary)	8
			Higher (Secondary + Tertiary)	5
			Total	13
		Total	Lower (No edu + Primary)	18
			Higher (Secondary + Tertiary)	12
			Total	30
	Total	1	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	15
			Total	29
		2	Lower (No edu + Primary)	14
			Higher (Secondary + Tertiary)	17
			Total	31
		Total	Lower (No edu + Primary)	28
			Higher (Secondary + Tertiary)	32
			Total	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	138.237
F	1.644
df1	60
df2	2168.836
Sig.	.002

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + age + treatment + sex + edu_binary + treatment * sex + treatment * edu_binary + sex * edu_binary + treatment * sex * edu_binary
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time	Pillai's Trace	.376	9.838[b]	3.000	49.000
	Wilks' Lambda	.624	9.838[b]	3.000	49.000
	Hotelling's Trace	.602	9.838[b]	3.000	49.000
	Roy's Largest Root	.602	9.838[b]	3.000	49.000
time * age	Pillai's Trace	.077	1.362[b]	3.000	49.000
	Wilks' Lambda	.923	1.362[b]	3.000	49.000
	Hotelling's Trace	.083	1.362[b]	3.000	49.000
	Roy's Largest Root	.083	1.362[b]	3.000	49.000
time * treatment	Pillai's Trace	.356	9.030[b]	3.000	49.000
	Wilks' Lambda	.644	9.030[b]	3.000	49.000
	Hotelling's Trace	.553	9.030[b]	3.000	49.000
	Roy's Largest Root	.553	9.030[b]	3.000	49.000
time * sex	Pillai's Trace	.021	.356[b]	3.000	49.000
	Wilks' Lambda	.979	.356[b]	3.000	49.000
	Hotelling's Trace	.022	.356[b]	3.000	49.000
	Roy's Largest Root	.022	.356[b]	3.000	49.000
time * edu_binary	Pillai's Trace	.068	1.200[b]	3.000	49.000
	Wilks' Lambda	.932	1.200[b]	3.000	49.000
	Hotelling's Trace	.073	1.200[b]	3.000	49.000
	Roy's Largest Root	.073	1.200[b]	3.000	49.000
time * treatment * sex	Pillai's Trace	.190	3.823[b]	3.000	49.000
	Wilks' Lambda	.810	3.823[b]	3.000	49.000
	Hotelling's Trace	.234	3.823[b]	3.000	49.000
	Roy's Largest Root	.234	3.823[b]	3.000	49.000
time * treatment * edu_binary	Pillai's Trace	.034	.582[b]	3.000	49.000
	Wilks' Lambda	.966	.582[b]	3.000	49.000
	Hotelling's Trace	.036	.582[b]	3.000	49.000
	Roy's Largest Root	.036	.582[b]	3.000	49.000
time * sex * edu_binary	Pillai's Trace	.196	3.972[b]	3.000	49.000
	Wilks' Lambda	.804	3.972[b]	3.000	49.000
	Hotelling's Trace	.243	3.972[b]	3.000	49.000
	Roy's Largest Root	.243	3.972[b]	3.000	49.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time	Pillai's Trace	.000	.376
	Wilks' Lambda	.000	.376
	Hotelling's Trace	.000	.376
	Roy's Largest Root	.000	.376
time * age	Pillai's Trace	.265	.077
	Wilks' Lambda	.265	.077
	Hotelling's Trace	.265	.077
	Roy's Largest Root	.265	.077
time * treatment	Pillai's Trace	.000	.356
	Wilks' Lambda	.000	.356
	Hotelling's Trace	.000	.356
	Roy's Largest Root	.000	.356
time * sex	Pillai's Trace	.785	.021
	Wilks' Lambda	.785	.021
	Hotelling's Trace	.785	.021
	Roy's Largest Root	.785	.021
time * edu_binary	Pillai's Trace	.320	.068
	Wilks' Lambda	.320	.068
	Hotelling's Trace	.320	.068
	Roy's Largest Root	.320	.068
time * treatment * sex	Pillai's Trace	.015	.190
	Wilks' Lambda	.015	.190
	Hotelling's Trace	.015	.190
	Roy's Largest Root	.015	.190
time * treatment * edu_binary	Pillai's Trace	.630	.034
	Wilks' Lambda	.630	.034
	Hotelling's Trace	.630	.034
	Roy's Largest Root	.630	.034
time * sex * edu_binary	Pillai's Trace	.013	.196
	Wilks' Lambda	.013	.196
	Hotelling's Trace	.013	.196
	Roy's Largest Root	.013	.196

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time * treatment * sex * edu_binary	Pillai's Trace	.046	.793[b]	3.000	49.000
	Wilks' Lambda	.954	.793[b]	3.000	49.000
	Hotelling's Trace	.049	.793[b]	3.000	49.000
	Roy's Largest Root	.049	.793[b]	3.000	49.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time * treatment * sex * edu_binary	Pillai's Trace	.504	.046
	Wilks' Lambda	.504	.046
	Hotelling's Trace	.504	.046
	Roy's Largest Root	.504	.046

a. Design: Intercept + age + treatment + sex + edu_binary + treatment * sex + treatment * edu_binary + sex * edu_binary + treatment * sex * edu_binary
Within Subjects Design: time

b. Exact statistic

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.473	37.185	5	.000	.753

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
time	.913	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + age + treatment + sex + edu_binary + treatment * sex + treatment * edu_binary + sex * edu_binary + treatment * sex * edu_binary
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	142686.646	3	47562.215	16.433
	Greenhouse-Geisser	142686.646	2.258	63202.674	16.433
	Huynh-Feldt	142686.646	2.738	52113.615	16.433
	Lower-bound	142686.646	1.000	142686.646	16.433
time * age	Sphericity Assumed	14887.638	3	4962.546	1.715
	Greenhouse-Geisser	14887.638	2.258	6594.440	1.715
	Huynh-Feldt	14887.638	2.738	5437.430	1.715
	Lower-bound	14887.638	1.000	14887.638	1.715
time * treatment	Sphericity Assumed	85628.793	3	28542.931	9.862
	Greenhouse-Geisser	85628.793	2.258	37929.048	9.862
	Huynh-Feldt	85628.793	2.738	31274.307	9.862
	Lower-bound	85628.793	1.000	85628.793	9.862
time * sex	Sphericity Assumed	2932.906	3	977.635	.338
	Greenhouse-Geisser	2932.906	2.258	1299.123	.338
	Huynh-Feldt	2932.906	2.738	1071.189	.338
	Lower-bound	2932.906	1.000	2932.906	.338
time * edu_binary	Sphericity Assumed	8416.347	3	2805.449	.969
	Greenhouse-Geisser	8416.347	2.258	3727.999	.969
	Huynh-Feldt	8416.347	2.738	3073.913	.969
	Lower-bound	8416.347	1.000	8416.347	.969
time * treatment * sex	Sphericity Assumed	21019.153	3	7006.384	2.421
	Greenhouse-Geisser	21019.153	2.258	9310.379	2.421
	Huynh-Feldt	21019.153	2.738	7676.851	2.421
	Lower-bound	21019.153	1.000	21019.153	2.421
time * treatment * edu_binary	Sphericity Assumed	6154.753	3	2051.584	.709
	Greenhouse-Geisser	6154.753	2.258	2726.232	.709

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.244
	Greenhouse-Geisser	.000	.244
	Huynh-Feldt	.000	.244
	Lower-bound	.000	.244
time * age	Sphericity Assumed	.166	.033
	Greenhouse-Geisser	.180	.033
	Huynh-Feldt	.171	.033
	Lower-bound	.196	.033
time * treatment	Sphericity Assumed	.000	.162
	Greenhouse-Geisser	.000	.162
	Huynh-Feldt	.000	.162
	Lower-bound	.003	.162
time * sex	Sphericity Assumed	.798	.007
	Greenhouse-Geisser	.740	.007
	Huynh-Feldt	.780	.007
	Lower-bound	.564	.007
time * edu_binary	Sphericity Assumed	.409	.019
	Greenhouse-Geisser	.391	.019
	Huynh-Feldt	.403	.019
	Lower-bound	.330	.019
time * treatment * sex	Sphericity Assumed	.068	.045
	Greenhouse-Geisser	.087	.045
	Huynh-Feldt	.074	.045
	Lower-bound	.126	.045
time * treatment * edu_binary	Sphericity Assumed	.548	.014
	Greenhouse-Geisser	.511	.014

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
	Huynh-Feldt	6154.753	2.738	2247.908	.709
	Lower-bound	6154.753	1.000	6154.753	.709
time * sex * edu_binary	Sphericity Assumed	38975.032	3	12991.677	4.489
	Greenhouse-Geisser	38975.032	2.258	17263.888	4.489
	Huynh-Feldt	38975.032	2.738	14234.898	4.489
	Lower-bound	38975.032	1.000	38975.032	4.489
time * treatment * sex * edu_binary	Sphericity Assumed	9102.806	3	3034.269	1.048
	Greenhouse-Geisser	9102.806	2.258	4032.064	1.048
	Huynh-Feldt	9102.806	2.738	3324.629	1.048
	Lower-bound	9102.806	1.000	9102.806	1.048
Error(time)	Sphericity Assumed	442839.198	153	2894.374	
	Greenhouse-Geisser	442839.198	115.138	3846.166	
	Huynh-Feldt	442839.198	139.638	3171.347	
	Lower-bound	442839.198	51.000	8683.122	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
	Huynh-Feldt	.536	.014
	Lower-bound	.404	.014
time * sex * edu_binary	Sphericity Assumed	.005	.081
	Greenhouse-Geisser	.010	.081
	Huynh-Feldt	.006	.081
	Lower-bound	.039	.081
time * treatment * sex * edu_binary	Sphericity Assumed	.373	.020
	Greenhouse-Geisser	.360	.020
	Huynh-Feldt	.369	.020
	Lower-bound	.311	.020
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	99744.761	1	99744.761	22.937	.000
	Quadratic	32601.489	1	32601.489	10.398	.002
	Cubic	10340.396	1	10340.396	8.623	.005
time * age	Linear	3838.896	1	3838.896	.883	.352
	Quadratic	7036.613	1	7036.613	2.244	.140
	Cubic	4012.129	1	4012.129	3.346	.073
time * treatment	Linear	2970.384	1	2970.384	.683	.412
	Quadratic	62759.878	1	62759.878	20.017	.000
	Cubic	19898.531	1	19898.531	16.593	.000
time * sex	Linear	2408.675	1	2408.675	.554	.460
	Quadratic	412.264	1	412.264	.131	.718
	Cubic	111.967	1	111.967	.093	.761
time * edu_binary	Linear	703.865	1	703.865	.162	.689
	Quadratic	7270.783	1	7270.783	2.319	.134
	Cubic	441.699	1	441.699	.368	.547
time * treatment * sex	Linear	1889.873	1	1889.873	.435	.513
	Quadratic	15665.710	1	15665.710	4.997	.030
	Cubic	3463.570	1	3463.570	2.888	.095
time * treatment * edu_binary	Linear	3550.440	1	3550.440	.816	.370
	Quadratic	2598.719	1	2598.719	.829	.367
	Cubic	5.594	1	5.594	.005	.946
time * sex * edu_binary	Linear	19478.109	1	19478.109	4.479	.039
	Quadratic	18206.896	1	18206.896	5.807	.020
	Cubic	1290.027	1	1290.027	1.076	.305
time * treatment * sex * edu_binary	Linear	7914.566	1	7914.566	1.820	.183
	Quadratic	1173.359	1	1173.359	.374	.543
	Cubic	14.881	1	14.881	.012	.912
Error(time)	Linear	221779.224	51	4348.612		
	Quadratic	159901.566	51	3135.325		
	Cubic	61158.408	51	1199.184		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.310
	Quadratic	.169
	Cubic	.145
time * age	Linear	.017
	Quadratic	.042
	Cubic	.062
time * treatment	Linear	.013
	Quadratic	.282
	Cubic	.245
time * sex	Linear	.011
	Quadratic	.003
	Cubic	.002
time * edu_binary	Linear	.003
	Quadratic	.043
	Cubic	.007
time * treatment * sex	Linear	.008
	Quadratic	.089
	Cubic	.054
time * treatment * edu_binary	Linear	.016
	Quadratic	.016
	Cubic	.000
time * sex * edu_binary	Linear	.081
	Quadratic	.102
	Cubic	.021
time * treatment * sex * edu_binary	Linear	.034
	Quadratic	.007
	Cubic	.000
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	.998	7	52	.443
Depression Score at 1 Week	1.652	7	52	.142
Depression Score at 3 Weeks	1.950	7	52	.080
Depression Score at 6 Weeks	2.659	7	52	.020

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + age + treatment + sex + edu_binary + treatment * sex + treatment * edu_binary + sex * edu_binary + treatment * sex * edu_binary
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	1040727.994	1	1040727.994	74.982	.000
age	9386.201	1	9386.201	.676	.415
treatment	380019.133	1	380019.133	27.379	.000
sex	2976.036	1	2976.036	.214	.645
edu_binary	.585	1	.585	.000	.995
treatment * sex	4553.503	1	4553.503	.328	.569
treatment * edu_binary	1583.399	1	1583.399	.114	.737
sex * edu_binary	28992.227	1	28992.227	2.089	.154
treatment * sex * edu_binary	42890.046	1	42890.046	3.090	.085
Error	707866.054	51	13879.727		

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Partial Eta Squared
Intercept	.595
age	.013
treatment	.349
sex	.004
edu_binary	.000
treatment * sex	.006
treatment * edu_binary	.002
sex * edu_binary	.039
treatment * sex * edu_binary	.057
Error	

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	293.007[a]	10.213	272.503	313.512
2	197.927[a]	12.472	172.888	222.966
3	176.336[a]	9.755	156.751	195.920
4	157.329[a]	8.093	141.081	173.577

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[b]	95% Confidence Interval for Difference[b]	
					Lower Bound	Upper Bound
1	2	95.080*	11.643	.000	63.118	127.042
	3	116.672*	10.629	.000	87.495	145.849
	4	135.679*	13.166	.000	99.536	171.821
2	1	-95.080*	11.643	.000	-127.042	-63.118
	3	21.592*	5.784	.003	5.713	37.470
	4	40.598*	10.577	.002	11.562	69.634
3	1	-116.672*	10.629	.000	-145.849	-87.495
	2	-21.592*	5.784	.003	-37.470	-5.713
	4	19.007	8.952	.232	-5.567	43.580
4	1	-135.679*	13.166	.000	-171.821	-99.536
	2	-40.598*	10.577	.002	-69.634	-11.562
	3	-19.007	8.952	.232	-43.580	5.567

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.732	44.544[a]	3.000	49.000	.000	.732
Wilks' lambda	.268	44.544[a]	3.000	49.000	.000	.732
Hotelling's trace	2.727	44.544[a]	3.000	49.000	.000	.732
Roy's largest root	2.727	44.544[a]	3.000	49.000	.000	.732

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic

2. Treatment Group

Estimates

Measure: MEASURE_1

Treatment Group	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	248.233[a]	11.643	224.859	271.606
2	164.067[a]	11.098	141.786	186.347

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	Mean Difference (I-J)	Std. Error	Sig.[b]	95% Confidence [b]...
					Lower Bound
1	2	84.166*	16.085	.000	51.874
2	1	-84.166*	16.085	.000	-116.458

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	95% Confidence Interval for [b]...
		Upper Bound
1	2	116.458
2	1	-51.874

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	95004.783	1	95004.783	27.379	.000	.349
Error	176966.514	51	3469.932			

The F tests the effect of Treatment Group. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.


3. Treatment Group * time

Measure: MEASURE_1

Treatment Group	time	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
1	1	308.690[a]	14.786	279.006	338.374
	2	268.368[a]	18.056	232.119	304.617
	3	224.265[a]	14.123	195.912	252.618
	4	191.608[a]	11.717	168.086	215.130
2	1	277.324[a]	14.095	249.028	305.620
	2	127.486[a]	17.212	92.932	162.040
	3	128.406[a]	13.462	101.379	155.433
	4	123.049[a]	11.169	100.627	145.472

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

Profile Plots



Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93

```
2714  0
2715  0  *normality checks within each group
2716  0
2717  0  * Compute pairwise differences between time points.
```

```
2718  0  COMPUTE diff_t0_t1 = dep_t0 - dep_t1.
2719  0  EXECUTE.
2720  0  COMPUTE diff_t0_t3 = dep_t0 - dep_t3.
2721  0  EXECUTE.
2722  0  COMPUTE diff_t0_t6 = dep_t0 - dep_t6.
2723  0  EXECUTE.
2724  0  COMPUTE diff_t1_t3 = dep_t1 - dep_t3.
2725  0  EXECUTE.
2726  0  COMPUTE diff_t1_t6 = dep_t1 - dep_t6.
2727  0  EXECUTE.
2728  0  COMPUTE diff_t3_t6 = dep_t3 - dep_t6.
2729  0  EXECUTE.
2730  0
2731  0  * Check normality of differences using Shapiro-Wilk.
2732  0  EXAMINE VARIABLES=diff_t0_t1 diff_t0_t3 diff_t0_t6
2733  0                    diff_t1_t3 diff_t1_t6 diff_t3_t6
2734  0    /PLOT NPPLOT
2735  0    /STATISTICS DESCRIPTIVES
2736  0    /CINTERVAL 95
2737  0    /MISSING LISTWISE
2738  0    /NOTOTAL.
```

Explore

Notes

Output Created		03-NOV-2026 15:41:04
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.

Notes

Syntax		EXAMINE VARIABLES=diff_t0_t1 diff_t0_t3 diff_t0_t6 diff_t1_t3 diff_t1_t6 diff_t3_t6 /PLOT NPPLOT /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:02.88
	Elapsed Time	00:00:02.94

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
diff_t0_t1	60	100.0%	0	0.0%	60	100.0%
diff_t0_t3	60	100.0%	0	0.0%	60	100.0%
diff_t0_t6	60	100.0%	0	0.0%	60	100.0%
diff_t1_t3	60	100.0%	0	0.0%	60	100.0%
diff_t1_t6	60	100.0%	0	0.0%	60	100.0%
diff_t3_t6	60	100.0%	0	0.0%	60	100.0%

Descriptives

			Statistic	Std. Error
diff_t0_t1	Mean		97.4167	12.77341
	95% Confidence Interval for Mean	Lower Bound	71.8571	
		Upper Bound	122.9762	
	5% Trimmed Mean		99.4074	
	Median		94.0000	
	Variance		9789.603	
	Std. Deviation		98.94242	
	Minimum		-126.00	
	Maximum		296.00	
	Range		422.00	
	Interquartile Range		124.00	
	Skewness		-.011	.309
	Kurtosis		-.100	.608
diff_t0_t3	Mean		120.0500	10.53145
	95% Confidence Interval for Mean	Lower Bound	98.9766	
		Upper Bound	141.1234	
	5% Trimmed Mean		124.2963	
	Median		122.0000	
	Variance		6654.692	
	Std. Deviation		81.57630	
	Minimum		-100.00	
	Maximum		267.00	
	Range		367.00	
	Interquartile Range		90.25	
	Skewness		-.495	.309
	Kurtosis		1.072	.608
diff_t0_t6	Mean		132.1667	12.75464
	95% Confidence Interval for Mean	Lower Bound	106.6447	
		Upper Bound	157.6886	
	5% Trimmed Mean		136.4259	
	Median		133.5000	
	Variance		9760.853	
	Std. Deviation		98.79703	
	Minimum		-116.00	
	Maximum		323.00	
	Range		439.00	

Descriptives

			Statistic	Std. Error
	Interquartile Range		118.25	
	Skewness		-.562	.309
	Kurtosis		.546	.608
diff_t1_t3	Mean		22.6333	6.32326
	95% Confidence Interval for Mean	Lower Bound	9.9805	
		Upper Bound	35.2861	
	5% Trimmed Mean		21.6852	
	Median		25.0000	
	Variance		2399.016	
	Std. Deviation		48.97975	
	Minimum		-54.00	
	Maximum		118.00	
	Range		172.00	
	Interquartile Range		67.25	
	Skewness		.257	.309
	Kurtosis		-.835	.608
diff_t1_t6	Mean		34.7500	11.65778
	95% Confidence Interval for Mean	Lower Bound	11.4228	
		Upper Bound	58.0772	
	5% Trimmed Mean		31.9074	
	Median		10.0000	
	Variance		8154.225	
	Std. Deviation		90.30075	
	Minimum		-89.00	
	Maximum		206.00	
	Range		295.00	
	Interquartile Range		163.25	
	Skewness		.443	.309
	Kurtosis		-1.063	.608
diff_t3_t6	Mean		12.1167	9.48457
	95% Confidence Interval for Mean	Lower Bound	-6.8619	
		Upper Bound	31.0953	
	5% Trimmed Mean		7.7407	
	Median		13.0000	
	Variance		5397.427	
	Std. Deviation		73.46718	

Descriptives

		Statistic	Std. Error
	Minimum	-108.00	
	Maximum	205.00	
	Range	313.00	
	Interquartile Range	94.25	
	Skewness	.800	.309
	Kurtosis	.386	.608


Tests of Normality


	Kolmogorov-Smirnov[a]			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
diff_t0_t1	.083	60	.200*	.969	60	.134
diff_t0_t3	.116	60	.042	.938	60	.004
diff_t0_t6	.103	60	.176	.959	60	.043
diff_t1_t3	.087	60	.200*	.951	60	.018
diff_t1_t6	.140	60	.005	.918	60	.001
diff_t3_t6	.104	60	.171	.941	60	.006

*. This is a lower bound of the true significance.


a. Lilliefors Significance Correction


diff_t0_t1


Normal Q-Q Plot of diff_t0_t1
Expected Normal
3
2
1
0
-1
-2
-3
-200
-100
0
100
200
300
400
Observed Value



Detrended Normal Q-Q Plot of diff_t0_t1
Dev from Normal
0.4
0.2
0.0000
-0.2
-0.4
-0.6
-200
-100
0
100
200
300
Observed Value


diff_t0_t3


Normal Q-Q Plot of diff_t0_t3
Expected Normal
3
2
1
0
-1
-2
-3
-200
-100
0
100
200
300
Observed Value


Detrended Normal Q-Q Plot of diff_t0_t3
Dev from Normal
0.4
0.2
0.0000
-0.2
-0.4
-0.6
-0.8
-1.0
-100
0
100
200
300
Observed Value


diff_t0_t6


Normal Q-Q Plot of diff_t0_t6
Expected Normal
3
2
1
0
-1
-2
-3
-200
-100
0
100
200
300
400
Observed Value



Detrended Normal Q-Q Plot of diff_t0_t6
Dev from Normal
0.25
0.00
-0.25
-0.50
-0.75
-200
-100
0
100
200
300
400
Observed Value


diff_t1_t3


Normal Q-Q Plot of diff_t1_t3
Expected Normal
3
2
1
0
-1
-2
-100
-50
0
50
100
150
Observed Value



Detrended Normal Q-Q Plot of diff_t1_t3
Dev from Normal
0.4
0.2
0.0
-0.2
-50
0
50
100
Observed Value


diff_t1_t6


Normal Q-Q Plot of diff_t1_t6
Expected Normal
3
2
1
0
-1
-2
-100
0
100
200
Observed Value


Detrended Normal Q-Q Plot of diff_t1_t6
Dev from Normal
0.6
0.4
0.2
0.0000
-0.2
-0.4
-100
0
100
200
300
Observed Value

diff_t3_t6






```
2739  0
2740  0  *Running Mixed Design Repeated Measures ANOVA ;examining the effect of time, tre
atment, sex, education, and age on depressi
           on scores
```

```
2741  0
2742  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age
2743  0    /WSFACTOR=time 4 Polynomial
2744  0    /METHOD=SSTYPE(3)
2745  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUT
O
2746  0    /EMMEANS=TABLES(time) WITH(age=MEAN)COMPARE ADJ(BONFERRONI)
2747  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN)COMPARE ADJ(BONFERRONI)
2748  0    /EMMEANS=TABLES(treatment*time) WITH(age=MEAN)
2749  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2750  0    /CRITERIA=ALPHA(.05)
2751  0    /WSDESIGN=time
2752  0    /DESIGN=age treatment sex education treatment*sex treatment*education sex*educ
ation
2753  0      treatment*sex*education.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:41:07
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.

Notes

Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex education WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN)COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (treatment*time) WITH (age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time /DESIGN=age treatment sex education treatment*sex treatment*education sex*education treatment*sex*education.
Resources	Processor Time	00:00:00.39
	Elapsed Time	00:00:00.43

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		N
Treatment Group	1	30
	2	30
Sex	1	29
	2	31
Education Level	1	14
	2	14
	3	15
	4	17

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
Depression Score at Baseline	1	1	2	334.00	35.879
			3	242.67	114.409
			4	267.40	48.278
			Total	283.42	71.263
		2	1	276.00	56.000
			2	295.33	143.535
			3	341.43	69.500
			4	378.20	63.480
			Total	333.06	83.064
		Total	1	276.00	56.000
			2	317.43	89.097
			3	311.80	91.678
			4	322.80	78.975
			Total	313.20	81.134
	2	1	1	254.43	80.390
			2	303.33	27.099
			3	308.50	12.021
			4	281.60	59.840
			Total	277.41	62.473
		2	1	235.00	112.481
			2	303.25	31.910
			3	350.67	21.079
			4	179.50	55.861
			Total	274.15	86.612

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
Depression Score at Baseline	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
		Total	1	247.36	88.143
			2	303.29	27.457
			3	333.80	28.137
			4	252.43	73.412
			Total	276.00	72.527
	Total	1	1	254.43	80.390
			2	320.86	34.017
			3	269.00	88.775
			4	274.50	51.801
			Total	279.90	65.072
		2	1	252.57	88.609
			2	299.86	85.991
			3	344.20	57.783
			4	321.43	112.281
			Total	308.35	88.223
		Total	1	253.50	81.287
			2	310.36	63.762
			3	319.13	75.793
			4	293.82	82.485
			Total	294.60	78.568
Depression Score at 1 Week	1	1	2	312.75	14.151
			3	218.33	140.692
			4	191.80	127.304
			Total	238.75	112.488
		2	1	198.67	122.272
			2	307.00	83.072
			3	269.00	104.841
			4	359.40	45.009
			Total	288.72	100.231
		Total	1	198.67	122.272
			2	310.29	49.091
			3	253.80	111.020
			4	275.60	126.118
			Total	268.73	106.343
	2	1	1	97.43	77.923
			2	152.33	129.739

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 1 Week	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			3	84.50	75.660
			4	135.00	18.507
			Total	116.65	73.887
		2	1	100.75	62.925
			2	175.00	60.366
			3	189.00	127.448
			4	58.00	14.142
			Total	137.38	85.206
		Total	1	98.64	69.526
			2	165.29	87.061
			3	147.20	113.264
			4	113.00	40.906
			Total	125.63	78.265
	Total	1	1	97.43	77.923
			2	244.00	114.295
			3	164.80	129.235
			4	163.40	90.836
			Total	167.17	108.795
		2	1	142.71	98.502
			2	231.57	95.397
			3	245.00	111.493
			4	273.29	151.700
			Total	225.26	119.832
		Total	1	120.07	88.502
			2	237.79	101.346
			3	218.27	119.560
			4	208.65	127.979
			Total	197.18	117.369
Depression Score at 3 Weeks	1	1	2	274.75	34.326
			3	186.00	90.089
			4	178.00	80.944
			Total	212.25	79.505
		2	1	173.00	89.437
			2	224.67	75.268

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29
		2	1	7
			2	7
			3	10
			4	7
			Total	31
		Total	1	14
			2	14
			3	15
			4	17
			Total	60
Depression Score at 3 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
		3	225.14	77.911
		4	267.40	23.362
		Total	228.11	69.815
	Total	1	173.00	89.437
		2	253.29	56.518
		3	213.40	78.790
		4	222.70	73.312
		Total	221.77	72.920
2	1	1	113.29	69.533
		2	145.00	88.425
		3	99.50	20.506
		4	114.00	17.321
		Total	117.47	55.549
	2	1	110.00	93.527
		2	170.50	66.159
		3	165.67	146.090
		4	102.00	7.071
		Total	140.23	88.644
	Total	1	112.09	74.350
		2	159.57	70.574
		3	139.20	109.953
		4	110.57	15.576
		Total	127.33	71.312
Total	1	1	113.29	69.533
		2	219.14	89.473
		3	151.40	80.049
		4	146.00	64.677
		Total	156.69	80.643
	2	1	137.00	90.410
		2	193.71	70.109
		3	207.30	98.056
		4	220.14	82.981
		Total	191.26	88.590
	Total	1	125.14	78.457
		2	206.43	78.342
		3	188.67	93.572

Descriptive Statistics

Treatment Group	Sex	Education Level	N
		3	7
		4	5
		Total	18
	Total	1	3
		2	7
		3	10
		4	10
		Total	30
2	1	1	7
		2	3
		3	2
		4	5
		Total	17
	2	1	4
		2	4
		3	3
		4	2
		Total	13
	Total	1	11
		2	7
		3	5
		4	7
		Total	30
Total	1	1	7
		2	7
		3	5
		4	10
		Total	29
	2	1	7
		2	7
		3	10
		4	7
		Total	31
	Total	1	14
		2	14
		3	15

Descriptive Statistics

	Treatment Group	Sex	Education Level	Mean	Std. Deviation
			4	176.53	79.686
			Total	174.55	85.910
Depression Score at 6 Weeks	1	1	2	150.50	30.643
			3	175.67	69.573
			4	206.80	100.243
			Total	180.25	73.744
		2	1	172.67	32.716
			2	235.67	54.280
			3	202.14	48.872
			4	237.60	91.175
			Total	212.67	62.255
		Total	1	172.67	32.716
			2	187.00	59.363
			3	194.20	53.212
			4	222.20	91.783
			Total	199.70	67.791
	2	1	1	127.43	73.225
			2	112.33	96.397
			3	147.00	38.184
			4	168.00	30.496
			Total	139.00	62.918
		2	1	117.00	16.793
			2	121.75	30.071
			3	88.00	36.756
			4	86.50	2.121
			Total	107.08	28.076
		Total	1	123.64	57.701
			2	117.71	59.791
			3	111.60	45.654
			4	144.71	46.928
			Total	125.17	52.622
	Total	1	1	127.43	73.225
			2	134.14	63.112
			3	164.20	55.056
			4	187.40	72.785
			Total	156.07	69.469

Descriptive Statistics

	Treatment Group	Sex	Education Level	N
			4	17
			Total	60
Depression Score at 6 Weeks	1	1	2	4
			3	3
			4	5
			Total	12
		2	1	3
			2	3
			3	7
			4	5
			Total	18
		Total	1	3
			2	7
			3	10
			4	10
			Total	30
	2	1	1	7
			2	3
			3	2
			4	5
			Total	17
		2	1	4
			2	4
			3	3
			4	2
			Total	13
		Total	1	11
			2	7
			3	5
			4	7
			Total	30
	Total	1	1	7
			2	7
			3	5
			4	10
			Total	29

Descriptive Statistics

Treatment Group	Sex	Education Level	Mean	Std. Deviation
	2	1	140.86	37.191
		2	170.57	71.707
		3	167.90	70.232
		4	194.43	104.779
		Total	168.39	72.916
	Total	1	134.14	56.229
		2	152.36	67.593
		3	166.67	63.563
		4	190.29	84.318
		Total	162.43	70.939

Descriptive Statistics

Treatment Group	Sex	Education Level	N
	2	1	7
		2	7
		3	10
		4	7
		Total	31
	Total	1	14
		2	14
		3	15
		4	17
		Total	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	107.159
F	2.108
df1	30
df2	842.425
Sig.	.001

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time	Pillai's Trace	.411	9.788[b]	3.000	42.000
	Wilks' Lambda	.589	9.788[b]	3.000	42.000
	Hotelling's Trace	.699	9.788[b]	3.000	42.000
	Roy's Largest Root	.699	9.788[b]	3.000	42.000
time * age	Pillai's Trace	.116	1.833[b]	3.000	42.000
	Wilks' Lambda	.884	1.833[b]	3.000	42.000
	Hotelling's Trace	.131	1.833[b]	3.000	42.000
	Roy's Largest Root	.131	1.833[b]	3.000	42.000
time * treatment	Pillai's Trace	.373	8.313[b]	3.000	42.000
	Wilks' Lambda	.627	8.313[b]	3.000	42.000
	Hotelling's Trace	.594	8.313[b]	3.000	42.000
	Roy's Largest Root	.594	8.313[b]	3.000	42.000
time * sex	Pillai's Trace	.068	1.016[b]	3.000	42.000
	Wilks' Lambda	.932	1.016[b]	3.000	42.000
	Hotelling's Trace	.073	1.016[b]	3.000	42.000
	Roy's Largest Root	.073	1.016[b]	3.000	42.000
time * education	Pillai's Trace	.247	1.317	9.000	132.000
	Wilks' Lambda	.769	1.296	9.000	102.368
	Hotelling's Trace	.280	1.263	9.000	122.000
	Roy's Largest Root	.181	2.658[c]	3.000	44.000
time * treatment * sex	Pillai's Trace	.171	2.887[b]	3.000	42.000
	Wilks' Lambda	.829	2.887[b]	3.000	42.000
	Hotelling's Trace	.206	2.887[b]	3.000	42.000
	Roy's Largest Root	.206	2.887[b]	3.000	42.000
time * treatment * education	Pillai's Trace	.124	.633	9.000	132.000
	Wilks' Lambda	.880	.616	9.000	102.368
	Hotelling's Trace	.133	.599	9.000	122.000
	Roy's Largest Root	.083	1.217[c]	3.000	44.000
time * sex * education	Pillai's Trace	.190	.994	9.000	132.000
	Wilks' Lambda	.815	.999	9.000	102.368
	Hotelling's Trace	.221	.999	9.000	122.000
	Roy's Largest Root	.188	2.759[c]	3.000	44.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time	Pillai's Trace	.000	.411
	Wilks' Lambda	.000	.411
	Hotelling's Trace	.000	.411
	Roy's Largest Root	.000	.411
time * age	Pillai's Trace	.156	.116
	Wilks' Lambda	.156	.116
	Hotelling's Trace	.156	.116
	Roy's Largest Root	.156	.116
time * treatment	Pillai's Trace	.000	.373
	Wilks' Lambda	.000	.373
	Hotelling's Trace	.000	.373
	Roy's Largest Root	.000	.373
time * sex	Pillai's Trace	.395	.068
	Wilks' Lambda	.395	.068
	Hotelling's Trace	.395	.068
	Roy's Largest Root	.395	.068
time * education	Pillai's Trace	.234	.082
	Wilks' Lambda	.248	.084
	Hotelling's Trace	.264	.085
	Roy's Largest Root	.060	.153
time * treatment * sex	Pillai's Trace	.047	.171
	Wilks' Lambda	.047	.171
	Hotelling's Trace	.047	.171
	Roy's Largest Root	.047	.171
time * treatment * education	Pillai's Trace	.767	.041
	Wilks' Lambda	.781	.042
	Hotelling's Trace	.796	.042
	Roy's Largest Root	.315	.077
time * sex * education	Pillai's Trace	.448	.063
	Wilks' Lambda	.446	.066
	Hotelling's Trace	.445	.069
	Roy's Largest Root	.053	.158

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time * treatment * sex * education	Pillai's Trace	.228	1.842	6.000	86.000
	Wilks' Lambda	.780	1.852[b]	6.000	84.000
	Hotelling's Trace	.272	1.860	6.000	82.000
	Roy's Largest Root	.229	3.285[c]	3.000	43.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time * treatment * sex * education	Pillai's Trace	.100	.114
	Wilks' Lambda	.099	.117
	Hotelling's Trace	.098	.120
	Roy's Largest Root	.030	.186

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. Exact statistic

c. The statistic is an upper bound on F that yields a lower bound on the significance level.

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.457	33.451	5	.000	.747

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
time	1.000	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	148491.633	3	49497.211	17.049
	Greenhouse-Geisser	148491.633	2.241	66275.635	17.049
	Huynh-Feldt	148491.633	3.000	49497.211	17.049
	Lower-bound	148491.633	1.000	148491.633	17.049
time * age	Sphericity Assumed	21202.039	3	7067.346	2.434
	Greenhouse-Geisser	21202.039	2.241	9463.015	2.434
	Huynh-Feldt	21202.039	3.000	7067.346	2.434
	Lower-bound	21202.039	1.000	21202.039	2.434
time * treatment	Sphericity Assumed	77758.775	3	25919.592	8.928
	Greenhouse-Geisser	77758.775	2.241	34705.741	8.928
	Huynh-Feldt	77758.775	3.000	25919.592	8.928
	Lower-bound	77758.775	1.000	77758.775	8.928
time * sex	Sphericity Assumed	6728.366	3	2242.789	.773
	Greenhouse-Geisser	6728.366	2.241	3003.043	.773
	Huynh-Feldt	6728.366	3.000	2242.789	.773
	Lower-bound	6728.366	1.000	6728.366	.773
time * education	Sphericity Assumed	37203.490	9	4133.721	1.424
	Greenhouse-Geisser	37203.490	6.722	5534.958	1.424
	Huynh-Feldt	37203.490	9.000	4133.721	1.424
	Lower-bound	37203.490	3.000	12401.163	1.424
time * treatment * sex	Sphericity Assumed	13220.611	3	4406.870	1.518
	Greenhouse-Geisser	13220.611	2.241	5900.699	1.518
	Huynh-Feldt	13220.611	3.000	4406.870	1.518
	Lower-bound	13220.611	1.000	13220.611	1.518
time * treatment * education	Sphericity Assumed	18791.020	9	2087.891	.719
	Greenhouse-Geisser	18791.020	6.722	2795.638	.719

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.279
	Greenhouse-Geisser	.000	.279
	Huynh-Feldt	.000	.279
	Lower-bound	.000	.279
time * age	Sphericity Assumed	.068	.052
	Greenhouse-Geisser	.087	.052
	Huynh-Feldt	.068	.052
	Lower-bound	.126	.052
time * treatment	Sphericity Assumed	.000	.169
	Greenhouse-Geisser	.000	.169
	Huynh-Feldt	.000	.169
	Lower-bound	.005	.169
time * sex	Sphericity Assumed	.511	.017
	Greenhouse-Geisser	.478	.017
	Huynh-Feldt	.511	.017
	Lower-bound	.384	.017
time * education	Sphericity Assumed	.184	.088
	Greenhouse-Geisser	.207	.088
	Huynh-Feldt	.184	.088
	Lower-bound	.249	.088
time * treatment * sex	Sphericity Assumed	.213	.033
	Greenhouse-Geisser	.222	.033
	Huynh-Feldt	.213	.033
	Lower-bound	.224	.033
time * treatment * education	Sphericity Assumed	.691	.047
	Greenhouse-Geisser	.650	.047

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
	Huynh-Feldt	18791.020	9.000	2087.891	.719
	Lower-bound	18791.020	3.000	6263.673	.719
time * sex * education	Sphericity Assumed	28002.444	9	3111.383	1.072
	Greenhouse-Geisser	28002.444	6.722	4166.070	1.072
	Huynh-Feldt	28002.444	9.000	3111.383	1.072
	Lower-bound	28002.444	3.000	9334.148	1.072
time * treatment * sex * education	Sphericity Assumed	26276.285	6	4379.381	1.508
	Greenhouse-Geisser	26276.285	4.481	5863.891	1.508
	Huynh-Feldt	26276.285	6.000	4379.381	1.508
	Lower-bound	26276.285	2.000	13138.143	1.508
Error(time)	Sphericity Assumed	383233.163	132	2903.282	
	Greenhouse-Geisser	383233.163	98.583	3887.428	
	Huynh-Feldt	383233.163	132.000	2903.282	
	Lower-bound	383233.163	44.000	8709.845	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
	Huynh-Feldt	.691	.047
	Lower-bound	.546	.047
time * sex * education	Sphericity Assumed	.388	.068
	Greenhouse-Geisser	.387	.068
	Huynh-Feldt	.388	.068
	Lower-bound	.371	.068
time * treatment * sex * education	Sphericity Assumed	.180	.064
	Greenhouse-Geisser	.200	.064
	Huynh-Feldt	.180	.064
	Lower-bound	.232	.064
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	102371.160	1	102371.160	24.191	.000
	Quadratic	33328.261	1	33328.261	10.041	.003
	Cubic	12792.212	1	12792.212	11.039	.002
time * age	Linear	8684.535	1	8684.535	2.052	.159
	Quadratic	6824.740	1	6824.740	2.056	.159
	Cubic	5692.764	1	5692.764	4.913	.032
time * treatment	Linear	7460.201	1	7460.201	1.763	.191
	Quadratic	50036.735	1	50036.735	15.075	.000
	Cubic	20261.839	1	20261.839	17.485	.000
time * sex	Linear	2964.266	1	2964.266	.700	.407
	Quadratic	3060.162	1	3060.162	.922	.342
	Cubic	703.939	1	703.939	.607	.440
time * education	Linear	22280.955	3	7426.985	1.755	.170
	Quadratic	12224.208	3	4074.736	1.228	.311
	Cubic	2698.326	3	899.442	.776	.514
time * treatment * sex	Linear	275.965	1	275.965	.065	.800
	Quadratic	10195.453	1	10195.453	3.072	.087
	Cubic	2749.193	1	2749.193	2.372	.131
time * treatment * education	Linear	14136.409	3	4712.136	1.114	.354
	Quadratic	2039.480	3	679.827	.205	.893
	Cubic	2615.131	3	871.710	.752	.527
time * sex * education	Linear	12653.340	3	4217.780	.997	.403
	Quadratic	13716.702	3	4572.234	1.377	.262
	Cubic	1632.401	3	544.134	.470	.705
time * treatment * sex * education	Linear	14219.034	2	7109.517	1.680	.198
	Quadratic	7489.539	2	3744.770	1.128	.333
	Cubic	4567.712	2	2283.856	1.971	.151
Error(time)	Linear	186197.899	44	4231.770		
	Quadratic	146046.899	44	3319.248		
	Cubic	50988.365	44	1158.826		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.355
	Quadratic	.186
	Cubic	.201
time * age	Linear	.045
	Quadratic	.045
	Cubic	.100
time * treatment	Linear	.039
	Quadratic	.255
	Cubic	.284
time * sex	Linear	.016
	Quadratic	.021
	Cubic	.014
time * education	Linear	.107
	Quadratic	.077
	Cubic	.050
time * treatment * sex	Linear	.001
	Quadratic	.065
	Cubic	.051
time * treatment * education	Linear	.071
	Quadratic	.014
	Cubic	.049
time * sex * education	Linear	.064
	Quadratic	.086
	Cubic	.031
time * treatment * sex * education	Linear	.071
	Quadratic	.049
	Cubic	.082
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	2.432	14	45	.012
Depression Score at 1 Week	2.491	14	45	.010
Depression Score at 3 Weeks	3.440	14	45	.001
Depression Score at 6 Weeks	1.936	14	45	.048

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + age + treatment + sex + education + treatment * sex + treatment * education + sex * education + treatment * sex * education
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Intercept	885717.492	1	885717.492	66.271	.000
age	5419.650	1	5419.650	.406	.528
treatment	273197.516	1	273197.516	20.441	.000
sex	19014.171	1	19014.171	1.423	.239
education	72285.605	3	24095.202	1.803	.161
treatment * sex	27089.954	1	27089.954	2.027	.162
treatment * education	36464.394	3	12154.798	.909	.444
sex * education	14494.514	3	4831.505	.362	.781
treatment * sex * education	67677.170	2	33838.585	2.532	.091
Error	588066.465	44	13365.147		

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Partial Eta Squared
Intercept	.601
age	.009
treatment	.317
sex	.031
education	.109
treatment * sex	.044
treatment * education	.058
sex * education	.024
treatment * sex * education	.103
Error	

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	290.995[a,b]	9.911	271.021	310.969
2	188.763[a,b]	12.261	164.052	213.473
3	169.404[a,b]	10.200	148.847	189.961
4	155.793[a,b]	8.491	138.680	172.906

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[c]	95% Confidence Interval for Difference[c] Lower Bound	Upper Bound
1	2	102.232*,[b]	11.951	.000	69.214	135.250
	3	121.591*,[b]	11.128	.000	90.845	152.337
	4	135.202*,[b]	13.293	.000	98.477	171.927
2	1	-102.232*,[b]	11.951	.000	-135.250	-69.214
	3	19.359*,[b]	5.543	.007	4.045	34.673
	4	32.970*,[b]	10.431	.017	4.151	61.788
3	1	-121.591*,[b]	11.128	.000	-152.337	-90.845
	2	-19.359*,[b]	5.543	.007	-34.673	-4.045
	4	13.611[b]	9.348	.915	-12.216	39.438
4	1	-135.202*,[b]	13.293	.000	-171.927	-98.477
	2	-32.970*,[b]	10.431	.017	-61.788	-4.151
	3	-13.611[b]	9.348	.915	-39.438	12.216

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Based on modified population marginal mean.

c. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.758[a]	43.839[b]	3.000	42.000	.000	.758
Wilks' lambda	.242[a]	43.839[b]	3.000	42.000	.000	.758
Hotelling's trace	3.131[a]	43.839[b]	3.000	42.000	.000	.758
Roy's largest root	3.131[a]	43.839[b]	3.000	42.000	.000	.758

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Based on modified population marginal mean.

b. Exact statistic

2. Treatment Group

Estimates

Measure: MEASURE_1

Treatment Group	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	246.289[a,b]	11.062	223.996	268.583
2	161.820[a]	11.480	138.683	184.957

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	Mean Difference (I-J)	Std. Error	Sig.[d]	95% Confidence [d]...
					Lower Bound
1	2	84.469[*,b]	15.924	.000	52.376
2	1	-84.469[*,c]	15.924	.000	-116.562

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	95% Confidence Interval for [d]...
		Upper Bound
1	2	116.562
2	1	-52.376

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. An estimate of the modified population marginal mean (I).

c. An estimate of the modified population marginal mean (J).

d. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	94015.610	1	94015.610	28.138	.000	.390
Error	147016.616	44	3341.287			

The F tests the effect of Treatment Group. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.

3. Treatment Group * time


Measure: MEASURE_1

				95% Confidence Interval	
Treatment Group	time	Mean	Std. Error	Lower Bound	Upper Bound
1	1	305.483[a,b]	13.674	277.926	333.041
	2	264.662[a,b]	16.916	230.570	298.755
	3	218.147[a,b]	14.073	189.785	246.509
	4	196.864[a,b]	11.715	173.254	220.475
2	1	278.318[a]	14.191	249.718	306.918
	2	122.351[a]	17.556	86.968	157.734
	3	126.755[a]	14.605	97.320	156.190
	4	119.856[a]	12.159	95.352	144.360

a. Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93.

b. Based on modified population marginal mean.

Profile Plots



Covariates appearing in the model are evaluated at the following values: Age (Years) = 49.93

```
2754  0
2755  0  ** Final Reduced Model - Significant terms only including three-way interaction.
2756  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex WITH age
2757  0    /WSFACTOR=time 4 Polynomial
2758  0    /METHOD=SSTYPE(3)
2759  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO
2760  0     MEANREFERENCE=NO YAXIS=AUTO
2761  0    /EMMEANS=TABLES(time) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2762  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2763  0    /EMMEANS=TABLES(time*treatment) WITH(age=MEAN)
2764  0    /EMMEANS=TABLES(sex) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2765  0    /EMMEANS=TABLES(treatment*sex) WITH(age=MEAN)
2766  0    /EMMEANS=TABLES(time*treatment*sex) WITH(age=MEAN)
2767  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2768  0    /CRITERIA=ALPHA(.05)
2769  0    /WSDESIGN=time
2770  0    /DESIGN=treatment sex treatment*sex.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:41:07
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.

Notes

Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment sex WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN) COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (time*treatment) WITH (age=MEAN) /EMMEANS=TABLES (sex) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment*sex) WITH (age=MEAN) /EMMEANS=TABLES (time*treatment*sex) WITH(age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time /DESIGN=treatment sex ...
Resources	Processor Time	00:00:00.33
	Elapsed Time	00:00:00.30

Warnings

The following factors or covariates are not used in the model: age

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		N
Treatment Group	1	30
	2	30
Sex	1	29
	2	31

Descriptive Statistics

	Treatment Group	Sex	Mean	Std. Deviation	N
Depression Score at Baseline	1	1	283.42	71.263	12
		2	333.06	83.064	18
		Total	313.20	81.134	30
	2	1	277.41	62.473	17
		2	274.15	86.612	13
		Total	276.00	72.527	30
	Total	1	279.90	65.072	29
		2	308.35	88.223	31
		Total	294.60	78.568	60
Depression Score at 1 Week	1	1	238.75	112.488	12
		2	288.72	100.231	18
		Total	268.73	106.343	30
	2	1	116.65	73.887	17
		2	137.38	85.206	13
		Total	125.63	78.265	30
	Total	1	167.17	108.795	29
		2	225.26	119.832	31
		Total	197.18	117.369	60

Descriptive Statistics

	Treatment Group	Sex	Mean	Std. Deviation	N
Depression Score at 3 Weeks	1	1	212.25	79.505	12
		2	228.11	69.815	18
		Total	221.77	72.920	30
	2	1	117.47	55.549	17
		2	140.23	88.644	13
		Total	127.33	71.312	30
	Total	1	156.69	80.643	29
		2	191.26	88.590	31
		Total	174.55	85.910	60
Depression Score at 6 Weeks	1	1	180.25	73.744	12
		2	212.67	62.255	18
		Total	199.70	67.791	30
	2	1	139.00	62.918	17
		2	107.08	28.076	13
		Total	125.17	52.622	30
	Total	1	156.07	69.469	29
		2	168.39	72.916	31
		Total	162.43	70.939	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	52.422
F	1.508
df1	30
df2	6879.231
Sig.	.037

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + treatment + sex + treatment * sex
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df
time	Pillai's Trace	.734	49.605[b]	3.000	54.000
	Wilks' Lambda	.266	49.605[b]	3.000	54.000
	Hotelling's Trace	2.756	49.605[b]	3.000	54.000
	Roy's Largest Root	2.756	49.605[b]	3.000	54.000
time * treatment	Pillai's Trace	.331	8.916[b]	3.000	54.000
	Wilks' Lambda	.669	8.916[b]	3.000	54.000
	Hotelling's Trace	.495	8.916[b]	3.000	54.000
	Roy's Largest Root	.495	8.916[b]	3.000	54.000
time * sex	Pillai's Trace	.054	1.032[b]	3.000	54.000
	Wilks' Lambda	.946	1.032[b]	3.000	54.000
	Hotelling's Trace	.057	1.032[b]	3.000	54.000
	Roy's Largest Root	.057	1.032[b]	3.000	54.000
time * treatment * sex	Pillai's Trace	.121	2.480[b]	3.000	54.000
	Wilks' Lambda	.879	2.480[b]	3.000	54.000
	Hotelling's Trace	.138	2.480[b]	3.000	54.000
	Roy's Largest Root	.138	2.480[b]	3.000	54.000

Multivariate Tests[a]

Effect		Sig.	Partial Eta Squared
time	Pillai's Trace	.000	.734
	Wilks' Lambda	.000	.734
	Hotelling's Trace	.000	.734
	Roy's Largest Root	.000	.734
time * treatment	Pillai's Trace	.000	.331
	Wilks' Lambda	.000	.331
	Hotelling's Trace	.000	.331
	Roy's Largest Root	.000	.331
time * sex	Pillai's Trace	.386	.054
	Wilks' Lambda	.386	.054
	Hotelling's Trace	.386	.054
	Roy's Largest Root	.386	.054
time * treatment * sex	Pillai's Trace	.071	.121
	Wilks' Lambda	.071	.121
	Hotelling's Trace	.071	.121
	Roy's Largest Root	.071	.121

a. Design: Intercept + treatment + sex + treatment * sex
Within Subjects Design: time

b. Exact statistic

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.454	43.217	5	.000	.759

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

	Epsilon[b]	
Within Subjects Effect	Huynh-Feldt	Lower-bound
time	.835	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + treatment + sex + treatment * sex
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	619852.443	3	206617.481	67.524
	Greenhouse-Geisser	619852.443	2.276	272394.963	67.524
	Huynh-Feldt	619852.443	2.504	247530.342	67.524
	Lower-bound	619852.443	1.000	619852.443	67.524
time * treatment	Sphericity Assumed	81578.341	3	27192.780	8.887
	Greenhouse-Geisser	81578.341	2.276	35849.708	8.887
	Huynh-Feldt	81578.341	2.504	32577.293	8.887
	Lower-bound	81578.341	1.000	81578.341	8.887
time * sex	Sphericity Assumed	9259.055	3	3086.352	1.009
	Greenhouse-Geisser	9259.055	2.276	4068.904	1.009
	Huynh-Feldt	9259.055	2.504	3697.488	1.009
	Lower-bound	9259.055	1.000	9259.055	1.009
time * treatment * sex	Sphericity Assumed	10813.757	3	3604.586	1.178
	Greenhouse-Geisser	10813.757	2.276	4752.120	1.178
	Huynh-Feldt	10813.757	2.504	4318.339	1.178
	Lower-bound	10813.757	1.000	10813.757	1.178
Error(time)	Sphericity Assumed	514062.976	168	3059.899	
	Greenhouse-Geisser	514062.976	127.432	4034.029	
	Huynh-Feldt	514062.976	140.232	3665.797	
	Lower-bound	514062.976	56.000	9179.696	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.547
	Greenhouse-Geisser	.000	.547
	Huynh-Feldt	.000	.547
	Lower-bound	.000	.547
time * treatment	Sphericity Assumed	.000	.137
	Greenhouse-Geisser	.000	.137
	Huynh-Feldt	.000	.137
	Lower-bound	.004	.137
time * sex	Sphericity Assumed	.390	.018
	Greenhouse-Geisser	.376	.018
	Huynh-Feldt	.381	.018
	Lower-bound	.320	.018
time * treatment * sex	Sphericity Assumed	.320	.021
	Greenhouse-Geisser	.315	.021
	Huynh-Feldt	.317	.021
	Lower-bound	.282	.021
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	508094.923	1	508094.923	111.745	.000
	Quadratic	97614.261	1	97614.261	28.491	.000
	Cubic	14143.258	1	14143.258	11.721	.001
time * treatment	Linear	4375.029	1	4375.029	.962	.331
	Quadratic	54352.817	1	54352.817	15.864	.000
	Cubic	22850.495	1	22850.495	18.937	.000
time * sex	Linear	5246.095	1	5246.095	1.154	.287
	Quadratic	3550.903	1	3550.903	1.036	.313
	Cubic	462.058	1	462.058	.383	.539
time * treatment * sex	Linear	.593	1	.593	.000	.991
	Quadratic	8198.313	1	8198.313	2.393	.128
	Cubic	2614.851	1	2614.851	2.167	.147
Error(time)	Linear	254627.015	56	4546.911		
	Quadratic	191861.763	56	3426.103		
	Cubic	67574.198	56	1206.682		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.666
	Quadratic	.337
	Cubic	.173
time * treatment	Linear	.017
	Quadratic	.221
	Cubic	.253
time * sex	Linear	.020
	Quadratic	.018
	Cubic	.007
time * treatment * sex	Linear	.000
	Quadratic	.041
	Cubic	.037
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	.790	3	56	.505
Depression Score at 1 Week	1.737	3	56	.170
Depression Score at 3 Weeks	1.614	3	56	.196
Depression Score at 6 Weeks	2.106	3	56	.110

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + treatment + sex + treatment * sex
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Intercept	9832783.095	1	9832783.095	696.511	.000	.926
treatment	406010.116	1	406010.116	28.760	.000	.339
sex	22211.440	1	22211.440	1.573	.215	.027
treatment * sex	17732.945	1	17732.945	1.256	.267	.022
Error	790563.260	56	14117.201			

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	292.009	9.990	271.996	312.023
2	195.376	12.186	170.965	219.787
3	174.516	9.526	155.433	193.598
4	159.748	7.800	144.123	175.374

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[b]	95% Confidence Interval for Difference[b]	
					Lower Bound	Upper Bound
1	2	96.633*	11.143	.000	66.154	127.113
	3	117.494*	10.062	.000	89.973	145.015
	4	132.261*	12.946	.000	96.851	167.671
2	1	-96.633*	11.143	.000	-127.113	-66.154
	3	20.860*	5.470	.002	5.899	35.821
	4	35.628*	10.904	.011	5.802	65.453
3	1	-117.494*	10.062	.000	-145.015	-89.973
	2	-20.860*	5.470	.002	-35.821	-5.899
	4	14.767	9.404	.732	-10.954	40.489
4	1	-132.261*	12.946	.000	-167.671	-96.851
	2	-35.628*	10.904	.011	-65.453	-5.802
	3	-14.767	9.404	.732	-40.489	10.954

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.734	49.605[a]	3.000	54.000	.000	.734
Wilks' lambda	.266	49.605[a]	3.000	54.000	.000	.734
Hotelling's trace	2.756	49.605[a]	3.000	54.000	.000	.734
Roy's largest root	2.756	49.605[a]	3.000	54.000	.000	.734

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic

2. Treatment Group

Estimates

Measure: MEASURE_1

Treatment Group	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	247.153	11.070	224.977	269.329
2	163.672	10.944	141.748	185.596

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	Mean Difference (I-J)	Std. Error	Sig.[b]	95% Confidence [b]...
					Lower Bound
1	2	83.481*	15.567	.000	52.297
2	1	-83.481*	15.567	.000	-114.664

Pairwise Comparisons

Measure: MEASURE_1

(I) Treatment Group	(J) Treatment Group	95% Confidence Interval for [b]...
		Upper Bound
1	2	114.664
2	1	-52.297

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	101502.529	1	101502.529	28.760	.000	.339
Error	197640.815	56	3529.300			

The F tests the effect of Treatment Group. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.

3. time * Treatment Group

Measure: MEASURE_1

time	Treatment Group	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
1	1	308.236	14.209	279.772	336.700
	2	275.783	14.047	247.642	303.923
2	1	263.736	17.331	229.017	298.455
	2	127.016	17.134	92.692	161.340
3	1	220.181	13.549	193.039	247.322
	2	128.851	13.394	102.018	155.683
4	1	196.458	11.094	174.234	218.683
	2	123.038	10.968	101.067	145.010

4. Sex

Estimates

Measure: MEASURE_1

Sex	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	195.650	11.199	173.214	218.085
2	215.175	10.812	193.517	236.833

Pairwise Comparisons

Measure: MEASURE_1

(I) Sex	(J) Sex	Mean Difference (I-J)	Std. Error	Sig.[a]	95% Confidence Interval for Difference[a]	
					Lower Bound	Upper Bound
1	2	-19.526	15.567	.215	-50.709	11.658
2	1	19.526	15.567	.215	-11.658	50.709

Based on estimated marginal means

a. Adjustment for multiple comparisons: Bonferroni.

Univariate Tests

Measure: MEASURE_1

	Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Contrast	5552.860	1	5552.860	1.573	.215	.027
Error	197640.815	56	3529.300			

The F tests the effect of Sex. This test is based on the linearly independent pairwise comparisons among the estimated marginal means.

5. Treatment Group * Sex

Measure: MEASURE_1


Treatment Group	Sex	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
1	1	228.667	17.150	194.312	263.021
	2	265.639	14.003	237.588	293.689
2	1	162.632	14.409	133.769	191.496
	2	164.712	16.477	131.705	197.719

6. time * Treatment Group * Sex

Measure: MEASURE_1

time	Treatment Group	Sex	Mean	Std. Error	95% Confidence Interval	
					Lower Bound	Upper Bound
1	1	1	283.417	22.013	239.320	327.513
		2	333.056	17.973	297.051	369.060
	2	1	277.412	18.494	240.363	314.460
		2	274.154	21.149	231.787	316.520
2	1	1	238.750	26.850	184.964	292.536
		2	288.722	21.923	244.806	332.639
	2	1	116.647	22.558	71.458	161.837
		2	137.385	25.796	85.708	189.061
3	1	1	212.250	20.989	170.203	254.297
		2	228.111	17.138	193.780	262.442
	2	1	117.471	17.635	82.144	152.797
		2	140.231	20.166	99.833	180.628
4	1	1	180.250	17.187	145.820	214.680
		2	212.667	14.033	184.555	240.778
	2	1	139.000	14.440	110.073	167.927
		2	107.077	16.513	73.998	140.156

Profile Plots




```
2771  0
2772  0
2773  0  *take out nonsignificant predictors
2774  0
2775  0  * Final Reduced Model - Between subjects significant terms only.
2776  0  GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment WITH age
2777  0    /WSFACTOR=time 4 Polynomial
2778  0    /METHOD=SSTYPE(3)
2779  0    /PLOT=PROFILE(time*treatment) TYPE=LINE ERRORBAR=NO
2780  0     MEANREFERENCE=NO YAXIS=AUTO
2781  0    /EMMEANS=TABLES(time) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2782  0    /EMMEANS=TABLES(treatment) WITH(age=MEAN) COMPARE ADJ(BONFERRONI)
2783  0    /EMMEANS=TABLES(time*treatment) WITH(age=MEAN)
2784  0    /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY
2785  0    /CRITERIA=ALPHA(.05)
2786  0    /WSDESIGN=time
2787  0    /DESIGN=treatment.
```

General Linear Model

Notes

Output Created		03-NOV-2026 15:41:07
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	60
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.
Syntax		GLM dep_t0 dep_t1 dep_t3 dep_t6 BY treatment WITH age /WSFACTOR=time 4 Polynomial /METHOD=SSTYPE(3) /PLOT=PROFILE (time*treatment) TYPE=LINE ERRORBAR=NO MEANREFERENCE=NO YAXIS=AUTO /EMMEANS=TABLES (time) WITH(age=MEAN) COMPARE ADJ (BONFERRONI) /EMMEANS=TABLES (treatment) WITH (age=MEAN) COMPARE ADJ(BONFERRONI) /EMMEANS=TABLES (time*treatment) WITH (age=MEAN) /PRINT=DESCRIPTIVE ETASQ HOMOGENEITY /CRITERIA=ALPHA(.05) /WSDESIGN=time...
Resources	Processor Time	00:00:00.31
	Elapsed Time	00:00:00.31

Warnings

The following factors or covariates are not used in the model: age

Within-Subjects Factors

Measure: MEASURE_1

time	Dependent Variable
1	dep_t0
2	dep_t1
3	dep_t3
4	dep_t6

Between-Subjects Factors

		N
Treatment Group	1	30
	2	30

Descriptive Statistics

	Treatment Group	Mean	Std. Deviation	N
Depression Score at Baseline	1	313.20	81.134	30
	2	276.00	72.527	30
	Total	294.60	78.568	60
Depression Score at 1 Week	1	268.73	106.343	30
	2	125.63	78.265	30
	Total	197.18	117.369	60
Depression Score at 3 Weeks	1	221.77	72.920	30
	2	127.33	71.312	30
	Total	174.55	85.910	60
Depression Score at 6 Weeks	1	199.70	67.791	30
	2	125.17	52.622	30
	Total	162.43	70.939	60

Box's Test of Equality of Covariance Matrices[a]

Box's M	21.600
F	1.998
df1	10
df2	16082.869
Sig.	.029

Tests the null hypothesis that the observed covariance matrices of the dependent variables are equal across groups.

a. Design: Intercept + treatment
Within Subjects Design: time

Multivariate Tests[a]

Effect		Value	F	Hypothesis df	Error df	Sig.
time	Pillai's Trace	.739	52.885[b]	3.000	56.000	.000
	Wilks' Lambda	.261	52.885[b]	3.000	56.000	.000
	Hotelling's Trace	2.833	52.885[b]	3.000	56.000	.000
	Roy's Largest Root	2.833	52.885[b]	3.000	56.000	.000
time * treatment	Pillai's Trace	.349	10.027[b]	3.000	56.000	.000
	Wilks' Lambda	.651	10.027[b]	3.000	56.000	.000
	Hotelling's Trace	.537	10.027[b]	3.000	56.000	.000
	Roy's Largest Root	.537	10.027[b]	3.000	56.000	.000

Multivariate Tests[a]

Effect		Partial Eta Squared
time	Pillai's Trace	.739
	Wilks' Lambda	.739
	Hotelling's Trace	.739
	Roy's Largest Root	.739
time * treatment	Pillai's Trace	.349
	Wilks' Lambda	.349
	Hotelling's Trace	.349
	Roy's Largest Root	.349

a. Design: Intercept + treatment
Within Subjects Design: time

b. Exact statistic

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon[b] Greenhouse-Geisser
time	.486	40.885	5	.000	.772

Mauchly's Test of Sphericity[a]

Measure: MEASURE_1

Within Subjects Effect	Epsilon[b] Huynh-Feldt	Lower-bound
time	.820	.333

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept + treatment
Within Subjects Design: time

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
time	Sphericity Assumed	648550.217	3	216183.406	70.411
	Greenhouse-Geisser	648550.217	2.317	279920.636	70.411
	Huynh-Feldt	648550.217	2.461	263572.799	70.411
	Lower-bound	648550.217	1.000	648550.217	70.411
time * treatment	Sphericity Assumed	87562.817	3	29187.606	9.506
	Greenhouse-Geisser	87562.817	2.317	37792.971	9.506
	Huynh-Feldt	87562.817	2.461	35585.797	9.506
	Lower-bound	87562.817	1.000	87562.817	9.506
Error(time)	Sphericity Assumed	534235.467	174	3070.319	
	Greenhouse-Geisser	534235.467	134.381	3975.539	
	Huynh-Feldt	534235.467	142.715	3743.361	
	Lower-bound	534235.467	58.000	9210.956	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared
time	Sphericity Assumed	.000	.548
	Greenhouse-Geisser	.000	.548
	Huynh-Feldt	.000	.548
	Lower-bound	.000	.548
time * treatment	Sphericity Assumed	.000	.141
	Greenhouse-Geisser	.000	.141
	Huynh-Feldt	.000	.141
	Lower-bound	.003	.141
Error(time)	Sphericity Assumed		
	Greenhouse-Geisser		
	Huynh-Feldt		
	Lower-bound		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Type III Sum of Squares	df	Mean Square	F	Sig.
time	Linear	527018.253	1	527018.253	117.623	.000
	Quadratic	109141.350	1	109141.350	31.071	.000
	Cubic	12390.613	1	12390.613	10.175	.002
time * treatment	Linear	3008.333	1	3008.333	.671	.416
	Quadratic	59346.150	1	59346.150	16.895	.000
	Cubic	25208.333	1	25208.333	20.702	.000
Error(time)	Linear	259873.113	58	4480.571		
	Quadratic	203736.000	58	3512.690		
	Cubic	70626.353	58	1217.696		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	time	Partial Eta Squared
time	Linear	.670
	Quadratic	.349
	Cubic	.149
time * treatment	Linear	.011
	Quadratic	.226
	Cubic	.263
Error(time)	Linear	
	Quadratic	
	Cubic	

Levene's Test of Equality of Error Variances[a]

	F	df1	df2	Sig.
Depression Score at Baseline	.049	1	58	.826
Depression Score at 1 Week	3.000	1	58	.089
Depression Score at 3 Weeks	.328	1	58	.569
Depression Score at 6 Weeks	3.624	1	58	.062

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + treatment
Within Subjects Design: time

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Intercept	10302812.82	1	10302812.82	719.905	.000	.925
treatment	457452.017	1	457452.017	31.964	.000	.355
Error	830058.667	58	14311.356			

Estimated Marginal Means

1. time

Estimates

Measure: MEASURE_1

time	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	294.600	9.934	274.714	314.486
2	197.183	12.053	173.056	221.311
3	174.550	9.311	155.912	193.188
4	162.433	7.834	146.752	178.115

Pairwise Comparisons

Measure: MEASURE_1

(I) time	(J) time	Mean Difference (I-J)	Std. Error	Sig.[b]	95% Confidence Interval for Difference[b]	
					Lower Bound	Upper Bound
1	2	97.417*	10.846	.000	67.788	127.045
	3	120.050*	9.935	.000	92.910	147.190
	4	132.167*	12.628	.000	97.669	166.665
2	1	-97.417*	10.846	.000	-127.045	-67.788
	3	22.633*	5.519	.001	7.556	37.711
	4	34.750*	10.862	.013	5.078	64.422
3	1	-120.050*	9.935	.000	-147.190	-92.910
	2	-22.633*	5.519	.001	-37.711	-7.556
	4	12.117	9.476	1.000	-13.771	38.004
4	1	-132.167*	12.628	.000	-166.665	-97.669
	2	-34.750*	10.862	.013	-64.422	-5.078
	3	-12.117	9.476	1.000	-38.004	13.771

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.739	52.885[a]	3.000	56.000	.000	.739
Wilks' lambda	.261	52.885[a]	3.000	56.000	.000	.739
Hotelling's trace	2.833	52.885[a]	3.000	56.000	.000	.739
Roy's largest root	2.833	52.885[a]	3.000	56.000	.000	.739

Each F tests the multivariate effect of time. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic