```
1696  0  INSERT FILE='E:/Documents/GitHub/biostatistics-portfolio/_spss_tmp/drug-a-kaplan
-meier.sps' ERROR=CONTINUE.
1696  0  * Set the working directory to the folder that contains this repository, then ru
n.
1697  0  CD 'E:/Documents/GitHub/biostatistics-portfolio'.
1698  0  * Encoding: UTF-8.
1699  0
1700  0  *enter data
1701  0
1702  0  * Source: sheet 'Drug A- Data for software' of the instructor workbook (not redi
stributed), saved as Drug A.dta.
1703  0  GET STATA FILE='data/raw/Drug A.dta'.
1704  0  EXECUTE.
1705  0  DATASET NAME DataSet1 WINDOW=FRONT.
1706  0
1707  0  *km
1708  0
1709  0  DATASET ACTIVATE DataSet1.
1710  0  KM SurvivalTime
1711  0    /STATUS=Status(1)
1712  0    /PRINT TABLE MEAN.
```

Kaplan-Meier

Notes

Output Created		03-NOV-2026 15:36:11
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the analysis.
Syntax		KM SurvivalTime /STATUS=Status(1) /PRINT TABLE MEAN.
Resources	Processor Time	00:00:00.05
	Elapsed Time	00:00:00.01

Case Processing Summary

Total N	N of Events	Censored	
		N	Percent
20	17	3	15.0%

Survival Table

	Time	Status	Cumulative Proportion Surviving at the Time		N of Cumulative Events	N of Remaining Cases
			Estimate	Std. Error		
1	1.000	1	.950	.049	1	19
2	2.000	1	.900	.067	2	18
3	3.000	1	.	.	3	17
4	3.000	1	.800	.089	4	16
5	4.000	1	.750	.097	5	15
6	4.000	0	.	.	5	14
7	5.000	1	.696	.104	6	13
8	7.000	1	.643	.109	7	12
9	7.000	0	.	.	7	11
10	8.000	1	.584	.113	8	10
11	10.000	1	.526	.116	9	9
12	11.000	0	.	.	9	8
13	13.000	1	.460	.119	10	7
14	14.000	1	.394	.119	11	6
15	15.000	1	.329	.116	12	5
16	17.000	1	.263	.110	13	4
17	19.000	1	.197	.100	14	3
18	20.000	1	.131	.086	15	2
19	22.000	1	.066	.063	16	1
20	25.000	1	.000	.000	17	0

Means and Medians for Survival Time

Mean[a]				Median		
		95% Confidence Interval				95% ...
Estimate	Std. Error	Lower Bound	Upper Bound	Estimate	Std. Error	Lower Bound
11.878	1.781	8.386	15.370	13.000	3.753	5.645

Means and Medians for Survival Time

Median		
95% Confidence .		
Upper Bound		
20.355		

a. Estimation is limited to the largest survival time if it is censored.

```
1713  0
1714  0  KM SurvivalTime
1715  0    /STATUS=Status(1)
1716  0    /PRINT TABLE MEAN
1717  0    /PERCENTILES
1718  0    /PLOT SURVIVAL.
```

Kaplan-Meier

Notes

Output Created		03-NOV-2026 15:36:11
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	20
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the analysis.
Syntax		KM SurvivalTime /STATUS=Status(1) /PRINT TABLE MEAN /PERCENTILES /PLOT SURVIVAL.
Resources	Processor Time	00:00:01.31
	Elapsed Time	00:00:00.49

Case Processing Summary

Total N	N of Events	Censored	
		N	Percent
20	17	3	15.0%

Survival Table

	Time	Status	Cumulative Proportion Surviving at the Time		N of Cumulative Events	N of Remaining Cases
			Estimate	Std. Error		
1	1.000	1	.950	.049	1	19
2	2.000	1	.900	.067	2	18
3	3.000	1	.	.	3	17
4	3.000	1	.800	.089	4	16
5	4.000	1	.750	.097	5	15
6	4.000	0	.	.	5	14
7	5.000	1	.696	.104	6	13
8	7.000	1	.643	.109	7	12
9	7.000	0	.	.	7	11
10	8.000	1	.584	.113	8	10
11	10.000	1	.526	.116	9	9
12	11.000	0	.	.	9	8
13	13.000	1	.460	.119	10	7
14	14.000	1	.394	.119	11	6
15	15.000	1	.329	.116	12	5
16	17.000	1	.263	.110	13	4
17	19.000	1	.197	.100	14	3
18	20.000	1	.131	.086	15	2
19	22.000	1	.066	.063	16	1
20	25.000	1	.000	.000	17	0

Means and Medians for Survival Time

Mean[a]				Median		
		95% Confidence Interval				95% ...
Estimate	Std. Error	Lower Bound	Upper Bound	Estimate	Std. Error	Lower Bound
11.878	1.781	8.386	15.370	13.000	3.753	5.645

Means and Medians for Survival Time

Median	
95% Confidence .	
Upper Bound	
20.355	

a. Estimation is limited to the largest survival time if it is censored.

Percentiles

25.0%		50.0%		75.0%	
Estimate	Std. Error	Estimate	Std. Error	Estimate	Std. Error
19.000	3.042	13.000	3.753	4.000	1.870




```
1719  0
1720  0  * End of INSERT and INCLUDE nesting level 02.
1720  0
1721  0  OUTPUT EXPORT /CONTENTS EXPORT=ALL /PDF DOCUMENTFILE='E:/Documents/GitHub/biosta
tistics-portfolio/survival-analysis/spss/sp
           ss-files/drug-a-kaplan-meier.pdf'.
```