

Soluciones del simplex

Problema inicial

C=

-85 -65 -34 92 -83 93 22 76 48 -71 25 -50 79 -99 0 0 0 0 0 0

A=

-13 -29 23 -27 57 -52 -70 81 -2 64 -54 9 68 10 0 0 0 0 0 0
-6 -53 -37 36 85 -22 35 87 32 34 65 -64 65 -25 0 0 0 0 0 0
-13 93 31 16 45 23 -11 83 75 -65 67 10 -92 88 0 0 0 0 0 0
67 -8 -27 -22 47 44 -3 -23 -16 81 -24 -38 -67 24 0 0 0 0 0 0
80 57 77 72 52 58 53 84 77 92 57 75 68 88 1 0 0 0 0 0
-81 21 -14 73 11 -10 -7 45 95 -92 97 -79 89 -92 0 -1 0 0 0 0
96 -7 85 -63 -24 -95 42 -71 100 42 43 -23 83 60 0 0 -1 0 0 0
-27 92 -84 77 68 73 28 53 34 -71 59 -17 -36 -1 0 0 0 1 0 0
-1 -28 96 74 66 -82 -24 91 63 65 64 -29 73 93 0 0 0 0 -1 0
-60 -34 21 -65 84 4 12 98 -38 -1 -99 25 21 82 0 0 0 0 0 -1

b=

65 232 350 35 991 55 267 249 520 49

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 4, q = 1, B(p) = 24, theta*= 0.522, z = 2813.000
[jh_simplexP] Iteracio 2 : iout = 8, q = 2, B(p) = 28, theta*= 2.964, z = 2791.060
[jh_simplexP] Iteracio 3 : iout = 3, q = 3, B(p) = 23, theta*= 0.694, z = 2467.974
[jh_simplexP] Iteracio 4 : iout = 6, q = 4, B(p) = 26, theta*= 4.106, z = 2256.543
[jh_simplexP] Iteracio 5 : iout = 7, q = 7, B(p) = 27, theta*= 0.070, z = 1249.582
[jh_simplexP] Iteracio 6 : iout = 10, q = 5, B(p) = 30, theta*= 2.323, z = 1221.248
[jh_simplexP] Iteracio 7 : iout = 5, q = 6, B(p) = 25, theta*= 1.050, z = 498.991
[jh_simplexP] Iteracio 8 : iout = 9, q = 8, B(p) = 29, theta*= 0.049, z = 335.717
[jh_simplexP] Iteracio 9 : iout = 2, q = 9, B(p) = 22, theta*= 0.227, z = 323.301
[jh_simplexP] Iteracio 10 : iout = 5, q = 10, B(p) = 6, theta*= 1.846, z = 188.311
[jh_simplexP] Iteracio 11 : iout = 1, q = 12, B(p) = 21, theta*= 1.456, z = 87.373
[jh_simplexP] Iteracio 12 : iout = -, q = -, B(p) = -, theta*= -, z = 0.000
[jh_simplexP] Solucio basica factible trobada, iteracio 12
[jh_simplexP] Fase II
[jh_simplexP] Iteracio 13 : iout = 4, q = 11, B(p) = 1, theta*= 0.180, z = -128.454
[jh_simplexP] Iteracio 14 : iout = 9, q = 6, B(p) = 8, theta*= 0.258, z = -153.969
[jh_simplexP] Iteracio 15 : iout = 2, q = 13, B(p) = 9, theta*= 0.820, z = -196.429
[jh_simplexP] Iteracio 16 : iout = 9, q = 15, B(p) = 6, theta*= 100.881, z = -373.024
[jh_simplexP] Iteracio 17 : iout = 9, q = 17, B(p) = 15, theta*= 118.527, z = -420.669
[jh_simplexP] Iteracio 18 : iout = 5, q = 1, B(p) = 10, theta*= 2.047, z = -485.604
[jh_simplexP] Iteracio 19 : iout = 6, q = 14, B(p) = 4, theta*= 0.713, z = -501.781
[jh_simplexP] Iteracio 20 : iout = 6, q = 18, B(p) = 14, theta*= 40.301, z = -520.870
[jh_simplexP] Iteracio 21 : iout = -, q = -, B(p) = -, theta*= -, z = -533.913
[jh_simplexP] Solucio optima trobada, iteracio 21, z = -533.912841
[jh_simplexP] Fi simplex primal
```

Solucio optima:

```
vb = 12 13 3 11 1 18 7 2 17 5
xb = 0.9 1.5 2.5 1.4 2.1 40.3 1.6 2.2 289.6 3.2
z = -533.9128
r = 0.0 0.0 -0.0 65.9 -0.0 152.9 0.0 147.7 73.1 23.1 -0.0 0.0 0.0
```

Problema 1 conjunt 34

c=

8	-5	6	77	-77	96	-74	-37	91	-100	-10	-59	28	85	0	0	0	0	0	0
---	----	---	----	-----	----	-----	-----	----	------	-----	-----	----	----	---	---	---	---	---	---

A=

-67	13	-26	24	-32	36	-36	46	11	77	-64	-86	90	42	0	0	0	0	0	0
-42	-70	30	-74	59	35	-13	6	86	-54	12	91	68	82	0	0	0	0	0	0
97	80	-70	45	45	-34	22	55	-39	-20	70	31	58	-27	0	0	0	0	0	0
-45	-33	-35	44	34	6	100	-65	30	56	38	-25	-5	-46	0	0	0	0	0	0
59	60	92	58	83	75	74	87	70	59	63	97	52	85	1	0	0	0	0	0
-40	89	-9	79	32	3	44	-36	25	-86	30	-33	24	-84	0	1	0	0	0	0
82	-24	-100	30	-74	1	95	-57	-49	55	-89	90	45	50	0	0	-1	0	0	0
92	97	-44	35	35	48	77	-17	-9	74	16	70	-59	29	0	0	0	1	0	0
70	22	2	69	4	92	-74	-83	56	-69	88	69	32	69	0	0	0	0	1	0
-42	30	98	94	8	-46	70	-50	-14	-38	30	51	86	25	0	0	0	0	0	1

b=

28	216	313	54	1015	39	54	445	348	303
----	-----	-----	----	------	----	----	-----	-----	-----

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 7, q = 1, B(p) = 27, theta*= 0.659, z = 2815.000
[jh_simplexP] Iteracio 2 : iout = 6, q = 2, B(p) = 26, theta*= 0.845, z = 2707.000
[jh_simplexP] Iteracio 3 : iout = 3, q = 3, B(p) = 23, theta*= 1.218, z = 2443.242
[jh_simplexP] Iteracio 4 : iout = 9, q = 4, B(p) = 29, theta*= 1.161, z = 1991.135
[jh_simplexP] Iteracio 5 : iout = 6, q = 5, B(p) = 2, theta*= 1.134, z = 1624.557
[jh_simplexP] Iteracio 6 : iout = 3, q = 6, B(p) = 3, theta*= 1.349, z = 1468.862
[jh_simplexP] Iteracio 7 : iout = 8, q = 7, B(p) = 28, theta*= 0.383, z = 1415.671
[jh_simplexP] Iteracio 8 : iout = 10, q = 3, B(p) = 30, theta*= 2.740, z = 1222.967
[jh_simplexP] Iteracio 9 : iout = 5, q = 8, B(p) = 25, theta*= 1.514, z = 957.663
[jh_simplexP] Iteracio 10 : iout = 3, q = 9, B(p) = 6, theta*= 2.064, z = 735.863
[jh_simplexP] Iteracio 11 : iout = 4, q = 10, B(p) = 24, theta*= 1.571, z = 682.006
[jh_simplexP] Iteracio 12 : iout = 1, q = 2, B(p) = 21, theta*= 0.057, z = 474.694
[jh_simplexP] Iteracio 13 : iout = 1, q = 6, B(p) = 2, theta*= 0.150, z = 463.824
[jh_simplexP] Iteracio 14 : iout = 8, q = 12, B(p) = 7, theta*= 0.717, z = 463.043
[jh_simplexP] Iteracio 15 : iout = 3, q = 11, B(p) = 9, theta*= 0.654, z = 364.841
[jh_simplexP] Iteracio 16 : iout = 7, q = 2, B(p) = 1, theta*= 0.104, z = 187.990
[jh_simplexP] Iteracio 17 : iout = 6, q = 9, B(p) = 5, theta*= 1.050, z = 157.658
[jh_simplexP] Iteracio 18 : iout = 2, q = 13, B(p) = 22, theta*= 0.714, z = 156.481
[jh_simplexP] Iteracio 19 : iout = -, q = -, B(p) = -, theta*= -, z = 0.000
[jh_simplexP] Solucio basica factible trobada, iteracio 19
[jh_simplexP] Fase II
[jh_simplexP] Iteracio 20 : iout = 6, q = 5, B(p) = 9, theta*= 1.706, z = -77.097
[jh_simplexP] Iteracio 21 : iout = 5, q = 15, B(p) = 8, theta*= 179.166, z = -132.516
[jh_simplexP] Iteracio 22 : iout = 9, q = 16, B(p) = 4, theta*= 9.381, z = -245.214
[jh_simplexP] Iteracio 23 : iout = 5, q = 1, B(p) = 15, theta*= 1.397, z = -251.992
[jh_simplexP] Iteracio 24 : iout = 6, q = 8, B(p) = 5, theta*= 0.702, z = -296.160
[jh_simplexP] Iteracio 25 : iout = 7, q = 17, B(p) = 2, theta*= 273.616, z = -323.146
[jh_simplexP] Iteracio 26 : iout = 1, q = 19, B(p) = 6, theta*= 147.251, z = -363.306
[jh_simplexP] Iteracio 27 : iout = 5, q = 2, B(p) = 1, theta*= 0.761, z = -531.478
[jh_simplexP] Iteracio 28 : iout = 7, q = 5, B(p) = 17, theta*= 0.832, z = -580.361
[jh_simplexP] Iteracio 29 : iout = 3, q = 7, B(p) = 11, theta*= 1.360, z = -588.083
[jh_simplexP] Iteracio 30 : iout = 7, q = 17, B(p) = 5, theta*= 356.161, z = -630.546
[jh_simplexP] Iteracio 31 : iout = 5, q = 20, B(p) = 2, theta*= 104.747, z = -639.081
[jh_simplexP] Iteracio 32 : iout = 2, q = 5, B(p) = 13, theta*= 2.203, z = -695.736
[jh_simplexP] Iteracio 33 : iout = 7, q = 1, B(p) = 17, theta*= 0.004, z = -787.471
[jh_simplexP] Iteracio 34 : iout = -, q = -, B(p) = -, theta*= -, z = -787.487
[jh_simplexP] Solucio optima trobada, iteracio 34, z = -787.486630
[jh_simplexP] Fi simplex primal
```

Solucio optima:

vb = 19 5 7 10 20 8 1 12 16 3

xb = 764.4 2.2 1.5 2.5 291.8 3.6 0.0 2.2 322.8 0.5

z = -787.4866

r = 0.0 31.4 0.0 110.0 -0.0 192.2 -0.0 0.0 176.1 -0.0 5.5 0.0 114.3

Problema 2 conjunt 34

c=

-82 -63 73 15 -51 69 100 94 61 81 18 41 -33 -46 0 0 0 0 0 0

A=

53 -61 -53 23 7 17 -23 -87 64 18 73 33 -20 -38 0 0 0 0 0 0
-45 -81 63 -85 38 -67 87 53 -61 41 11 66 -23 82 0 0 0 0 0 0
-74 91 16 4 -31 -42 51 38 -75 94 69 -51 81 76 0 0 0 0 0 0
-65 -75 85 -22 -76 95 -13 2 57 68 10 78 57 -54 0 0 0 0 0 0
69 57 94 77 98 63 74 51 51 74 58 53 78 68 1 0 0 0 0 0
65 -78 75 -14 38 -23 -59 -29 -67 61 74 -6 -6 75 0 -1 0 0 0 0
-38 -21 -10 10 -66 75 -11 34 37 17 74 10 75 99 0 0 -1 0 0 0
58 27 -10 -23 60 2 72 -90 47 -77 -67 24 64 -80 0 0 0 1 0 0
26 -33 66 4 29 11 62 31 47 -54 79 89 -98 -37 0 0 0 0 1 0
20 37 96 28 -95 32 -31 43 41 49 -22 -90 68 -11 0 0 0 0 0 1

b=

6 79 247 147 966 105 284 8 223 166

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 1, q = 1, B(p) = 21, theta*= 0.113, z = 2231.000
[jh_simplexP] Iteracio 2 : iout = 8, q = 3, B(p) = 28, theta*= 0.030, z = 2223.189
[jh_simplexP] Iteracio 3 : iout = 6, q = 4, B(p) = 26, theta*= 0.951, z = 2208.520
[jh_simplexP] Iteracio 4 : iout = 10, q = 2, B(p) = 30, theta*= 0.145, z = 1766.561
[jh_simplexP] Iteracio 5 : iout = 5, q = 5, B(p) = 25, theta*= 2.494, z = 1724.330
[jh_simplexP] Iteracio 6 : iout = 1, q = 6, B(p) = 1, theta*= 0.132, z = 1441.831
[jh_simplexP] Iteracio 7 : iout = 1, q = 7, B(p) = 6, theta*= 0.108, z = 1412.946
[jh_simplexP] Iteracio 8 : iout = 9, q = 8, B(p) = 29, theta*= 0.008, z = 1393.373
[jh_simplexP] Iteracio 9 : iout = 1, q = 6, B(p) = 7, theta*= 0.666, z = 1379.835
[jh_simplexP] Iteracio 10 : iout = 4, q = 10, B(p) = 24, theta*= 0.394, z = 1314.303
[jh_simplexP] Iteracio 11 : iout = 8, q = 1, B(p) = 3, theta*= 2.818, z = 894.204
[jh_simplexP] Iteracio 12 : iout = 10, q = 7, B(p) = 2, theta*= 1.790, z = 888.772
[jh_simplexP] Iteracio 13 : iout = 8, q = 3, B(p) = 1, theta*= 1.718, z = 411.338
[jh_simplexP] Iteracio 14 : iout = 2, q = 9, B(p) = 22, theta*= 0.237, z = 392.790
[jh_simplexP] Iteracio 15 : iout = 3, q = 11, B(p) = 23, theta*= 0.050, z = 313.545
[jh_simplexP] Iteracio 16 : iout = 2, q = 1, B(p) = 9, theta*= 0.049, z = 282.348
[jh_simplexP] Iteracio 17 : iout = 6, q = 2, B(p) = 4, theta*= 1.079, z = 278.716
[jh_simplexP] Iteracio 18 : iout = 7, q = 13, B(p) = 27, theta*= 1.030, z = 136.476
[jh_simplexP] Iteracio 19 : iout = -, q = -, B(p) = -, theta*= -, z = 0.000
[jh_simplexP] Solucio basica factible trobada, iteracio 19
[jh_simplexP] Fase II
[jh_simplexP] Iteracio 20 : iout = 10, q = 9, B(p) = 7, theta*= 2.023, z = 417.139
[jh_simplexP] Iteracio 21 : iout = 1, q = 12, B(p) = 6, theta*= 2.362, z = 267.479
[jh_simplexP] Iteracio 22 : iout = 8, q = 7, B(p) = 3, theta*= 0.057, z = 135.921
[jh_simplexP] Iteracio 23 : iout = 5, q = 14, B(p) = 5, theta*= 0.100, z = 119.775
[jh_simplexP] Iteracio 24 : iout = 8, q = 3, B(p) = 7, theta*= 0.520, z = 108.443
[jh_simplexP] Iteracio 25 : iout = 9, q = 4, B(p) = 8, theta*= 0.316, z = 82.939
[jh_simplexP] Iteracio 26 : iout = 9, q = 6, B(p) = 4, theta*= 0.180, z = 56.912
[jh_simplexP] Iteracio 27 : iout = 9, q = 15, B(p) = 6, theta*= 105.586, z = 54.896
[jh_simplexP] Iteracio 28 : iout = 4, q = 16, B(p) = 10, theta*= 73.570, z = 53.658
[jh_simplexP] Iteracio 29 : iout = 10, q = 4, B(p) = 9, theta*= 1.514, z = 18.470
[jh_simplexP] Iteracio 30 : iout = 10, q = 6, B(p) = 4, theta*= 0.622, z = -23.129
[jh_simplexP] Iteracio 31 : iout = 9, q = 10, B(p) = 15, theta*= 0.926, z = -32.778
[jh_simplexP] Iteracio 32 : iout = 9, q = 17, B(p) = 10, theta*= 150.172, z = -42.298
[jh_simplexP] Iteracio 33 : iout = 8, q = 19, B(p) = 3, theta*= 444.748, z = -93.051
[jh_simplexP] Iteracio 34 : iout = -, q = -, B(p) = -, theta*= -, z = -250.134
[jh_simplexP] Solucio optima trobada, iteracio 34, z = -250.133658
[jh_simplexP] Fi simplex primal
```

Solucio optima:

vb = 12 1 11 16 14 2 13 19 17 6

xb = 1.4 2.4 0.3 294.0 4.3 0.1 3.0 444.7 520.0 2.7

z = -250.1337

r = 0.0 -0.0 90.3 16.0 32.7 0.0 189.2 91.8 48.4 57.6 0.0 0.0 -0.0

Problema 3 conjunt 34

c=

29 80 -61 -85 11 78 -1 60 67 97 46 -62 -94 24 0 0 0 0 0 0

A=

28	-60	0	-7	-3	-15	-69	-3	-22	72	57	89	92	28	0	0	0	0	0	0
-94	92	67	-97	-94	10	83	2	46	-61	-89	56	73	43	0	0	0	0	0	0
30	83	18	99	-24	7	28	-99	-57	38	21	29	78	-11	0	0	0	0	0	0
-24	-99	-5	51	41	-61	-55	50	-91	84	23	43	67	8	0	0	0	0	0	0
-58	31	-52	-58	75	-76	69	-31	-10	31	81	38	40	36	-1	0	0	0	0	0
-37	-64	44	-47	36	46	83	-94	40	-3	-92	37	96	-21	0	-1	0	0	0	0
31	-20	80	14	93	99	-54	7	80	-69	78	-57	77	-9	0	0	1	0	0	0
80	64	96	74	34	37	34	6	89	96	96	7	60	6	0	0	0	1	0	0
55	34	36	78	94	2	60	99	9	76	7	23	84	6	0	0	0	0	1	0
25	33	19	91	15	47	99	15	94	99	78	18	54	26	0	0	0	0	0	1

b=

187 37 240 32 115 23 351 29 97 10

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 8, q = 1, B(p) = 28, theta*= 0.362, z = 1121.000
[jh_simplexP] Iteracio 2 : iout = 10, q = 2, B(p) = 30, theta*= 0.072, z = 1107.950
[jh_simplexP] Iteracio 3 : iout = 8, q = 3, B(p) = 1, theta*= 0.162, z = 1103.248
[jh_simplexP] Iteracio 4 : iout = 10, q = 4, B(p) = 2, theta*= 0.056, z = 1052.098
[jh_simplexP] Iteracio 5 : iout = 6, q = 5, B(p) = 26, theta*= 0.487, z = 1031.453
[jh_simplexP] Iteracio 6 : iout = 10, q = 1, B(p) = 4, theta*= 0.008, z = 951.743
[jh_simplexP] Iteracio 7 : iout = 10, q = 2, B(p) = 1, theta*= 0.006, z = 950.516
[jh_simplexP] Iteracio 8 : iout = 10, q = 8, B(p) = 2, theta*= 0.006, z = 950.032
[jh_simplexP] Iteracio 9 : iout = 10, q = 16, B(p) = 8, theta*= 0.809, z = 949.273
[jh_simplexP] Iteracio 10 : iout = 7, q = 17, B(p) = 27, theta*= 293.523, z = 948.026
[jh_simplexP] Iteracio 11 : iout = 10, q = 12, B(p) = 16, theta*= 0.112, z = 654.497
[jh_simplexP] Iteracio 12 : iout = 8, q = 18, B(p) = 3, theta*= 11.785, z = 638.813
[jh_simplexP] Iteracio 13 : iout = 9, q = 19, B(p) = 29, theta*= 48.817, z = 621.054
[jh_simplexP] Iteracio 14 : iout = 6, q = 26, B(p) = 5, theta*= 2.444, z = 572.237
[jh_simplexP] Iteracio 15 : iout = -, q = -, B(p) = -, theta*= -, z = 471.778
[jh_simplexP] Problema infactible.
```

Problema 4 conjunt 34

c=																								
-89	-86	-1	-57	-99	-53	-51	-81	-8	-5	-5	-2	-60	-75	0	0	0	0	0	0	0	0	0	0	0
A=																								
34	39	23	84	91	84	95	67	52	57	7	86	86	16	-1	0	0	0	0	0	0	0	0	0	0
21	38	87	2	96	75	47	83	17	58	7	35	15	100	0	-1	0	0	0	0	0	0	0	0	0
25	61	5	61	80	51	47	30	97	63	11	63	79	15	0	0	-1	0	0	0	0	0	0	0	0
74	43	10	7	51	21	47	55	64	92	94	92	97	74	0	0	0	-1	0	0	0	0	0	0	0
21	72	63	4	65	83	16	83	79	100	6	16	43	62	0	0	0	0	-1	0	0	0	0	0	0
18	66	30	48	82	79	51	30	20	67	23	32	27	91	0	0	0	0	0	-1	0	0	0	0	0
68	68	60	60	31	2	4	71	47	66	11	95	58	31	0	0	0	0	0	0	-1	0	0	0	0
97	26	77	51	45	91	55	42	49	47	90	25	4	93	0	0	0	0	0	0	0	-1	0	0	0
17	41	69	46	72	94	45	53	17	19	10	58	6	9	0	0	0	0	0	0	0	0	-1	0	0
60	87	45	69	61	66	30	93	52	93	96	74	67	24	0	0	0	0	0	0	0	0	0	0	-1
b=																								
820	680	687	820	712	663	671	791	555	916															

Output

[jh_simplexP] Inici simplex primal amb regla de Bland

[jh_simplexP] Fase I

[jh_simplexP]	Iteracio	1	:	iout =	8,	q =	1,	B(p) =	32,	theta* =	8.155,	z =	7315.000
[jh_simplexP]	Iteracio	2	:	iout =	7,	q =	2,	B(p) =	31,	theta* =	2.340,	z =	3767.732
[jh_simplexP]	Iteracio	3	:	iout =	9,	q =	3,	B(p) =	33,	theta* =	6.480,	z =	2774.501
[jh_simplexP]	Iteracio	4	:	iout =	2,	q =	5,	B(p) =	26,	theta* =	0.965,	z =	2305.679
[jh_simplexP]	Iteracio	5	:	iout =	6,	q =	4,	B(p) =	30,	theta* =	0.222,	z =	1933.786
[jh_simplexP]	Iteracio	6	:	iout =	9,	q =	8,	B(p) =	3,	theta* =	0.099,	z =	392.172
[jh_simplexP]	Iteracio	7	:	iout =	6,	q =	6,	B(p) =	4,	theta* =	0.225,	z =	372.775
[jh_simplexP]	Iteracio	8	:	iout =	6,	q =	7,	B(p) =	6,	theta* =	1.002,	z =	368.020
[jh_simplexP]	Iteracio	9	:	iout =	3,	q =	9,	B(p) =	27,	theta* =	0.214,	z =	313.193
[jh_simplexP]	Iteracio	10	:	iout =	1,	q =	10,	B(p) =	25,	theta* =	0.312,	z =	276.343
[jh_simplexP]	Iteracio	11	:	iout =	5,	q =	3,	B(p) =	29,	theta* =	1.031,	z =	156.435
[jh_simplexP]	Iteracio	12	:	iout =	5,	q =	6,	B(p) =	3,	theta* =	0.486,	z =	110.614
[jh_simplexP]	Iteracio	13	:	iout =	10,	q =	11,	B(p) =	34,	theta* =	0.251,	z =	61.507
[jh_simplexP]	Iteracio	14	:	iout =	5,	q =	3,	B(p) =	6,	theta* =	0.593,	z =	27.792
[jh_simplexP]	Iteracio	15	:	iout =	4,	q =	12,	B(p) =	28,	theta* =	0.423,	z =	25.700
[jh_simplexP]	Iteracio	16	:	iout =	-	q =	-	B(p) =	-	theta* =	-	z =	0.000

[jh_simplexP] Solucio basica factible trobada, iteracio 16

[jh_simplexP] Fase II

[jh_simplexP]	Iteracio	17	:	iout =	5,	q =	6,	B(p) =	3,	theta* =	0.687,	z =	-774.572
[jh_simplexP]	Iteracio	18	:	iout =	3,	q =	13,	B(p) =	9,	theta* =	0.924,	z =	-894.881
[jh_simplexP]	Iteracio	19	:	iout =	1,	q =	14,	B(p) =	10,	theta* =	0.423,	z =	-982.164
[jh_simplexP]	Iteracio	20	:	iout =	4,	q =	15,	B(p) =	12,	theta* =	2.057,	z =	-1072.64
[jh_simplexP]	Iteracio	21	:	iout =	4,	q =	16,	B(p) =	15,	theta* =	1.275,	z =	-1073.65
[jh_simplexP]	Iteracio	22	:	iout =	6,	q =	18,	B(p) =	7,	theta* =	18.095,	z =	-1074.43
[jh_simplexP]	Iteracio	23	:	iout =	5,	q =	9,	B(p) =	6,	theta* =	0.307,	z =	-1088.04
[jh_simplexP]	Iteracio	24	:	iout =	7,	q =	15,	B(p) =	2,	theta* =	45.483,	z =	-1103.17
[jh_simplexP]	Iteracio	25	:	iout =	5,	q =	6,	B(p) =	9,	theta* =	0.122,	z =	-1122.54
[jh_simplexP]	Iteracio	26	:	iout =	5,	q =	20,	B(p) =	6,	theta* =	5.499,	z =	-1123.20
[jh_simplexP]	Iteracio	27	:	iout =	7,	q =	2,	B(p) =	15,	theta* =	1.014,	z =	-1128.11
[jh_simplexP]	Iteracio	28	:	iout =	9,	q =	17,	B(p) =	8,	theta* =	91.735,	z =	-1132.58
[jh_simplexP]	Iteracio	29	:	iout =	7,	q =	15,	B(p) =	2,	theta* =	200.097,	z =	-1183.09
[jh_simplexP]	Iteracio	30	:	iout =	10,	q =	7,	B(p) =	11,	theta* =	3.975,	z =	-1229.46
[jh_simplexP]	Iteracio	31	:	iout =	8,	q =	19,	B(p) =	1,	theta* =	198.423,	z =	-1259.7
[jh_simplexP]	Iteracio	32	:	iout =	10,	q =	11,	B(p) =	7,	theta* =	0.361,	z =	-1335.32
[jh_simplexP]	Iteracio	33	:	iout =	10,	q =	21,	B(p) =	11,	theta* =	30.122,	z =	-1337.27
[jh_simplexP]	Iteracio	34	:	iout =	3,	q =	22,	B(p) =	13,	theta* =	1934.565,	z =	-1383.6
[jh_simplexP]	Iteracio	35	:	iout =	2,	q =	7,	B(p) =	5,	theta* =	6.267,	z =	-2468.02
[jh_simplexP]	Iteracio	36	:	iout =	2,	q =	24,	B(p) =	7,	theta* =	564.000,	z =	-2594.6
[jh_simplexP]	Iteracio	37	:	iout =	3,	q =	13,	B(p) =	22,	theta* =	85.241,	z =	-4625.00

```

[jh_simplexP] Iteracio 38 : iout = 1, q = 23, B(p) = 14, theta*= 631.500, z = -5477.4
[jh_simplexP] Iteracio 39 : problema no acotat detectat.
[jh_simplexP] Problema no acotat.

```

Problema 1 conjunt 37

c=

53	-65	31	70	30	63	74	-29	-1	-24	-37	-6	94	4	0	0	0	0	0
----	-----	----	----	----	----	----	-----	----	-----	-----	----	----	---	---	---	---	---	---

A=

-87	-65	-31	84	63	97	96	-79	-73	-93	35	93	72	83	0	0	0	0	0
45	12	54	82	89	16	-100	83	-86	-38	2	88	24	-74	0	0	0	0	0
84	-50	-67	62	-72	89	33	-74	55	31	33	-60	23	-42	0	0	0	0	0
39	28	42	27	19	-36	-81	73	-13	79	99	76	-71	48	0	0	0	0	0
91	52	51	86	62	69	92	78	70	67	76	75	72	50	1	0	0	0	0
-92	87	-45	15	-24	62	13	-12	19	-75	90	-44	100	41	0	-1	0	0	0
97	-48	62	0	73	57	23	59	-100	32	-42	-51	-63	-93	0	0	1	0	0
64	-34	19	61	-44	25	-6	-10	33	-89	61	96	5	-94	0	0	0	-1	0
-58	89	6	-72	96	30	40	91	-2	-97	38	91	22	-32	0	0	0	0	-1
47	-22	-48	29	64	36	-7	-89	-91	80	28	73	-29	-20	0	0	0	0	0

b=

195	197	45	329	992	134	7	86	241	52
-----	-----	----	-----	-----	-----	---	----	-----	----

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 7, q = 1, B(p) = 27, theta*= 0.072, z = 2278.000
[jh_simplexP] Iteracio 2 : iout = 6, q = 2, B(p) = 26, theta*= 3.391, z = 2261.402
[jh_simplexP] Iteracio 3 : iout = 3, q = 4, B(p) = 23, theta*= 1.038, z = 1709.298
[jh_simplexP] Iteracio 4 : iout = 2, q = 3, B(p) = 22, theta*= 0.038, z = 1382.148
[jh_simplexP] Iteracio 5 : iout = 2, q = 5, B(p) = 3, theta*= 0.035, z = 1366.560
[jh_simplexP] Iteracio 6 : iout = 10, q = 6, B(p) = 30, theta*= 0.166, z = 1361.862
[jh_simplexP] Iteracio 7 : iout = 7, q = 3, B(p) = 1, theta*= 0.183, z = 1325.968
[jh_simplexP] Iteracio 8 : iout = 1, q = 7, B(p) = 21, theta*= 0.663, z = 1291.896
[jh_simplexP] Iteracio 9 : iout = 10, q = 1, B(p) = 6, theta*= 0.012, z = 1106.070
[jh_simplexP] Iteracio 10 : iout = 9, q = 9, B(p) = 29, theta*= 1.593, z = 1099.446
[jh_simplexP] Iteracio 11 : iout = 5, q = 10, B(p) = 25, theta*= 0.773, z = 584.210
[jh_simplexP] Iteracio 12 : iout = 8, q = 11, B(p) = 28, theta*= 1.221, z = 277.690
[jh_simplexP] Iteracio 13 : iout = 10, q = 6, B(p) = 1, theta*= 0.127, z = 65.586
[jh_simplexP] Iteracio 14 : iout = 10, q = 8, B(p) = 6, theta*= 0.188, z = 46.863
[jh_simplexP] Iteracio 15 : iout = 7, q = 12, B(p) = 3, theta*= 0.864, z = 32.430
[jh_simplexP] Iteracio 16 : iout = 4, q = 13, B(p) = 24, theta*= 0.640, z = 25.819
[jh_simplexP] Iteracio 17 : iout = -, q = -, B(p) = -, theta*= -, z = 0.000
[jh_simplexP] Solucio basica factible trobada, iteracio 17
[jh_simplexP] Fase II
[jh_simplexP] Iteracio 18 : iout = 4, q = 14, B(p) = 13, theta*= 0.065, z = 183.243
[jh_simplexP] Iteracio 19 : iout = 2, q = 6, B(p) = 5, theta*= 0.572, z = 163.725
[jh_simplexP] Iteracio 20 : iout = 1, q = 15, B(p) = 7, theta*= 374.780, z = 145.879
[jh_simplexP] Iteracio 21 : iout = 9, q = 16, B(p) = 9, theta*= 111.238, z = 51.566
[jh_simplexP] Iteracio 22 : iout = 7, q = 5, B(p) = 12, theta*= 0.618, z = 7.871
[jh_simplexP] Iteracio 23 : iout = 5, q = 17, B(p) = 10, theta*= 100.232, z = -5.342
[jh_simplexP] Iteracio 24 : iout = 10, q = 7, B(p) = 8, theta*= 0.628, z = -30.623
[jh_simplexP] Iteracio 25 : iout = 7, q = 12, B(p) = 5, theta*= 0.181, z = -46.593
[jh_simplexP] Iteracio 26 : iout = 10, q = 9, B(p) = 7, theta*= 0.214, z = -57.585
[jh_simplexP] Iteracio 27 : iout = 1, q = 19, B(p) = 15, theta*= 529.954, z = -60.506
[jh_simplexP] Iteracio 28 : iout = 3, q = 8, B(p) = 4, theta*= 0.465, z = -172.346
[jh_simplexP] Iteracio 29 : iout = 3, q = 13, B(p) = 8, theta*= 1.365, z = -193.197
[jh_simplexP] Iteracio 30 : iout = -, q = -, B(p) = -, theta*= -, z = -197.476
[jh_simplexP] Solucio optima trobada, iteracio 30, z = -197.476081
[jh_simplexP] Fi simplex primal
```

Solucio optima:

vb = 19 6 13 14 17 2 12 11 16 9

xb = 651.2 3.4 1.4 0.4 433.8 6.6 0.8 2.9 1038.4 0.2

z = -197.4761

r = 152.8 0.0 43.4 25.9 52.8 0.0 2.4 9.2 -0.0 166.9 0.0 0.0 0.0

Problema 2 conjunt 37

c=

-37 78 98 8 56 36 11 -99 -31 -8 -9 -71 33 74 0 0 0 0 0

A=

6	-9	4	80	-24	49	-83	-54	90	-2	-99	26	19	38	0	0	0	0	0
69	38	39	-76	8	-48	-27	-24	-90	25	-15	69	21	37	0	0	0	0	0
-18	61	-48	98	-4	68	-4	57	-91	83	-34	-22	0	-56	0	0	0	0	0
35	80	-92	-49	23	100	-6	-10	-74	-38	90	72	19	52	0	0	0	0	0
92	100	53	54	86	57	50	93	51	91	71	82	98	93	1	0	0	0	0
-67	98	-15	80	46	42	34	-77	13	-100	29	82	-83	32	0	-1	0	0	0
52	-87	-28	20	65	-17	-36	-32	15	70	-4	29	-93	95	0	0	1	0	0
98	36	-15	83	-69	35	35	63	-23	62	-57	-59	47	15	0	0	0	-1	0
14	93	94	-29	-71	54	96	23	-43	76	-47	94	49	-74	0	0	0	0	1
56	15	50	37	39	-78	72	-4	36	34	24	68	47	56	0	0	0	0	0

b=

41 26 90 202 1072 113 50 250 330 451

Output

```
[jh_simplexP] Inici simplex primal amb regla de Bland
[jh_simplexP] Fase I
[jh_simplexP] Iteracio 1 : iout = 2, q = 1, B(p) = 22, theta*= 0.377, z = 2625.000
[jh_simplexP] Iteracio 2 : iout = 2, q = 2, B(p) = 1, theta*= 0.684, z = 2498.014
[jh_simplexP] Iteracio 3 : iout = 6, q = 4, B(p) = 26, theta*= 0.166, z = 2334.211
[jh_simplexP] Iteracio 4 : iout = 3, q = 1, B(p) = 23, theta*= 0.175, z = 2143.096
[jh_simplexP] Iteracio 5 : iout = 1, q = 3, B(p) = 21, theta*= 0.384, z = 2040.842
[jh_simplexP] Iteracio 6 : iout = 7, q = 5, B(p) = 27, theta*= 0.864, z = 1945.333
[jh_simplexP] Iteracio 7 : iout = 4, q = 6, B(p) = 24, theta*= 1.436, z = 1801.254
[jh_simplexP] Iteracio 8 : iout = 9, q = 7, B(p) = 29, theta*= 1.060, z = 1641.509
[jh_simplexP] Iteracio 9 : iout = 8, q = 9, B(p) = 28, theta*= 0.162, z = 855.444
[jh_simplexP] Iteracio 10 : iout = 5, q = 8, B(p) = 25, theta*= 1.387, z = 717.123
[jh_simplexP] Iteracio 11 : iout = 6, q = 10, B(p) = 4, theta*= 0.473, z = 184.750
[jh_simplexP] Iteracio 12 : iout = 5, q = 11, B(p) = 8, theta*= 1.371, z = 156.310
[jh_simplexP] Iteracio 13 : iout = 1, q = 12, B(p) = 3, theta*= 0.069, z = 49.013
[jh_simplexP] Iteracio 14 : iout = 4, q = 4, B(p) = 6, theta*= 0.256, z = 39.014
[jh_simplexP] Iteracio 15 : iout = 9, q = 3, B(p) = 7, theta*= 0.230, z = 18.269
[jh_simplexP] Iteracio 16 : iout = 10, q = 8, B(p) = 30, theta*= 1.620, z = 13.140
[jh_simplexP] Iteracio 17 : iout = -, q = -, B(p) = -, theta*= -, z = 0.000
[jh_simplexP] Solucio basica factible trobada, iteracio 17
[jh_simplexP] Fase II
[jh_simplexP] Iteracio 18 : iout = 6, q = 6, B(p) = 10, theta*= 0.206, z = -246.297
[jh_simplexP] Iteracio 19 : iout = 9, q = 7, B(p) = 3, theta*= 0.339, z = -519.979
[jh_simplexP] Iteracio 20 : iout = 6, q = 14, B(p) = 6, theta*= 0.357, z = -537.351
[jh_simplexP] Iteracio 21 : iout = 7, q = 3, B(p) = 5, theta*= 0.181, z = -557.947
[jh_simplexP] Iteracio 22 : iout = 6, q = 15, B(p) = 14, theta*= 47.146, z = -562.608
[jh_simplexP] Iteracio 23 : iout = 6, q = 20, B(p) = 15, theta*= 14.253, z = -580.288
[jh_simplexP] Iteracio 24 : iout = -, q = -, B(p) = -, theta*= -, z = -586.610
[jh_simplexP] Solucio optima trobada, iteracio 24, z = -586.610343
[jh_simplexP] Fi simplex primal
```

Solucio optima:

```
vb = 12 2 1 4 11 20 3 9 7 8
xb = 3.1 0.7 1.8 1.5 1.2 14.3 0.3 1.5 0.0 3.4
z = -586.6103
r = 0.0 0.0 -0.0 -0.0 40.5 304.0 -0.0 0.0 -0.0 248.2 0.0 0.0 83.2
```

Problema 3 conjunt 37

C=

74	20	-36	-92	-83	45	-54	68	-61	-28	19	-9	-28	-57	0	0	0	0	0	0
----	----	-----	-----	-----	----	-----	----	-----	-----	----	----	-----	-----	---	---	---	---	---	---

A=

75	-69	12	-31	5	56	-42	-59	36	91	24	62	1	12	0	0	0	0	0	0
20	-97	92	40	52	40	-65	-30	-82	70	35	64	29	-4	0	0	0	0	0	0
-50	42	90	59	-84	98	-22	80	-65	19	-40	97	71	77	0	0	0	0	0	0
54	83	68	58	-32	94	47	60	45	70	-15	96	-79	-85	0	0	0	0	0	0
-63	88	-74	-89	19	-96	95	37	70	40	-45	-67	14	89	1	0	0	0	0	0
32	-70	-8	-9	-35	15	92	-28	-11	31	97	89	19	93	0	-1	0	0	0	0
45	-25	23	-11	98	-96	46	-58	25	-28	80	-40	61	12	0	0	1	0	0	0
58	69	51	25	5	60	86	43	70	48	50	88	84	28	0	0	0	1	0	0
75	97	50	74	95	46	25	69	88	60	63	58	27	36	0	0	0	0	1	0
66	94	57	32	74	31	79	14	23	14	6	100	34	7	0	0	0	0	0	1

b=

173	164	372	464	19	306	133	34	66	70
-----	-----	-----	-----	----	-----	-----	----	----	----

Output

[jh_simplexP] Inici simplex primal amb regla de Bland

[jh_simplexP] Fase I

[jh_simplexP]	Iteracio	1	:	iout =	8,	q =	1,	B(p) =	28,	theta*=	0.586,	z =	1801.000
[jh_simplexP]	Iteracio	2	:	iout =	8,	q =	3,	B(p) =	1,	theta*=	0.667,	z =	1618.103
[jh_simplexP]	Iteracio	3	:	iout =	9,	q =	5,	B(p) =	29,	theta*=	0.363,	z =	1560.333
[jh_simplexP]	Iteracio	4	:	iout =	5,	q =	10,	B(p) =	25,	theta*=	0.556,	z =	1501.739
[jh_simplexP]	Iteracio	5	:	iout =	5,	q =	15,	B(p) =	10,	theta*=	58.814,	z =	1472.841
[jh_simplexP]	Iteracio	6	:	iout =	7,	q =	17,	B(p) =	27,	theta*=	82.953,	z =	1442.925
[jh_simplexP]	Iteracio	7	:	iout =	9,	q =	4,	B(p) =	5,	theta*=	0.660,	z =	1359.973
[jh_simplexP]	Iteracio	8	:	iout =	8,	q =	10,	B(p) =	3,	theta*=	0.422,	z =	1343.945
[jh_simplexP]	Iteracio	9	:	iout =	5,	q =	19,	B(p) =	15,	theta*=	19.867,	z =	1342.596
[jh_simplexP]	Iteracio	10	:	iout =	9,	q =	3,	B(p) =	4,	theta*=	0.080,	z =	1340.436
[jh_simplexP]	Iteracio	11	:	iout =	10,	q =	20,	B(p) =	30,	theta*=	56.709,	z =	1340.237
[jh_simplexP]	Iteracio	12	:	iout =	9,	q =	4,	B(p) =	3,	theta*=	0.085,	z =	1283.528
[jh_simplexP]	Iteracio	13	:	iout =	-	q =	-	B(p) =	-	theta*=	-	z =	1282.453
[jh_simplexP]	Problema infactible.												

Problema 4 conjunt 37

c=
-37 78 98 8 56 36 11 -99 -31 -8 -9 -71 33 74 0 0 0 0 0

A=
6 -9 4 80 -24 49 -83 -54 90 -2 -99 26 19 38 0 0 0 0 0
69 38 39 -76 8 -48 -27 -24 -90 25 -15 69 21 37 0 0 0 0 0
-18 61 -48 98 -4 68 -4 57 -91 83 -34 -22 0 -56 0 0 0 0 0
35 80 -92 -49 23 100 -6 -10 -74 -38 90 72 19 52 0 0 0 0 0
92 100 53 54 86 57 50 93 51 91 71 82 98 93 1 0 0 0 0
-67 98 -15 80 46 42 34 -77 13 -100 29 82 -83 32 0 -1 0 0 0
52 -87 -28 20 65 -17 -36 -32 15 70 -4 29 -93 95 0 0 1 0 0
98 36 -15 83 -69 35 35 63 -23 62 -57 -59 47 15 0 0 0 -1 0
14 93 94 -29 -71 54 96 23 -43 76 -47 94 49 -74 0 0 0 0 1
56 15 50 37 39 -78 72 -4 36 34 24 68 47 56 0 0 0 0 0

b=
41 26 90 202 1072 113 50 250 330 451

Output

[jh_simplexP] Inici simplex primal amb regla de Bland

[jh_simplexP] Fase I

[jh_simplexP]	Iteracio	1	:	iout =	8,	q =	1,	B(p) =	32,	theta* =	8.866,	z =	6828.000
[jh_simplexP]	Iteracio	2	:	iout =	5,	q =	2,	B(p) =	29,	theta* =	4.076,	z =	2483.670
[jh_simplexP]	Iteracio	3	:	iout =	5,	q =	3,	B(p) =	2,	theta* =	1.467,	z =	2397.856
[jh_simplexP]	Iteracio	4	:	iout =	2,	q =	4,	B(p) =	26,	theta* =	2.368,	z =	2050.292
[jh_simplexP]	Iteracio	5	:	iout =	4,	q =	5,	B(p) =	28,	theta* =	3.489,	z =	1347.373
[jh_simplexP]	Iteracio	6	:	iout =	2,	q =	2,	B(p) =	4,	theta* =	0.034,	z =	875.187
[jh_simplexP]	Iteracio	7	:	iout =	2,	q =	7,	B(p) =	2,	theta* =	0.102,	z =	813.890
[jh_simplexP]	Iteracio	8	:	iout =	2,	q =	8,	B(p) =	7,	theta* =	0.162,	z =	813.641
[jh_simplexP]	Iteracio	9	:	iout =	6,	q =	9,	B(p) =	30,	theta* =	0.954,	z =	783.651
[jh_simplexP]	Iteracio	10	:	iout =	10,	q =	4,	B(p) =	34,	theta* =	0.052,	z =	506.720
[jh_simplexP]	Iteracio	11	:	iout =	10,	q =	6,	B(p) =	4,	theta* =	0.078,	z =	489.532
[jh_simplexP]	Iteracio	12	:	iout =	10,	q =	7,	B(p) =	6,	theta* =	0.165,	z =	485.329
[jh_simplexP]	Iteracio	13	:	iout =	2,	q =	10,	B(p) =	8,	theta* =	0.251,	z =	483.995
[jh_simplexP]	Iteracio	14	:	iout =	2,	q =	11,	B(p) =	10,	theta* =	0.158,	z =	481.791
[jh_simplexP]	Iteracio	15	:	iout =	10,	q =	4,	B(p) =	7,	theta* =	1.330,	z =	451.599
[jh_simplexP]	Iteracio	16	:	iout =	1,	q =	6,	B(p) =	25,	theta* =	1.977,	z =	412.496
[jh_simplexP]	Iteracio	17	:	iout =	7,	q =	12,	B(p) =	31,	theta* =	0.711,	z =	248.833
[jh_simplexP]	Iteracio	18	:	iout =	5,	q =	10,	B(p) =	3,	theta* =	0.782,	z =	204.689
[jh_simplexP]	Iteracio	19	:	iout =	9,	q =	13,	B(p) =	33,	theta* =	0.592,	z =	187.369
[jh_simplexP]	Iteracio	20	:	iout =	3,	q =	2,	B(p) =	27,	theta* =	0.071,	z =	7.419
[jh_simplexP]	Iteracio	21	:	iout =	-	q =	-	B(p) =	-	theta* =	-	z =	0.000

[jh_simplexP] Solucio basica factible trobada, iteracio 21

[jh_simplexP] Fase II

[jh_simplexP]	Iteracio	22	:	iout =	3,	q =	7,	B(p) =	2,	theta* =	0.102,	z =	-788.970
[jh_simplexP]	Iteracio	23	:	iout =	8,	q =	8,	B(p) =	1,	theta* =	0.999,	z =	-791.546
[jh_simplexP]	Iteracio	24	:	iout =	7,	q =	14,	B(p) =	12,	theta* =	0.473,	z =	-876.151
[jh_simplexP]	Iteracio	25	:	iout =	10,	q =	2,	B(p) =	4,	theta* =	0.153,	z =	-908.193
[jh_simplexP]	Iteracio	26	:	iout =	10,	q =	17,	B(p) =	2,	theta* =	110.029,	z =	-915.046
[jh_simplexP]	Iteracio	27	:	iout =	4,	q =	12,	B(p) =	5,	theta* =	0.045,	z =	-934.298
[jh_simplexP]	Iteracio	28	:	iout =	2,	q =	18,	B(p) =	11,	theta* =	83.214,	z =	-941.734
[jh_simplexP]	Iteracio	29	:	iout =	7,	q =	4,	B(p) =	14,	theta* =	0.084,	z =	-975.353
[jh_simplexP]	Iteracio	30	:	iout =	3,	q =	15,	B(p) =	7,	theta* =	7.563,	z =	-979.763
[jh_simplexP]	Iteracio	31	:	iout =	7,	q =	19,	B(p) =	4,	theta* =	18.090,	z =	-981.786
[jh_simplexP]	Iteracio	32	:	iout =	4,	q =	11,	B(p) =	12,	theta* =	0.546,	z =	-993.564
[jh_simplexP]	Iteracio	33	:	iout =	4,	q =	16,	B(p) =	11,	theta* =	75.522,	z =	-1017.486
[jh_simplexP]	Iteracio	34	:	iout =	10,	q =	4,	B(p) =	17,	theta* =	0.182,	z =	-1025.916
[jh_simplexP]	Iteracio	35	:	iout =	9,	q =	20,	B(p) =	13,	theta* =	75.212,	z =	-1025.996
[jh_simplexP]	Iteracio	36	:	iout =	10,	q =	2,	B(p) =	4,	theta* =	1.770,	z =	-1099.116
[jh_simplexP]	Iteracio	37	:	iout =	8,	q =	17,	B(p) =	8,	theta* =	234.920,	z =	-1136.466


```

[jh_simplexP] Iteracio 38 : iout = 10, q = 21, B(p) = 2, theta*= 46.640, z = -1290.786
[jh_simplexP] Iteracio 39 : iout = 6, q = 11, B(p) = 9, theta*= 3.879, z = -1341.321
[jh_simplexP] Iteracio 40 : iout = 6, q = 22, B(p) = 11, theta*= 1170.705, z = -1410.948
[jh_simplexP] Iteracio 41 : iout = 5, q = 2, B(p) = 10, theta*= 16.187, z = -2293.981
[jh_simplexP] Iteracio 42 : iout = 9, q = 13, B(p) = 20, theta*= 3.701, z = -2384.051
[jh_simplexP] Iteracio 43 : iout = 5, q = 23, B(p) = 2, theta*= 167.687, z = -2725.411
[jh_simplexP] Iteracio 44 : iout = 7, q = 20, B(p) = 19, theta*= 725.863, z = -2962.161
[jh_simplexP] Iteracio 45 : iout = 1, q = 2, B(p) = 6, theta*= 1.983, z = -4267.531
[jh_simplexP] Iteracio 46 : iout = 1, q = 24, B(p) = 2, theta*= 132.077, z = -4486.561
[jh_simplexP] Iteracio 47 : iout = 9, q = 4, B(p) = 13, theta*= 799.000, z = -5777.381
[jh_simplexP] Iteracio 48 : problema no acotat detectat.
[jh_simplexP] Problema no acotat.

```