

Client: ARUP Example Report Only
500 Chipeta Way
Salt Lake City, UT 84108
UNITED STATES

Physician: Test, Test

Patient: ARUPTest, 25864 Patient

DOB 2/5/1987
Sex: Male
Patient Identifiers: 46192
Visit Number (FIN): 46601
Collection Date: 9/15/2025 09:07

Diuretic Screen, Urine

ARUP test code 0091258

Diuretic Screen

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

Bumetanide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

Chlorothiazide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

Chlorthalidone

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

Furosemide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

Hydrochlorothiazide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: ARUPTest, 25864 Patient
ARUP Accession: 25-258-101693
Patient Identifiers: 46192
Visit Number (FIN): 46601
Page 1 of 2 | Printed: 9/16/2025 2:33:35 PM

walker, Karla J

Hydroflumethiazide

NEGATIVE

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, Karla J

Metolazone

NEGATIVE

Qualitative diuretic screen includes:
bumetanide, chlorothiazide, chlorthalidone,
furosemide, hydrochlorothiazide,
hydroflumethiazide, and metolazone.

Testing Threshold: 2 ug/mL

This test was developed and its performance characteristics
determined by Labcorp. It has not been cleared or approved
by the Food and Drug Administration.

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, Karla J

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Diuretic Screen	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Bumetanide	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Chlorothiazide	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Chlorthalidone	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Furosemide	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Hydrochlorothiazide	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Hydroflumethiazide	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM
Metolazone	25-258-101693	9/15/2025 9:07:00 AM	9/15/2025 9:11:49 AM	9/16/2025 9:46:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: ARUPTest, 25864 Patient
ARUP Accession: 25-258-101693
Patient Identifiers: 46192
Visit Number (FIN): 46601
Page 2 of 2 | Printed: 9/16/2025 2:33:35 PM