

Capturas Test Coverage

Products – Accounts – Services

products-accounts > com.banquito.core.productsaccounts.service

com.banquito.core.productsaccounts.service

Element	Missed Instructions	Cov.	Missed Branches	Cov.	Missed	Cxty	Missed	Lines	Missed	Methods	Missed	Classes
InterestRateService	<div><div></div></div>	88 %	<div><div></div></div>	83 %	1	10	4	50	0	7	0	1
ProductAccountService	<div><div></div></div>	100 %	<div><div></div></div>	100 %	0	6	0	22	0	5	0	1
Total	25 of 296	91 %	1 of 8	87 %	1	16	4	72	0	12	0	2


Branches -Services -Controller

branches

branches

Element	Missed Instructions	Cov.	Missed Branches	Cov.	Missed	Cxty	Missed	Lines	Missed	Methods	Missed	Classes
com.banquito.core.branches.model	<div><div></div></div>	14 %	<div><div></div></div>	0 %	28	36	13	18	13	21	1	2
com.banquito.core.branches.config	<div><div></div></div>	0 %	<div><div></div></div>	0 %	19	19	27	27	16	16	4	4
com.banquito.core.branches.controller.dto	<div><div></div></div>	34 %	<div><div></div></div>	0 %	20	34	0	7	5	19	0	2
com.banquito.core.branches.service	<div><div></div></div>	84 %	<div><div></div></div>	75 %	1	9	4	37	0	7	0	1
com.banquito.core.branches.controller	<div><div></div></div>	86 %	<div><div></div></div>	100 %	0	7	3	24	0	6	0	1
com.banquito.core.branches	<div><div></div></div>	0 %	<div><div></div></div>	n/a	2	2	3	3	2	2	1	1
com.banquito.core.branches.exception	<div><div></div></div>	75 %	<div><div></div></div>	n/a	1	4	3	10	1	4	0	1
com.banquito.core.branches.controller.mapper	<div><div></div></div>	94 %	<div><div></div></div>	75 %	2	6	1	16	1	4	0	1
Total	519 of 911	43 %	68 of 76	10 %	73	117	54	142	38	79	6	13

Docker Desktop



Postman

Postman interface showing a REST client request for the endpoint `http://localhost:8000/products/CORR2023`. The request is a GET method. The response status is 200 OK, Time: 125 ms, Size: 356 B. The response body is displayed in JSON format:

```
{
  "id": "CORR2023",
  "name": "product07",
  "description": "segundo producto",
  "minimumBalance": 11.00,
  "payInterest": "N",
  "acceptsChecks": "N",
  "state": "ACT"
}
```

Postman interface showing a REST client request for the endpoint `http://localhost:8000/products`. The request is a GET method. The response status is 200 OK, Time: 251 s, Size: 649 B. The response body is displayed in JSON format:

```
{
  "id": "CORR2024",
  "name": "product01",
  "description": "primer producto",
  "minimumBalance": 10.00,
  "payInterest": "N",
  "acceptsChecks": "N",
  "state": "ACT"
},
{
  "id": "CORR2025",
  "name": "product02",
  "description": "segundo producto",
  "minimumBalance": 1.00,
  "payInterest": "N",
  "acceptsChecks": "N",
  "state": "ACT"
},
{
  "id": "CORR2023",
  "name": "product07",
  "description": "segundo producto",
  "minimumBalance": 11.00
}
```

Postman interface showing a REST client request for **Interest get all** (GET) at `http://localhost:8000/interest`. The request is configured with the following parameters:

KEY	VALUE	DESCRIPTION
Key	Value	Description

The response body (Status: 200 OK, Time: 2.72 s, Size: 423 B) is displayed in JSON format:

```
1 {
2   "id": 6,
3   "name": "Interest1",
4   "interestRate": 0.5000,
5   "state": "ACT",
6   "start": "2023-01-08",
7   "end": "2023-03-08",
8 }
9
10 {
11   "id": 7,
12   "name": "Interest10",
13   "interestRate": 0.9000,
14   "state": "ACT",
15   "start": "2023-01-08",
16   "end": "2023-03-08",
17 }
18 }
```

Postman interface showing a REST client request for **Branch Get All** (GET) at `http://localhost:8000/branch`. The request is configured with the following parameters:

KEY	VALUE	DESCRIPTION
Key	Value	Description

The response body (Status: 200 OK, Time: 3.77 s, Size: 415 B) is displayed in JSON format:

```
1 {
2   "id": "640913bde2036c5ed6b99640",
3   "code": "12345",
4   "name": "Ejemplo",
5 },
6 {
7   "id": "640913d4ef836c5ed6b99641",
8   "code": "12346",
9   "name": "Ejemplo",
10 },
11 {
12   "id": "640925ecdf836c5ed6b99642",
13   "code": "12347",
14   "name": "JONATHAN",
15 },
16 }
17 }
```