AMENDED REPORT 11/22/2022 mOtega

Kansas State University Rabies Laboratory - Manhattan, KS 66502

FAVN REPORT FORM

Rabies Antibody Titer for Export Animals

R22-061578
10/20/2022

Kansas State Veterinary
DIAGNOSTIC LABORATORY

The Rabies Laboratory
Kansas State University
2005 Research Park Circle
Manhattan, KS 66502

Phone: 785-532-4483
Fax : 785-532-4474
Email: rabies@vet.k-state.edu
http://www.ksvdl.org/rabies-laboratory/

Results are reported on this form. Please complete on-line and printout. If handwritten, print clearly. Handwritten information is subject to interpretation by laboratory personnel. Once submitted, information cannot be altered*. **Required fields are bolded.**

Destination of animal being exported: Spain
Destination information is for laboratory report distribution only.

Submitting Clinic: ZOOVET TRUJILLO **Phone:** (514) 453-7229

Veterinarian Name: JESSICA YSABEL CAMACHO GARCIA **Fax:**

Clinic Mailing Address: AVENIDA AMERICA OESTE MZW3 LT5 URB COVICI **Email:** ZOOVET.TRUJILLO@OUTLOOK.CO

City: TRUJILLO **State/Country:** PU / PERU **Zipcode:** 13007

Owner Name: First WILLY Last LEON

Animal Name: DARKY

Microchip Number: 991003001930072 **Serum Draw Date** (mm/dd/yyyy): 09/ 12/ 2022
If there are two microchip numbers, only the first one will be on the result label.

Species/Breed: DOG/MIXED Sex: M ☐ F ■ Age: 4Y4M

Rabies Vaccination History: September 12, 2022.
February 2, 2022.

Vaccination history is for laboratory reference only. Please include up to three recent vaccinations dates if available.
Samples and test data may be used for general research without compromising client confidentiality. ☐ *Opt Out*

Signature of Veterinarian: Jessica Y. Camacho Garcia **Date** (mm/dd/yyyy): 10 / 14 / 2022
Signature affirms that the above information is correct and the microchip number has been verified.
CMVP: 12484

Test will be cancelled if sample tube is unlabeled or arrives without the microchip number*.

LAB#: R22-061578-1 Rec'd Date: OCTOBER 20, 2022

Microchip #: 991003001930072
The serum sample has been tested for antibodies to rabies virus by the OIE-FAVN test and found to have a titer of
0.87 IU/mL

Kansas State Veterinary
DIAGNOSTIC LABORATORY

Jamie Henningson DVM, PHD, DACVP - KSVDL Director
A titer of 0.50 IU/ml or above indicates an acceptable rabies antibody level for the purpose of export. For report verification, go to www.ksvdl.org/rabies-laboratory

For Lab Use Only: Opened by: FETh 10/20/22 Processed By: MMM 10/20/22
Transferred By: FETh 10/20/22 Payment Received: FP 19682 FETh 10/20/22
*

This report replaces a previous report reference number R22-061578 and is the same as the original report with the exception that serum draw date has changed from 10/ 13/ 2022 to 09/ 12/ 2022 due to a customer error.