

Try Mermaid Advanced Editor — OSS users get 10% off with code JS26

Get started

Mermaid Kanban Diagram Documentation

Mermaid's Kanban diagram allows you to create visual representations of tasks moving through different stages of a workflow. This guide explains how to use the Kanban diagram syntax, based on the provided example.

Overview


A Kanban diagram in Mermaid starts with the `kanban` keyword, followed by the definition of columns (stages) and tasks within those columns.

Code:

```
kanban
  column1[Column Title]
    task1[Task Description]
```

mermaid

⌘ + Enter | [Run ▶](#)



Defining Columns

Columns represent the different stages in your workflow, such as "Todo," "In Progress," "Done," etc. Each column is defined using a unique identifier and a title enclosed in square brackets.

Syntax:

```
columnId[Column Title]
```

- `columnId`: A unique identifier for the column.
- `[Column Title]`: The title displayed on the column header.

Like this `id1[Todo]`

Adding Tasks to Columns

Tasks are listed under their respective columns with an indentation. Each task also has a unique identifier and a description enclosed in square brackets.

Syntax:

```
taskId[Task Description]
```

- `taskId`: A unique identifier for the task.
- `[Task Description]`: The description of the task.

Example:

```
docs[Create Documentation]
```

Adding Metadata to Tasks

You can include additional metadata for each task using the `@{ ... }` syntax. Metadata can contain key-value pairs like `assigned`, `ticket`, `priority`, etc. This will be rendered added to the rendering of the node.


Supported Metadata Keys

- `assigned`: Specifies who is responsible for the task.
- `ticket`: Links the task to a ticket or issue number.
- `priority`: Indicates the urgency of the task. Allowed values: 'Very Hi

Code:

```
kanban
  todo[Todo]
    id3[Update Database Function]@{ ticket: MC-2037, assigned: 'knsv', prio
```

⌘ + Enter | Run ▶



Configuration Options

You can customize the Kanban diagram using a configuration block at the beginning of your markdown file. This is useful for setting global settings like a base URL for tickets. Currently there is one configuration option for kanban diagrams `ticketBaseUrl` . This can be set as in the following example:

```
---
config:
  kanban:
    ticketBaseUrl: 'https://yourproject.atlassian.net/browse/#TICKET#'
---
```

When the kanban item has an assigned ticket number the ticket number in the diagram will have a link to an external system where the ticket is defined. The `ticketBaseUrl` sets the base URL to the external system and `#TICKET#` is replaced with the ticket value from task metadata to create a valid link.


Full Example

Below is the full Kanban diagram based on the provided example:

Code:

```
mermaid
graph LR
    subgraph config
        direction TB
        kanban
        ticketBaseUrl["ticketBaseUrl: 'https://mermaidchart.atlassian.net/browse/#TICKET#'"]
    end

    subgraph kanban
        direction TB
        subgraph Todo
            id1[Create Documentation]
            id2[Create Blog about the new diagram]
        end
        subgraph In progress
            id3[Create renderer so that it works in all cases. We also add some extra text here for testing purposes. And some more just for the extra]
        end
        subgraph Ready for deploy
            id4[Design grammar]
        end
        subgraph Ready for test
            id5[Create parsing tests]
            id6[Last item]
        end
        subgraph Done
            id7[define getData]
            id8["Title of diagram is more than 100 chars when user duplicates diagram with MC-2036"]
            id9[Update DB function]
        end
        subgraph Can't reproduce
            id10[Weird flickering in Firefox]
        end
    end
```



In conclusion, creating a Kanban diagram in Mermaid is a straightforward process that effectively visualizes your workflow. Start by using the `kanban` keyword to initiate the diagram. Define your columns with unique identifiers and titles to represent different stages of your project. Under each column, list your tasks—also with unique identifiers—and provide detailed descriptions as needed. Remember that proper indentation is crucial; tasks must be indented under their parent columns to maintain the correct structure.

You can enhance your diagram by adding optional metadata to tasks using the `@{ ... }` syntax, which allows you to include additional context such as assignee, ticket numbers, and priority levels. For further customization, utilize the configuration block at the top of your file to set global options like `ticketBaseUrl` for linking tickets directly from your diagram.

By adhering to these guidelines—ensuring unique identifiers, proper indentation, and utilizing metadata and configuration options—you can create a comprehensive and customized Kanban board that effectively maps out your project's workflow using Mermaid.

[Edit this page on GitHub](#)

Previous page

Packet 🔥

Next page

Architecture 🔥

