

Try Mermaid Advanced Editor — OSS users get 10% off with code JS26

[Get started](#)

TreeView Diagram (v11.14.0+)

Introduction

A TreeView diagram is used to represent hierarchical data in the form of a directory-like structure.

Syntax

The structure of the tree depends only on indentation.

```
treeView-beta
  "<folder name>"
    "<file name>"
      "<folder name>"
        "<file name>"
      "<file-name>"
```

Examples

Code:

```
treeView-beta
  "packages"
    "mermaid"
      "src"
    "parser"
```

mermaid

⌘ + Enter | [Run ▶](#)

```
./
├── packages
│   ├── mermaid
│   │   └── src
│   └── parser
```

Code:

```
---
config:
  treeView:
    rowIndent: 80
    lineThickness: 3
  themeVariables:
    treeView:
      labelFontSize: '20px'
      labelColor: '#FF0000'
      lineColor: '#00FF00'
```

mermaid

treeView-beta

"packages"

"mermaid"

"src"

"parser"

⌘ + Enter

Run ▶

.

/

├── packages

│ ├── mermaid

│ │ ├── src

│ │ └── parser

└──

Config Variables

Property	Description	Default Value
rowIndent	Indentation for each row	10
paddingX	Horizontal padding of row	5
paddingY	Vertical padding of row	5
lineThickness	Thickness of the line	1

Theme Variables

Property	Description	Default Value
labelFontSize	Font size of the label	'16px'
labelColor	Color of the label	'black'
lineColor	Color of the line	'black'

[Edit this page on GitHub](#)

Previous page

Ishikawa 🔥

Next page

Other Examples

