



Guide 2: The Transition Phase

Early Friction & Biological De-Escalation

CANONICAL OWNER HANDBOOK

Publisher: Dog Trainers Directory (Melbourne, Victoria)

Standard: Evidence-Based Positive Reinforcement & Clinical De-Escalation

Access: 100% Free Public Guide • dogtrainersdirectory.com.au



GUIDE 2 OF 7

Guide 2 — The Transition Phase

Early Friction & Biological De-Escalation

The first 30 days are when routines harden. This guide replaces frustration with biological predictability, solving house-training delays, needle-sharp arousal biting, and puppy blues.



Section 2.1 • The Biological Window: Potty Mastery

Focus: House Training | **Time:** 5 min read

The Situation:

Your puppy eliminates outside, walks back in, and deposits a puddle on the living room rug 3 minutes later.

The Science & Mechanics:

Puppies lack complete urinary sphincter muscle control before 16 weeks. Movement, waking, and eating trigger the gastrocolic reflex within 10-20 minutes.

Action Protocol:

- The Bladder Formula: Age in Months + 1 = Maximum Holding Time in Hours (e.g. 2 months = 3h max while asleep; active intervals are 30-45m).
- The 3 Biological Triggers: Take the dog outside immediately upon waking, 10-15m post-meal, and after 10m of physical play.
- The 2-Second Pay Window: Deliver high-value meat reward within 1 to 2 seconds of squat completion while still outdoors.
- Enzymatic Cleanup: Clean accidents with enzymatic bio-cleaners to destroy uric acid crystals (never use ammonia).

■ CAUTION

Common Trap: Rubbing the dog's nose in accidents or scolding. This teaches the dog that eliminating in human presence is dangerous, driving them to hide behind furniture to toilet.

■ DECISION RULE

Immutable Rule: Indoor accidents reflect human supervision and timing gaps, not canine defiance.

■ CLINICAL ESCALATION

When to Get Professional Help: Frequent straining, blood in urine, or acute regression in a previously clean dog requires immediate veterinary urinalysis for UTIs.

Section 2.2 • The Reverse Timeout: Arousal Biting

Focus: Play & Biting | **Time:** 4 min read

The Situation:

During evening playtime, the puppy clamps down on hands, jeans, or ankles, biting harder when pushed away.

The Science & Mechanics:

Pushing, squealing, and wrestling stimulate predatory play drive. Human reaction functions as an active reinforcer.

Action Protocol:

- The 3-Second Disengagement: The instant teeth touch skin, say a neutral marker ('Too bad') in a flat voice.
- The Reverse Timeout (RTO): Stand up, cross arms, step over the baby gate or leave the room for exactly 15 seconds.
- Calm Re-entry: Return without speaking. Offer a tactile replacement (frozen KONG, yak chew, or rope toy).
- Rule: Teeth on human = social attention instantly terminates.

■■ CAUTION

Common Trap: Physical scolding or muzzle-pinning ('alpha roll'). This triggers defensive fear and escalates arousal biting.

■■■ DECISION RULE

Immutable Rule: Remove the human reward (attention) the exact millisecond teeth touch human skin.

■ CLINICAL ESCALATION

When to Get Professional Help: Biting accompanied by frozen posture, hard staring, snarling, or resource guarding is clinical aggression requiring trainer intervention.

Section 2.3 • Decompressing Owner Overwhelm & 3-3-3 Rule

Focus: Mindset & Routine | **Time:** 4 min read

The Situation:

At day 5, the owner feels profound exhaustion, crying spells, and deep anxiety over having made a mistake.

The Science & Mechanics:

Sleep deprivation and vigilance elevate human cortisol, while the canine cortisol reset curve requires 72+ hours post-rehoming.

Action Protocol:

- The 3-3-3 Milestone Filter: Day 3 (Overwhelmed/Shut-down) -> Week 3 (Learning routine) -> Month 3 (Attachment & true personality).
- Enforced Nap Cadence: 1 hour awake -> 2 hours quiet rest in the Base Zone. Puppies require 18-20 hours of daily sleep.
- Radical Simplification: Drop complex obedience tricks. Focus solely on sleep, potty timing, and calm supervision.

■■ CAUTION

Common Trap: Treating normal puppy overstimulation as a permanent behavioral defect.

■■ DECISION RULE

Immutable Rule: A well-rested puppy and a calm owner solve 80% of early friction before formal training begins.

■ CLINICAL ESCALATION

When to Get Professional Help: If severe owner anxiety persists after routine stabilization, consult a professional trainer to establish an in-home structure plan.