TEAM CARLTRON | ROBOT TRACKING TARGET

ID 9 | 85 x 85 mm black code | 7.5 mm white surround

PAGE 1: RECOMMENDED BALANCED FIRST TEST



The dashed grey square is the complete 100 x 100 mm cutout.

Cut on the CENTRE of the line; align all four edges to your plate.

PRINT AND MOUNT

A4 portrait. Actual size / Custom 100%. Do not use Fit to paper.

Measure the outer square: 100 x 100 mm; black code: 85 x 85 mm.

White gap from black code to outline centre: 7.5 mm on every side.

Keep the print flat and matte. Keep screws, tape and ink off the white surround.

Use ONE version only. All pages contain ID9, but their metric sizes differ.



100 mm print-scale check - between end tick centres

REFERENCE AND GEOMETRY

R = canonical bottom-left BLACK-code corner: (7.5, 7.5) mm from cutout bottom-left.

Decoded corner R follows the marker orientation; it is not the lowest image corner.

Measure actual printed dimensions and top-surface height before metric robot tracking.

TEAM CARLTRON | ROBOT TRACKING TARGET

ID 9 | 90 x 90 mm black code | 5 mm white surround

PAGE 2: OPTIONAL LARGER CODE - QUALIFY CORNERS FIRST



The dashed grey square is the complete 100 x 100 mm cutout.

Cut on the CENTRE of the line; align all four edges to your plate.

PRINT AND MOUNT

A4 portrait. Actual size / Custom 100%. Do not use Fit to paper.

Measure the outer square: 100 x 100 mm; black code: 90 x 90 mm.

White gap from black code to outline centre: 5 mm on every side.

Keep the print flat and matte. Keep screws, tape and ink off the white surround.

Use ONE version only. All pages contain ID9, but their metric sizes differ.



100 mm print-scale check - between end tick centres

REFERENCE AND GEOMETRY

R = canonical bottom-left BLACK-code corner: (5, 5) mm from cutout bottom-left.

Decoded corner R follows the marker orientation; it is not the lowest image corner.

Measure actual printed dimensions and top-surface height before metric robot tracking.

TEAM CARLTRON | ROBOT TRACKING TARGET

ID 9 | 80 x 80 mm black code | 10 mm white surround

PAGE 3: CONSERVATIVE WIDER-SURROUND FALLBACK



The dashed grey square is the complete 100 x 100 mm cutout.

Cut on the CENTRE of the line; align all four edges to your plate.

PRINT AND MOUNT

A4 portrait. Actual size / Custom 100%. Do not use Fit to paper.

Measure the outer square: 100 x 100 mm; black code: 80 x 80 mm.

White gap from black code to outline centre: 10 mm on every side.

Keep the print flat and matte. Keep screws, tape and ink off the white surround.

Use ONE version only. All pages contain ID9, but their metric sizes differ.



100 mm print-scale check - between end tick centres

REFERENCE AND GEOMETRY

R = canonical bottom-left BLACK-code corner: (10, 10) mm from cutout bottom-left.

Decoded corner R follows the marker orientation; it is not the lowest image corner.

Measure actual printed dimensions and top-surface height before metric robot tracking.