## HW 12: Section 4

Carly Chang (A16843962)

## 4. Population Scale Analysis

One sample is obviously not enough to know what is happening in a population. You are interested in assessing genetic differences on a population scale. So, you processed about  $\sim 230$  samples and did the normalization on a genome level. Now, you want to find whether there is any association of the 4 asthma-associated SNPs (rs8067378...) on ORMDL3 expression.

Q13: Read this file into R and determine the sample size for each genotype and their corresponding median expression levels for each of these genotypes. Hint: The read.table(), summary() and boxplot() functions will likely be useful here. There is an example R script online to be used ONLY if you are struggling in vein. Note that you can find the medium value from saving the output of the boxplot() function to an R object and examining this object. There is also the medium() and summary() function that you can use to check your understanding.

```
expr <- read.table("rs8067378_ENSG00000172057.6.txt") # get file
head(expr)</pre>
```

```
sample geno exp

1 HG00367 A/G 28.96038

2 NA20768 A/G 20.24449

3 HG00361 A/A 31.32628

4 HG00135 A/A 34.11169

5 NA18870 G/G 18.25141

6 NA11993 A/A 32.89721
```


```
nrow(expr) # number of rows (samples)
```

[1] 462

A/A A/G G/G 108 233 121

Q14: Generate a boxplot with a box per genotype, what could you infer from the relative expression value between A/A and G/G displayed in this plot? Does the SNP effect the expression of ORMDL3? Hint: An example boxplot is provided overleaf – yours does not need to be as polished as this one.

```
library(ggplot2)
ggplot(expr) +
  aes(geno, exp, fill=geno) +
  geom_boxplot(notch=T)
```



If notches don't overlap, then the difference is usually significant. G/G and A/A expression levels are quite different, indicating that the SNP affects the expression of ORMDL3.