

What the System Remembers: Pressure Builds

系统记住了什么：压力上升

Theme: 科学、技术与互联网 · New: 45 · Review: 18 · Planned cumulative progress: 45/6, 127

English Story

At this stage of **development**, the international airport project had a **long record** of safe tests. The local team used a computer **screen** to view every **runway**, road, parking area, and service car across the full **range** of the site, from the control-room door to the nearest street. As Lin entered, a red **statement** appeared: **GET NEW DATA**. It was not the **style** of warning they had designed, **nor** did it give the next step. They had little **time** to wait.

A **group** of engineers began to **draw** the system in the limited **space** on a **wall**. Each **column** showed one **period** in the data **sequence**; each row showed a different condition. A blue **card** represented food deliveries, a white **card** represented a medical drug shipment, and a **gold card** represented a high-security flight. A **thick string** formed the **link** between each **record** and the person who approved it. The visual **combination** exposed a gap. A red **cross** marked the exact **link** where the **sequence** broke.

The database could capture a driver's face but also contained a **gene** field copied from another version. That field had no useful purpose here. A **negative** flag should have blocked it under privacy **regulation**, yet an old **construction** template had carried it across. In **contrast**, the system failed to **record** damage on the **lip** of a fuel tray. The **screen** displayed **noise** instead of a precise measurement.

Outside, workers used **tape** and a **tin seal** to protect a cable box. A **hammer** lay beside the **yard** marker, and a warning **bell** beat against the wind. No one could **press** the emergency button until the control-room director confirmed the fault. Lin removed the copied field, but the **remainder** of the **sequence** still needed review. The force of habit had allowed a technical shortcut to play the role of policy, leaving no safety **net** when the copied field passed inspection.

The team decided to **get** independent approval before reopening the **runway**. They would **block** unnecessary personal data, **cross-check** every **card**, and give each operator a clear **phrase** for reporting an error. Thus the delay became evidence rather than embarrassment. The airport remained safe, and the **group** gained **time** to rebuild the system without hiding what had happened.

中文翻译

项目开发进行到这一阶段时，这套国际机场系统已经有很长的安全测试记录。本地团队用电脑屏幕查看整个场地范围内的每条跑道、道路、停车区域和服务车辆，从控制室门口一直到最近的街道。林伟走进来时，屏幕出现一条红色提示：“获取新数据。”这既不是他们设计的警告样式，也没有说明下一步该做什么，而他们没有多少时间等待。

一组工程师开始在有限的墙面空间里画出系统。每一列代表数据序列中的一个时期，每一行代表一种不同状态。蓝卡代表食品运输，白卡代表医药货物，金卡代表高安全级别航班。一根粗绳表示每条记录与批准人之间的联系。这个可视化组合暴露出一个缺口，一个红色的叉标出了序列断裂的确切环节。

数据库可以捕捉司机的面部，却还包含一个从其他版本复制来的基因字段。该字段在这里没有任何用途。按照隐私规定，否定标记本应阻止它，但一份旧建筑模板把它带了过来。相反，系统没有记录燃料托盘边缘的损伤，屏幕显示的是噪声而非精确测量。

室外，工人用胶带和锡封保护电缆箱。锤子放在码标旁，警铃在风中不断敲响。控制室主管确认故障前，任何人都不能按紧急按钮。林伟删除了复制字段，但序列的其余部分仍需检查。习惯的力量让一个技术捷径扮演了政策的角色，也让复制字段通过检查时没有任何安全网。

团队决定在重新开放跑道前取得独立批准。他们会拦截不必要的个人数据，交叉核对每张卡片，并给每名操作员一句清晰的报错用语。因此，这次延误成了证据，而不是难堪。机场保持安全，团队也获得时间，在不隐瞒事件的前提下重建系统。

Core Vocabulary · 核心词汇

Word / Pronunciation	Context meaning / source example
and ænd POS: conj	conj. 和, 与; [计] 与 Collocation: — (not independently sourced) Example: conj. A particle which expresses the relation of connection or; addition. It is used to conjoin a word with...
get get POS: vt	vt. 得到, 获得, 变成, 使得, 收获, 接通, 抓住, 染上; vi. 到达, 成为, 变得; n. (网球等) 救球, 生殖, 幼兽; ... Collocation: — (not independently sourced) Example: n. a return on a shot that seemed impossible to reach and would normally have resulted in a point for the opp...
time taim POS: n	n. 时间, 时候, 时机, 时期, 期限, 次数, 节拍, 暂停, 规定时间; vt. 测定...的时间, 记录...的时间, 计时, 定... Collocation: — (not independently sourced) Example: n. an instance or single occasion for some event; n. a period of time considered as a resource under your cont...
group gru:p POS: n	n. 团体, 组, 团, 群; v. 聚合, 成群; [计] 创建组; 组, 用户组 Collocation: — (not independently sourced) Example: n. any number of entities (members) considered as a unit; n. (chemistry) two or more atoms bound together as a...
long lɒŋ POS: a	a. 长的, 长久的, 冗长的, 做多头的; vi. 渴望, 热望, 极想; adv. 长久, 始终; n. 长时间, 长信号, 长整型; [计] ... Collocation: — (not independently sourced) Example: a. primarily temporal sense; being or indicating a relatively great or greater than average duration or passa...
development di'veləpmənt POS: n	n. 发展; [化] 展开 Collocation: — (not independently sourced) Example: n. act of improving by expanding or enlarging or refining; n. a process in which something passes by degrees t...
period 'piəriəd POS: n	n. 时期, 节段, 节, 句点, 学时, 周期; a. 当时特有的, 过去某段时期的; interj. 就是这话, 就是这么回事 Collocation: — (not independently sourced) Example: n. the interval taken to complete one cycle of a regularly repeating phenomenon; n. (ice hockey) one of three...
draw drɒ: POS: vi	vi. 拉, 拖, 拔剑; vt. 拖拉, 挨近, 领取, 打成平局, 引导, 抽签决定, 画, 描写, 制订, 草拟, 吸引; n. 拉, ... Collocation: — (not independently sourced) Example: n. a gully that is shallower than a ravine; n. the finish of a contest in which the score is tied and the winn...
range 'reindʒ POS: n	n. 排, 行, 山脉, 范围, 行列, 射程; vt. 排列, 归类于, 使并列, 放牧; vi. 平行, 延伸, 漫游; [计] 量程; 范... Collocation: — (not independently sourced) Example: n. the limits within which something can be effective; n. a large tract of grassy open land on which livestock...
record ri'kɔ:d POS: n	n. 记录, 履历, 档案, 审判记录, 最高纪录, 唱片; vt. 记录, 记载, 标明, 将...录音; vi. 记录, 录音, 可被录音... Collocation: — (not independently sourced) Example: n. anything (such as a document or a phonograph record or a photograph) providing permanent evidence of or in...
space speis POS: n	n. 位置, 空间, 距离, 太空, 空白, 间隔, (期刊等的) 篇幅; vt. 隔开, 分隔; vi. 留间隔; [计] 空白, 空格校验 Collocation: — (not independently sourced) Example: n. the unlimited expanse in which everything is located; n. an empty area (usually bounded in some way between...
wall wɔ:l POS: n	n. 墙, 墙壁, 垣, 内壁, 分界物, 屏障; a. 墙的; vt. 给...建墙, 禁闭, 用墙围住; [计] 背景墙 Collocation: — (not independently sourced) Example: n. an architectural partition with a height and length greater than its thickness; used to divide or enclose...
statement 'steitmənt POS: n	n. 陈述, 指令, 声明; [计] 程序语句; 语句 Collocation: — (not independently sourced) Example: n. a message that is stated or declared; a communication (oral or written) setting forth particulars or facts...
style stail POS: n	n. 风格, 时尚, 文体, 风度, 字体, 类型; vt. 称呼, (根据新款式) 设计, 使合潮流; n. 风格, 样式; [计] 风格, 样式 Collocation: — (not independently sourced) Example: n. a particular kind (as to appearance); n. (botany) the narrow elongated part of the pistil between the ovary...
nor nɔ: POS: conj	conj. 也不, 也没有; [计] 或非 Collocation: — (not independently sourced) Example: conj. A negative connective or particle, introducing the second; member or clause of a negative proposition...
card kɑ:d POS: n	n. 卡片, 纸牌, 节目单, 明信片, 梳棉机; vt. 备置卡片, 记于卡片上, 梳理; [计] 卡片, 卡 Collocation: — (not independently sourced) Example: n. one of a set of small pieces of stiff paper marked in various ways and used for playing games or for telli...
press pres POS: n	n. 压, 揪, 按, 人群, 印刷机, 压力, 出版社, 记者, 报刊, 新闻舆论, 紧迫; vt. 压, 压榨, 紧抱, 逼迫, 推进, ... Collocation: — (not independently sourced) Example: n. the print media responsible for gathering and publishing news in the form of newspapers or magazines; n. a...
yard jɑ:d POS: n	n. 码, 庭院, 工场; [化] 堆置场 Collocation: — (not independently sourced) Example: n. a unit of length equal to 3 feet; defined as 91.44 centimeters; originally taken to be the average length...
beat bi:t POS: n	n. 心跳(声), 打, 敲打声, 拍子; v. 打, 拍打, 打败; a. 疲惫的, 颓废的; beat的过去式; [计] 拍; 节拍 Collocation: — (not independently sourced) Example: n. a regular route for a sentry or policeman; n. a single pulsation of an oscillation produced by adding two w...

Word / Pronunciation	Context meaning / source example
screen skri:n POS: n	n. 幕, 银幕, 屏风, 掩蔽物, 屏蔽, 筛子; vt. 掩蔽, 放映, 拍摄, 掩护, 筛, 甄别; vi. 拍电影; [计] 筛选; 屏幕 Collocation: — (not independently sourced) Example: n. a white or silvered surface where pictures can be projected for viewing; n. the display that is electronic...
gold gəʊld POS: n	n. 黄金, 钱财, 金块, 金色, 宝贵; a. 金的, 似金的, 金色的, 金制的 Collocation: — (not independently sourced) Example: n. coins made of gold; n. a soft yellow malleable ductile (trivalent and univalent) metallic element; occurs m...
link lɪŋk POS: n	n. 环, 连结点, 链接, 火把; vt. 连结, 联合, 挽住; vi. 连接起来; [计] 连接, 链路 Collocation: — (not independently sourced) Example: n. the means of connection between things linked in series; n. a fastener that serves to join or connect; n. a...
block blɒk POS: n	n. 街区, 木块, 石块, 块; vt. 阻塞, 封锁, 使成块状; [计] 块, 数据块 Collocation: — (not independently sourced) Example: n. a solid piece of something (usually having flat rectangular sides); n. a rectangular area in a city surround...
cross krɒs POS: n	n. 十字架, 十字架形物件, 交叉, 十字标, 交叉路, 磨难, 杂交; a. 生气的, 交叉的, 相反的; v. 交叉, 横过, 越过; [...] Collocation: — (not independently sourced) Example: n. a wooden structure consisting of an upright post with a transverse piece; n. a representation of the struct...
regulation ˌregjʊˈleɪʃən POS: n	n. 规则, 管理, 调整; [计] 调整; 规章; 规则; 调节 Collocation: — (not independently sourced) Example: n. an authoritative rule; n. the state of being controlled or governed; n. (embryology) the ability of an early...
construction kənˈstrʌkʃən POS: n	n. 建筑, 构造, 建筑物; [化] 施工 Collocation: — (not independently sourced) Example: n. the act of constructing something; n. a group of words that form a constituent of a sentence and are consid...
contrast kənˈtræst POS: n	n. 差别, 对比, 对照物; vt. 使对比; vi. 成对照; [计] 反差; 对比度 Collocation: — (not independently sourced) Example: n. the opposition or dissimilarity of things that are compared; n. the act of distinguishing by comparing diff...
lip lɪp POS: n	n. 唇, 口缘, 唇状构造; vt. 以嘴唇碰, 轻轻说出; a. 口头上的; [计] 大型互连网信息包 Collocation: — (not independently sourced) Example: n. either of two fleshy folds of tissue that surround the mouth and play a role in speaking; n. (botany) eithe...
negative ˈneɡətɪv POS: n	n. 否定, 否定语, 负数, 底片; a. 否定的, 消极的, 负的, 阴性的; n. 负数, 负值; [计] 负数, 负值 Collocation: — (not independently sourced) Example: n. a reply of denial; n. a piece of photographic film showing an image with light and shade or colors reversed...
tape teɪp POS: n	n. 带子, 录音带, 磁带, 窄带, 卷尺; vt. 以带子绑起, 测量, 录音; [计] 带 Collocation: — (not independently sourced) Example: n. a long thin piece of cloth or paper as used for binding or fastening; n. a recording made on magnetic tape; ...
noise nɔɪz POS: n	n. 噪音, 杂音, 响声, 喧闹; vt. 谣传; vi. 喧闹; [计] 噪声 Collocation: — (not independently sourced) Example: n. sound of any kind (especially unintelligible or dissonant sound); n. the auditory experience of sound that...
sequence ˈsi:kwəns POS: n	n. 序列, 续发事件, 顺序, 连续; vt. 按顺序排好; [计] 顺序 Collocation: — (not independently sourced) Example: n. serial arrangement in which things follow in logical order or a recurrent pattern; n. a following of one th...
thick θɪk POS: a	a. 厚的, 粗壮的, 浓的, 迟钝的, 浑浊的, 多雾的, 过分的, 口齿不清的; adv. 厚地, 密地, 浓浓地; n. 最浓处, 最厚... Collocation: — (not independently sourced) Example: a. not thin; of a specific thickness or of relatively great extent from one surface to the opposite usually i...
combination ˌkɒmbɪˈneɪʃən POS: n	n. 组合, 合并, 联合; [计] 组合图 Collocation: — (not independently sourced) Example: n. a collection of things that have been combined; an assemblage of separate parts or qualities; n. a coordina...
column ˈkɒləm POS: n	n. 专栏, 圆柱, 纵队, 列, 柱形物; [计] 列, 柱形图 Collocation: — (not independently sourced) Example: n. a line of units following one after another; n. a vertical glass tube used in column chromatography; a mixt...
phrase freɪz POS: n	n. 惯用语, 词组, 成语, 措词, 乐句; vt. 用短语表达, 把(乐曲)分成短句; [计] 短语 Collocation: — (not independently sourced) Example: n. an expression consisting of one or more words forming a grammatical constituent of a sentence; n. a short m...
gene dʒi:n POS: n	n. 基因; [化] 基因(遗传因子) Collocation: — (not independently sourced) Example: n. (genetics) a segment of DNA that is involved in producing a polypeptide chain; it can include regions prec...
string strɪŋ POS: n	n. 线, 细绳, 一串, 字符串; vt. 串起, 成串, 收紧, 缚, 扎; vi. 成一串; [计] 字符串, 串 Collocation: — (not independently sourced) Example: n. a lightweight cord; n. a tightly stretched cord of wire or gut, which makes sound when plucked, struck, or...

Word / Pronunciation	Context meaning / source example
net net POS: n	n. 网, 网状物, 罗网, 净利, 净价; a. 净的, 最终的; vt. 用网捕, 撒网, 净赚, 得到; vi. 编网; [计] 网络, 网... Collocation: — (not independently sourced) Example: n. a trap made of netting to catch fish or birds or insects; n. a goal lined with netting (as in soccer or hoc...
bell bel POS: n	n. 铃, 钟; [计] 响铃命令 Collocation: — (not independently sourced) Example: n. a hollow device made of metal that makes a ringing sound when struck; n. the sound of a bell being struck; n...
tin tin POS: n	n. 锡, 马口铁, 罐头; vt. 在...镀锡于; a. 锡制的; [计] tin阅读程序 Collocation: — (not independently sourced) Example: n. a silvery malleable metallic element that resists corrosion; used in many alloys and to coat other metals...
remainder ri'meində POS: n	n. 剩余物, 其他人, 残余, 余数; v. 削价出售(图书); a. 剩余的, 出售削价剩书的; [计] 余数 Collocation: — (not independently sourced) Example: n. something left after other parts have been taken away; n. the part of the dividend that is left over when t...
seal si:l POS: n	n. 印章, 封条, 海豹, 海豹皮, 火漆, 封蜡, 玺, 保证, 批准, 象征, 标志; vt. 封闭, 盖印, 盖章; vi. 猎海豹 Collocation: — (not independently sourced) Example: n. a device incised to make an impression; used to secure a closing or to authenticate documents; n. the pelt...
hammer 'hæmə POS: n	n. 锤, 铁锤, 钉锤; vt. 锤打, 敲打, 钉; vi. 连续锤打; [计] 锤头 Collocation: — (not independently sourced) Example: n. the part of a gunlock that strikes the percussion cap when the trigger is pulled; n. a hand tool with a hea...
runway 'rʌnwei POS: n	n. 跑道, 河床, 过道; [化] 单轨架空道; 吊车道 Collocation: — (not independently sourced) Example: n. a chute down which logs can slide; n. a narrow platform extending from the stage into the audience in a the...