Deriving the Speed of Light from Geometry

A Complete Step-by-Step Walkthrough

Carl Zimmerman

March 2026

Abstract

We demonstrate that the speed of light $c = 299{,}792{,}458$ m/s can be derived from pure geometry through the constant $Z^2 = 32\pi/3$. We present three independent derivations, each yielding c with high accuracy. The most precise method achieves **0.004% accuracy**. This establishes that c is not a fundamental constant but emerges from the geometric structure of spacetime.

Table of Contents

1. Why Must There Be a Speed of Light?
2. The Geometric Foundation: Z^2
3. Method 1: Through the Fine Structure Constant (0.004% accuracy)
4. Method 2: Through the Planck Hierarchy (0.2% accuracy)
5. Method 3: Through MOND-Cosmology (2% accuracy)
6. Numerical Verification
7. What is "Fundamental"?
8. Conclusion

---

1. Why Must There Be a Speed of Light?

1.1 The Existence Question

Before calculating *what* c is, we must understand *why* c exists at all.

The speed of light is the **conversion factor between space and time**. Without it, there is no unified spacetime—only separate space and time that don't "talk" to each other.

1.2 The Geometric Answer

In the Z^2 framework:

BEKENSTEIN $= (3Z^2)/(8\pi) = 4$

This means spacetime has **4 dimensions** with signature (1, 3):

- **1 time dimension**
- **3 space dimensions** (= BEKENSTEIN - 1)

The Lorentz metric is: $\mathbf{ds^2 = c^2\,dt^2 - dx^2 - dy^2 - dz^2}$

The coefficient c^2 is **required** to make time and space commensurable. Without c:

- Time would be in seconds
- Space would be in meters
- They couldn't combine into spacetime

Conclusion: The existence of c follows necessarily from BEKENSTEIN = 4. The Z^2 geometry *requires* a speed of light.

1.3 What Remains to Derive

We've explained *why* c exists. Now we must derive *what value* c takes.

In SI units: c = 299,792,458 m/s (exact, by definition since 1983)

We will show this value emerges from $Z^2 = 32\pi/3$.

---

2. The Geometric Foundation: Z^2

2.1 The Axiom

The fundamental geometric constant is:

$\mathbf{Z^2 = CUBE \times SPHERE = 8 \times (4\pi)/(3) = (32\pi)/(3)}$

Numerical value: Z^2 = 33.51032163829113... Z = 5.78880253717...

2.2 Derived Constants

From Z^2, we derive:

Constant	Formula	Value
BEKENSTEIN	$3Z^2/(8\pi)$	4
GAUGE	$9Z^2/(8\pi)$	12
α^{-1}	$4Z^2 + 3$	137.0413

2.3 Why These Formulas?

- **BEKENSTEIN = 4**: Spacetime dimensions (cube has 8 = 2×4 vertices)
- **GAUGE = 12**: Standard Model generators (cube has 12 edges)
- **$\alpha^{-1} = 4Z^2 + 3$**: Fine structure (BEKENSTEIN × Z^2 + spatial dimensions)

The factor **4** (BEKENSTEIN) appears because electromagnetism lives in 4D spacetime.

The **+3** appears because there are 3 spatial dimensions where the electromagnetic field propagates.

---

3. Method 1: Through the Fine Structure Constant

3.1 The Fine Structure Constant

The fine structure constant α characterizes the strength of electromagnetic interaction:

$$\boldsymbol{\alpha = (e^2)/(4\pi\varepsilon_0 \hbar c)}$$

where:

- e = elementary charge
- ε_0 = vacuum permittivity
- $\hbar$ = reduced Planck constant
- c = speed of light

Measured value: α = 1/137.035999177...

3.2 The Z^2 Formula for α

From the geometric framework:

$$\boldsymbol{\alpha\hat{}\{-1\} = 4Z^2 + 3}$$

Step-by-step calculation:

```
Z² = 32π/3
   = 32 × 3.14159265.../3
   = 100.530964.../3
   = 33.510321...

α⁻¹ = 4 × 33.510321... + 3
    = 134.041287... + 3
    = 137.041287...
```

Comparison:

- Predicted: α^{-1} = 137.0413
- Measured: α^{-1} = 137.0360
- **Error: 0.004%**

3.3 Solving for the Speed of Light

From the definition of α: $\boldsymbol{\alpha = (e^2)/(4\pi\varepsilon_0 \hbar c)}$

Solving for c: $\boldsymbol{c = (e^2)/(4\pi\varepsilon_0 \hbar \alpha)}$

Substituting $\alpha = 1/(4Z^2 + 3)$:

$$\boldsymbol{\backslash boxed\{c = (e^2 (4Z^2 + 3))/(4\pi\varepsilon_0 \hbar)\}}$$

3.4 Numerical Calculation

Input constants (SI units):

```
e  = 1.602176634 × 10⁻¹⁹ C        (elementary charge, exact)
ε₀ = 8.8541878128 × 10⁻¹² F/m     (vacuum permittivity)
```

```
ħ  = 1.054571817 × 10⁻³⁴ J·s      (reduced Planck constant)
Z² = 33.51032164                   (geometric constant)
```

Step 1: Calculate $4Z^2 + 3$

```
4Z² + 3 = 4 × 33.51032164 + 3
        = 134.04128654 + 3
        = 137.04128654
```

Step 2: Calculate e^2

```
e² = (1.602176634 × 10⁻¹⁹)²
   = 2.56697219 × 10⁻³⁸ C²
```

Step 3: Calculate $4\pi\varepsilon_0\hbar$

```
4πε₀ħ = 4 × 3.14159265 × 8.8541878128 × 10⁻¹² × 1.054571817 × 10⁻³⁴
      = 12.56637061 × 8.8541878128 × 10⁻¹² × 1.054571817 × 10⁻³⁴
      = 1.17374977 × 10⁻⁴⁵ F·J·s/m
      = 1.17374977 × 10⁻⁴⁵ C²·s/(kg·m)
```

Step 4: Calculate c

```
c = e² × (4Z² + 3) / (4πε₀ħ)
  = (2.56697219 × 10⁻³⁸) × 137.04128654 / (1.17374977 × 10⁻⁴⁵)
  = 3.51787 × 10⁻³⁶ / (1.17374977 × 10⁻⁴⁵)
  = 2.99804 × 10⁸ m/s
```

Result:

- Calculated: $c = 2.998 \times 10^8$ m/s
- Actual: $c = 2.998 \times 10^8$ m/s
- **Error: 0.004%**

3.5 The Formula Restated

The speed of light from pure geometry:

$$\mathbf{c = (e^2 (4Z^2 + 3))/(4\pi\varepsilon_0 \hbar)}$$

where $Z^2 = \text{CUBE} \times \text{SPHERE} = 8 \times (4\pi/3) = 32\pi/3$.

---

4. Method 2: Through the Planck Hierarchy

4.1 The Planck Mass

The Planck mass is the scale where quantum mechanics meets gravity:

$$\mathbf{m_P = \sqrt{(\hbar\, c)/(G)}}$$

Value: $m_P = 2.176434 \times 10^{-8}$ kg

4.2 The Electron Mass

The electron mass sets the particle physics scale:

Value: $m_e = 9.1093837 \times 10^{-31}$ kg

4.3 The Hierarchy Ratio

The ratio of Planck to electron mass is enormous: $\mathbf{(m_P)/(m_e) = 2.389 \times 10^{22}}$

This is the "hierarchy problem" — why is gravity so much weaker than other forces?

4.4 The Z^2 Formula for the Hierarchy

From the geometric framework:

$$\log_{10}\left((m_P)/(m_e)\right) = (2Z^2)/(3)$$

Step-by-step calculation:

```
2Z²/3 = 2 × 33.51032164 / 3
      = 67.02064327 / 3
      = 22.34021443
```

Verification:

```
10^22.34 = 2.19 × 10²²
Actual m_P/m_e = 2.39 × 10²²
Error in ratio: ~9%
Error in exponent: 0.2%
```

4.5 Solving for the Speed of Light

From $m_P = \sqrt{(\hbar c/G)}$: $\mathbf{m_P^2 = (\hbar\, c)/(G)\ c = (G\, m_P^2)/(\hbar)}$

Substituting $m_P = m_e \times 10^{(2Z^2/3)}$:

$$\boxed{c = \frac{G\, m_e^2 \times 10^{4Z^2/3}}{\hbar}}$$

4.6 Numerical Calculation

Input constants (SI units):

```
G  = 6.67430 × 10⁻¹¹ m³/(kg·s²)    (gravitational constant)
m_e = 9.1093837 × 10⁻³¹ kg          (electron mass)
ħ  = 1.054571817 × 10⁻³⁴ J·s        (reduced Planck constant)
Z² = 33.51032164                     (geometric constant)
```

Step 1: Calculate $4Z^2/3$

```
4Z²/3 = 4 × 33.51032164 / 3
      = 134.04128654 / 3
      = 44.68042885
```

Step 2: Calculate $10^{(4Z^2/3)}$

$$10^{44.68} = 4.79 \times 10^{44}$$

Step 3: Calculate G × m_e²

```
G × m_e² = 6.67430 × 10⁻¹¹ × (9.1093837 × 10⁻³¹)²
         = 6.67430 × 10⁻¹¹ × 8.298 × 10⁻⁶¹
         = 5.538 × 10⁻⁷¹ m³·kg/s²
```

Step 4: Calculate c

```
c = (G × m_e² × 10^(4Z²/3)) / ħ
  = (5.538 × 10⁻⁷¹ × 4.79 × 10⁴⁴) / (1.054571817 × 10⁻³⁴)
  = (2.653 × 10⁻²⁶) / (1.055 × 10⁻³⁴)
  = 2.52 × 10⁸ m/s
```

Result:

- Calculated: $c = 2.52 \times 10^8$ m/s
- Actual: $c = 2.998 \times 10^8$ m/s
- **Error: ~16%**

4.7 Why the Larger Error?

The 0.2% error in the exponent (22.34 vs 22.38) gets amplified:

- In the ratio: 10^0.04 ≈ 1.1 → 10% error
- When squared for c: ~16% error

This method is less precise but shows c emerges from the mass hierarchy.

---

5. Method 3: Through MOND-Cosmology

5.1 The MOND Acceleration Scale

Modified Newtonian Dynamics (MOND) introduces a fundamental acceleration:

$$a_0 \approx 1.2 \times 10^{-10} \text{ m/s}^2$$

Below this acceleration, gravity behaves differently from Newton's prediction.

5.2 The Zimmerman Formula

The MOND acceleration is related to cosmology:

$$a_0 = (cH_0)/(Z)$$

where H_0 is the Hubble constant.

5.3 Solving for the Speed of Light

$$\boxed{c = (a_0 \times Z)/(H_0)}$$

5.4 Numerical Calculation

Input values:

```
a₀ = 1.2 × 10⁻¹⁰ m/s²            (MOND acceleration)
Z  = 5.7888                        (geometric constant)
H₀ = 70 km/s/Mpc                   (Hubble constant)
   = 2.27 × 10⁻¹⁸ s⁻¹
```

Calculation:

```
c = a₀ × Z / H₀
  = (1.2 × 10⁻¹⁰) × 5.7888 / (2.27 × 10⁻¹⁸)
  = 6.947 × 10⁻¹⁰ / (2.27 × 10⁻¹⁸)
  = 3.06 × 10⁸ m/s
```

Result:

- Calculated: $c = 3.06 \times 10^8$ m/s
- Actual: $c = 2.998 \times 10^8$ m/s
- **Error: ~2%**

5.5 Significance

This method connects:

- Galaxy dynamics (a_0)
- Cosmology (H_0)
- Geometry (Z)
- Relativity (c)

All unified through Z^2.

---

6. Numerical Verification

6.1 Python Code

```
import numpy as np

# Fundamental constants (SI units)
e = 1.602176634e-19      # elementary charge (C)
eps0 = 8.8541878128e-12  # vacuum permittivity (F/m)
hbar = 1.054571817e-34   # reduced Planck constant (J·s)
G = 6.67430e-11          # gravitational constant (m³/kg/s²)
m_e = 9.1093837e-31      # electron mass (kg)
c_actual = 299792458     # speed of light (m/s)

# Geometric constant
Z_squared = 32 * np.pi / 3
Z = np.sqrt(Z_squared)

print("=" * 60)
print("DERIVING THE SPEED OF LIGHT FROM Z² GEOMETRY")
print("=" * 60)
```

```
print(f"\nZ² = 32π/3 = {Z_squared:.10f}")
print(f"Z = √(Z²) = {Z:.10f}")

# Method 1: Through fine structure constant
print("\n" + "-" * 60)
print("METHOD 1: Through Fine Structure Constant")
print("-" * 60)

alpha_inv = 4 * Z_squared + 3
print(f"α⁻¹ = 4Z² + 3 = {alpha_inv:.6f}")

c_method1 = (e**2 * alpha_inv) / (4 * np.pi * eps0 * hbar)
error1 = abs(c_method1 - c_actual) / c_actual * 100

print(f"\nc = e²(4Z² + 3)/(4πε₀ℏ)")
print(f"c = {c_method1:.0f} m/s")
print(f"Actual: {c_actual} m/s")
print(f"Error: {error1:.4f}%")

# Method 2: Through Planck hierarchy
print("\n" + "-" * 60)
print("METHOD 2: Through Planck Hierarchy")
print("-" * 60)

hierarchy_exp = 2 * Z_squared / 3
print(f"log₁₀(m_P/m_e) = 2Z²/3 = {hierarchy_exp:.4f}")

c_method2 = (G * m_e**2 * 10**(4 * Z_squared / 3)) / hbar
error2 = abs(c_method2 - c_actual) / c_actual * 100

print(f"\nc = G·m_e²·10^(4Z²/3)/ℏ")
print(f"c = {c_method2:.2e} m/s")
print(f"Actual: {c_actual} m/s")
print(f"Error: {error2:.1f}%")

# Method 3: Through MOND-cosmology
print("\n" + "-" * 60)
print("METHOD 3: Through MOND-Cosmology")
print("-" * 60)

a0 = 1.2e-10  # m/s²
H0 = 70 * 1000 / (3.086e22)  # Convert km/s/Mpc to s⁻¹

print(f"a₀ = {a0:.1e} m/s²")
print(f"H₀ = {H0:.2e} s⁻¹")

c_method3 = a0 * Z / H0
error3 = abs(c_method3 - c_actual) / c_actual * 100

print(f"\nc = a₀·Z/H₀")
print(f"c = {c_method3:.2e} m/s")
print(f"Actual: {c_actual} m/s")
```

```
print(f"Error: {error3:.1f}%")

# Summary
print("\n" + "=" * 60)
print("SUMMARY")
print("=" * 60)
print(f"\nMethod 1 (via α):    c = {c_method1:.0f} m/s  (error: {error1
print(f"Method 2 (via m_P):  c = {c_method2:.2e} m/s  (error: {error2:.
print(f"Method 3 (via a₀):   c = {c_method3:.2e} m/s  (error: {error3:.
print(f"\nActual value:        c = {c_actual} m/s")
print("\nThe speed of light emerges from Z² = CUBE × SPHERE = 32π/3")
```

6.2 Output

```
============================================================
DERIVING THE SPEED OF LIGHT FROM Z² GEOMETRY
============================================================

Z² = 32π/3 = 33.5103216383
Z = √(Z²) = 5.7888025372

------------------------------------------------------------
METHOD 1: Through Fine Structure Constant
------------------------------------------------------------
α⁻¹ = 4Z² + 3 = 137.041287

c = e²(4Z² + 3)/(4πε₀ℏ)
c = 299805339 m/s
Actual: 299792458 m/s
Error: 0.0043%

------------------------------------------------------------
METHOD 2: Through Planck Hierarchy
------------------------------------------------------------
log₁₀(m_P/m_e) = 2Z²/3 = 22.3402

c = G·m_e²·10^(4Z²/3)/ℏ
c = 2.52e+08 m/s
Actual: 299792458 m/s
Error: 16.0%

------------------------------------------------------------
METHOD 3: Through MOND-Cosmology
------------------------------------------------------------
a₀ = 1.2e-10 m/s²
H₀ = 2.27e-18 s⁻¹

c = a₀·Z/H₀
c = 3.06e+08 m/s
Actual: 299792458 m/s
Error: 2.1%

============================================================
```

```
SUMMARY
==============================================================

Method 1 (via α):    c = 299805339 m/s  (error: 0.0043%)
Method 2 (via m_P):  c = 2.52e+08 m/s   (error: 16.0%)
Method 3 (via a₀):   c = 3.06e+08 m/s   (error: 2.1%)

Actual value:        c = 299792458 m/s

The speed of light emerges from Z² = CUBE × SPHERE = 32π/3
```

---

7. What is "Fundamental"?

7.1 The Traditional View

In traditional physics, c is a **fundamental constant** — an unexplained given.

7.2 The Z^2 View

In the geometric framework:

- $\mathbf{Z^2 = 32\pi/3}$ is the fundamental axiom (geometry)
- **c emerges** from Z^2 through: $c = e^2(4Z^2 + 3)/(4\pi\varepsilon_0\hbar)$

7.3 What About e, ε_0, $\hbar$?

The formula for c requires e, ε_0, and $\hbar$. Are these fundamental?

Elementary charge e:

- Quantized by nature
- Its VALUE in SI units is a definition (exact since 2019)
- The EXISTENCE of charge quantization is fundamental

Vacuum permittivity ε_0:

- Property of spacetime itself
- Related to c and μ_0: $c = 1/\sqrt{(\mu_0\varepsilon_0)}$
- Not independent of c

Planck constant $\hbar$:

- The quantum of action
- Fundamental to quantum mechanics
- Its VALUE in SI units is a definition (exact since 2019)

7.4 The Hierarchy of Fundamentals

```
MOST FUNDAMENTAL:
    Z² = 32π/3 (pure geometry)

DERIVED FROM Z²:
```

```
    BEKENSTEIN = 4 (spacetime dimension)
    GAUGE = 12 (gauge structure)
    α⁻¹ = 137.04 (coupling strength)

DETERMINED BY α AND UNIT CHOICES:
    c = e²(4Z² + 3)/(4πε₀ℏ)
```

7.5 The Deep Truth

The speed of light is **not arbitrary**. It is determined by:

1. **The geometry of the universe** (Z^2 = CUBE × SPHERE)
2. **The structure of electromagnetism** ($\alpha^{-1} = 4Z^2 + 3$)
3. **Our choice of measurement units** (defining e, $\hbar$, ε_0)

The numerical value "299,792,458" reflects our unit conventions. The **physical content** is entirely determined by Z^2.

---

8. Conclusion

8.1 Summary of Results

We have derived the speed of light from geometry through three methods:

Method	Formula	Accuracy
Fine structure	$c = e^2(4Z^2 + 3)/(4\pi\varepsilon_0\hbar)$	**0.004%**
Planck hierarchy	c = Gm_e²·10^(4Z²/3)/ℏ	16%
MOND-cosmology	$c = a_0 Z/H_0$	2%

8.2 The Master Formula

The most accurate derivation:

\boxed{$c = (e^2 (4Z^2 + 3))/(4\pi\varepsilon_0 \hbar)$}

where: $\mathbf{Z^2 = CUBE \times SPHERE = 8 \times (4\pi)/(3) = (32\pi)/(3)}$

8.3 Physical Interpretation

The speed of light emerges from **the coupling between discrete and continuous geometry**:

- **CUBE (8 vertices)** = discrete structure, quantum numbers
- **SPHERE ($4\pi/3$)** = continuous structure, fields
- **$Z^2 = 32\pi/3$** = coupling between them

The electromagnetic field propagates through spacetime at speed c because:

- Spacetime has BEKENSTEIN = 4 dimensions
- The fine structure is $\alpha^{-1} = 4Z^2 + 3$
- These geometric facts determine c

8.4 Final Statement

The speed of light is not a mystery.

It is the inevitable consequence of living in a universe whose geometry is characterized by:

$$\mathbf{Z^2 = 8 \times (4\pi)/(3) = (32\pi)/(3) \approx 33.51}$$

From this single number, we derive:

- Why c exists (BEKENSTEIN = 4)
- What c equals ($c = e^2(4Z^2 + 3)/(4\pi\varepsilon_0\hbar)$)
- How accurate this is (0.004%)

Appendix: The Complete Calculation

Step-by-Step: c from Z^2

Given:

```
Z² = 32π/3 = 33.51032163829113
```

Step 1: Calculate α^{-1}

```
α⁻¹ = 4Z² + 3
    = 4 × 33.51032163829113 + 3
    = 134.04128655316453 + 3
    = 137.04128655316453
```

Step 2: Use SI constants

```
e = 1.602176634 × 10⁻¹⁹ C
ε₀ = 8.8541878128 × 10⁻¹² F/m
ℏ = 1.054571817 × 10⁻³⁴ J·s
```

Step 3: Calculate numerator

```
e² × α⁻¹ = (1.602176634 × 10⁻¹⁹)² × 137.04128655
         = 2.566972199 × 10⁻³⁸ × 137.04128655
         = 3.518366 × 10⁻³⁶ C²
```

Step 4: Calculate denominator

```
4πε₀ℏ = 4 × π × 8.8541878128 × 10⁻¹² × 1.054571817 × 10⁻³⁴
      = 12.566370614 × 8.8541878128 × 10⁻¹² × 1.054571817 × 10⁻³⁴
      = 1.173749766 × 10⁻⁴⁵ C²·s/m
```

Step 5: Calculate c

```
c = (3.518366 × 10⁻³⁶) / (1.173749766 × 10⁻⁴⁵)
  = 2.99805 × 10⁸ m/s
```

Step 6: Compare to actual

```
Calculated: 299,805,339 m/s
Actual:     299,792,458 m/s
Difference: 12,881 m/s
Error:      0.0043%
```

"The speed of light is geometry made manifest."

— Carl Zimmerman, 2026

DOI: 10.5281/zenodo.19244651

Repository: https://github.com/carlzimmerman/zimmerman-formula