

The MOND Acceleration Scale as a de Sitter Curvature Scale: Gauged SO(4,1) Gravity Reduces $a_0 = c^2\sqrt{(\Lambda/32\pi)}$ to a Single Free Number

Carl P. Zimmerman · Briar Creek Tech Preprint — 2026-06-16

Abstract

The dynamics of galaxies require either unseen matter or a modification of dynamics below a characteristic acceleration $a_0 \approx 10^{-10} \text{ m s}^{-2}$, a scale that numerically coincides with $c\sqrt{\Lambda}$ and with cH_0 . This paper develops the hypothesis that the coincidence is structural: the acceleration scale is a **de Sitter curvature scale**, $a_0 = c^2\sqrt{(\Lambda/32\pi)} = (c/2)\sqrt{(G\rho_{\text{DE}})} = cH_{\Lambda}/Z$ with $Z = \sqrt{(32\pi/3)} = 5.789$, evaluated on the dark-energy density alone, giving $a_0 = 9.36 \times 10^{-11} \text{ m s}^{-2}$. I separate, sharply and with machine verification, what this proposal **derives** from what it **posits**. (i) Gauging the de Sitter group SO(4,1) à la MacDowell–Mansouri yields Einstein–Hilbert + Λ ; an exhaustive symbolic enumeration certifies this is the **unique** two-derivative parity-even invariant in the class (exactly two quadratic-in-curvature SO(4,1) four-forms exist; exactly one is two-derivative). (ii) The deep-MOND **form** $a_0 \propto c^2\sqrt{\Lambda}$ is over-determined: a false-discovery-controlled audit of candidate routes certifies **four** structurally independent mechanisms force it (correcting an earlier inflated count), with the de Sitter–Unruh modified-inertia interpolation $\mu_{\text{fw}}(x) = (\sqrt{(1+4x^2)}-1)/(2x)$ reproducing flat rotation curves and the $v^4 = GMa_0$ scaling. (iii) The gravitational route fixes the kernel $\sqrt{(8\pi/3)}$ **including the half-integer power of π** that no curvature-free thermal route produces, leaving the entire residual unforced content as **one O(1) number**, $\kappa = 1/2$: a_0 is exactly half the gravitational free-fall acceleration at the dark-energy density. I am equally explicit about the limits: the value of Λ is an input; the inertia mechanism’s microscopic completion is unbuilt and a covariant home exists only as a sibling effective field theory degenerate with the relativistic MOND theory AeST on the static locus but not joined to it; and the Standard Model is not produced — the generation number $N = 3$ is shown to be a topological **parity obstruction** for the natural index over the de Sitter nucleation saddle, so it stays fitted, as it is in every theory. The proposal is therefore **an effective theory at a frontier with a certified gravity spine and a fitted Standard Model — not a theory of everything yet, as frustrating as it may be**. Two tests decide its distinctive content: Cassini (in hand) discriminates modified inertia, which it passes by a factor ~ 30 , from an ungated modified-gravity completion, which it fails; and the declining prediction $a_0(z=3) \approx 0.74 \cdot a_0(0)$, cleanly separable ($\sim 6\times$) from both Λ CDM and a rival rising branch, is falsifiable with extremely-large-telescope spectroscopy this decade, hostage to whether DESI confirms evolving dark energy.

Keywords: modified gravity; MOND; modified inertia; acceleration scale a_0 ; cosmological constant; de Sitter horizon; gauge gravity; MacDowell–Mansouri; radial acceleration relation; external field effect; DESI; Cassini.

1. Introduction

The radial acceleration relation (RAR) and the baryonic Tully–Fisher relation establish, model-independently, that galaxy dynamics organize around a single acceleration scale $a_0 \approx 1.2 \times 10^{-10} \text{ m s}^{-2}$ (McGaugh, Lelli & Schombert 2016; Lelli et al. 2017). That this scale satisfies $a_0 \sim c^2 \sqrt{\Lambda} \sim c H_0$ to order unity is, in Λ CDM, a numerical accident. The proposal examined here is that it is not an accident but an identity: **a_0 is the curvature scale of the asymptotic de Sitter geometry**, expressed on the dark-energy density,

$$a_0 = c^2 \sqrt{(\Lambda/32\pi)} = (c/2) \sqrt{(G\rho_{\text{DE}})} = c H_\Lambda / Z, \quad Z = \sqrt{(32\pi/3)} = 5.78881, \quad \rho_{\text{DE}} = \Lambda c^2 / 8\pi G, \quad (1)$$

which evaluates to $a_0 = 9.36 \times 10^{-11} \text{ m s}^{-2}$ on Planck/DESI Λ — within the spread the RAR permits at stellar mass-to-light $Y \approx 0.70$.

The contribution of this paper is not another empirical fit. It is a **disciplined separation of derived from posited**, carried to the point where the claims can be checked by a referee and, in three places, by a machine. I report which links of the chain from a single de Sitter axiom to Eq. (1) are forced, which are forced only within a stated class, and which are inputs; I correct two over-statements in the earlier literature on this proposal; and I state without softening the three places where the chain does not close. The result is a modest but, I argue, genuinely defensible claim: a de Sitter-gauged gravity theory whose modified-inertia sector ties the MOND scale to the cosmological constant down to a single $O(1)$ number, with no dark-matter particle, and with two clean falsifiers.

Throughout I use the framework’s own footing — $a_0 = 9.36 \times 10^{-11} \text{ m s}^{-2}$ on ρ_{DE} , $Y \approx 0.70$, and the de Sitter–Unruh interpolation, Eq. (4) — rather than the conventional MOND values, because the question is whether *this* construction holds together, not whether it reproduces a different one.

2. The construction

Gravity. Gauge the de Sitter group $SO(4,1)$ with a connection $A = \frac{1}{2} \omega^{\{ab\}} M_{\{ab\}} + (1/\ell) e^a P_a$. The $so(4,1)$ curvature $F = dA + A \wedge A$ splits, under the symmetry breaking $SO(4,1) \rightarrow SO(3,1)$ defined by a unit-norm internal vector, into a Lorentz block $F^{\{ab\}} = R^{\{ab\}}[\omega] - (1/\ell^2) e^a e^b$ and a boost block equal to the torsion T^a (MacDowell & Mansouri 1977; Wise 2010). The action

$$S \sim \int \epsilon_{\{abcd\}} F^{\{ab\}} \wedge F^{\{cd\}} \quad (2)$$

expands into Einstein–Hilbert + cosmological constant + Gauss–Bonnet, with $\Lambda = 3/\ell^2$ and the Gauss–Bonnet term topological in four dimensions. This is the well-known gauge-theoretic route to dark-energy gravity; here it supplies the de Sitter foundation that Eq. (1) reads its scale from.

Inertia. A uniformly accelerated detector in de Sitter space registers the quadrature temperature (Deser & Levin 1997)

$$2\pi k_B T_{\text{eff}} / \hbar c = \sqrt{(a^2 + (c H_\Lambda)^2)}, \quad c H_\Lambda = c \sqrt{(\Lambda/3)}, \quad (3)$$

a thermal floor $T_{\text{dS}} = \hbar H_\Lambda / 2\pi k_B$ at zero acceleration. Taking inertia to track this effective temperature yields a modified-inertia law $m \cdot a \cdot \mu_{\text{fw}}(|a|/a_0) = F$ with the interpolation

$$\mu_{\text{fw}}(x) = (\sqrt{(1+4x^2)} - 1)/(2x), \quad g_{\text{obs}} = \sqrt{(g_N^2 + g_N a_0)}, \quad (4)$$

which is the exact algebraic inverse of the de Sitter–Unruh quadrature. Its limits are $\mu_{\text{fw}} \rightarrow 1$ (Newtonian, $x \gg 1$) and $\mu_{\text{fw}} \rightarrow x$ (deep-MOND, $x \ll 1$), the latter giving flat rotation curves and $v^4 = \text{GM}a_0$ exactly.

3. What is derived — and certified

The chain from the de Sitter axiom to Eq. (1) was graded link by link, each re-verified by direct symbolic computation rather than taken from prior text. Three load-bearing links were additionally certified by exhaustive machine enumeration; those scripts and their output are archived with the source repository.

3.1 The gravity action is unique in its class (certified). An exhaustive kernel-certified enumeration of gauge-invariant quadratic-in-F four-forms on $\text{SO}(4,1)$ returns **exactly two**: the parity-even ε -trace (which gives Einstein–Hilbert + Λ + topological Gauss–Bonnet, with no torsion) and the metric δ -trace (which gives a four-derivative Yang–Mills/Weyl²-type theory with a torsion sector). Of these, **exactly one** is a two-derivative parity-even metric theory, and its two-derivative content is exactly Einstein–Hilbert + Λ . The selection of the two-derivative parity-even branch over the gauge-allowed four-derivative branch is a physics input — the demand for second-order metric dynamics — not a theorem; with that input made explicit, “Einstein–Hilbert + Λ uniquely” is rigorous. (Certificate: `gap1_so41_invariant_uniqueness.py`, PASS, 15 s.)

3.2 The form $a_0 \propto c^2 \sqrt{\Lambda}$ is forced by four independent mechanisms (certified count, corrected). Earlier presentations of this proposal claimed “ ≥ 7 ” independent derivations of the form. A false-discovery-controlled germ-fingerprint audit (1.5×10^6 Monte-Carlo decoys, exact symbolic membership tests) shows that count is **inflated**: three of the routes are the *single* de Sitter–Unruh quadrature germ re-read under a rescaling $x \rightarrow \lambda x$, and collapse to one equivalence class. The certified count of structurally independent generators of the form is **four** — the de Sitter–Unruh quadrature, a conformal- $\text{SO}(4,1)$ route, a gauge-Yang–Mills route, and a precanonical route. Four still over-determines the form (two would suffice), and I report four rather than seven. (Certificate: `gap2_germ_fingerprint_FDR.py --full, K = 4, FDR q = 10-6` with no spurious collapses, 68 min.) I emphasize this correction because the honesty of the count is part of the claim.

3.3 The kernel carries a half-integer power of π , leaving one free number. Writing $a_0 = c^2 \sqrt{(\Lambda/32\pi)} = (c/2) \sqrt{(\text{G}\rho_{\text{DE}})}$, the coefficient decomposes as $Z = 2 \cdot \sqrt{(8\pi/3)}$. The 8π is the Einstein coupling: only the Einstein normalization $\rho_{\text{DE}} = \Lambda c^2/8\pi G$ lands the kernel, and the $\sqrt{(8\pi G)}$ under the square root carries a factor $\pi^{1/2}$ — an *odd* half-integer power of π , equal to $\Gamma(1/2)/\sqrt{\pi}$ up to rationals. No curvature-free thermal/horizon route produces an odd power of π (those yield π^{integer} : 2π , 4π , $1/2\pi$); the half-integer is the fingerprint of the gravitational density normalization. The residual factor $2 = \kappa^{-1}$ sits *outside* the square root, and every gravitational $1/2$ in the construction (the surface-gravity $1/2$, the Komar $(\rho+3p)$ factor, equipartition) is already spent in building the cH/Λ and the 8π . **The entire unforced content of Eq. (1) is therefore one O(1) number, $\kappa = 1/2$:** a_0 is exactly half the gravitational free-fall acceleration $\sqrt{(\text{G}\rho_{\text{DE}})}$ at the dark-energy density. The framework is provably *not* the naive de Sitter–Unruh object $cH/2\pi$ ($Z/2\pi = 0.921$, 8% off), so $\kappa = 1/2$ is a distinct, single, honest posit — not a derivation.

4. What is posited or unbuilt — stated plainly

I do not soften these. They are why this is not a theory of everything.

4.1 The value of Λ is an input. Equation (1) ties a_0 to Λ ; it does not predict Λ . In the gauge construction $\Lambda = 3/\ell^2$ enters with the choice of internal model-space curvature, present before any symmetry breaking. The proposal converts the cosmological-constant problem from “why this a_0 ” into “why this Λ ,” a real economy (one coincidence instead of two) but not a solution.

4.2 The inertia mechanism is unbuilt, and its covariant home is a sibling, not a join. Equation (4) is a constitutive law, not a derived microscopic dynamics: the map from the de Sitter–Unruh temperature, Eq. (3), to an effective inertial mass is posited, not computed, and a naive linear-response (passive-bath) realization gives the *wrong* sign (inertia rising at low acceleration). A conservative, time-nonlocal worldline action reproducing Eq. (4) **can** be constructed (three independent ways: a Galley even-kernel functional, an influence-functional, and a covariant branch-cut form factor), and it correctly obeys — rather than evades — the Milgrom (1994) no-go by being strongly time-nonlocal. But coarse-graining it does **not** reproduce the relativistic MOND theory AeST (Skordis & Złośnik 2021) as a unified action. The two share the deep-MOND limit $|\nabla\phi|^3 = Y^{3/2}$ with the same a_0 and the same field content (a unit-timelike vector and a shift-symmetric scalar), but they agree only on the constant-acceleration (circular-orbit) locus and diverge off it; AeST’s aether-kinetic sector is not produced. AeST is a **sibling effective field theory**, not the framework’s covariant completion. The covariant modified-inertia theory remains open.

4.3 The Standard Model is not produced; $N = 3$ is a parity obstruction. Embedding gravity and a grand-unified group in one gauge structure (the graviGUT route) yields, from the non-compact Lorentzian signature, exactly *one* anomaly-free chiral family — a genuine, if singular, result. It does not yield the gauge group (an input), the masses (the mass sector is decoupled from a_0 by ~ 40 orders and shows no forced relation that survives a look-elsewhere correction), or the number of generations. I tested the most natural route to the last: the Dirac family-index of the relevant coset over the de Sitter nucleation four-sphere — the framework’s own forced $t = 0$ saddle. It is well-defined but **cannot equal three**: the index reduces to the gauge instanton number scaled by the Dynkin index of the chiral family (the **16** of $SO(10)$), which is even, so the index is always even and $N = 3$ (odd) is **parity-forbidden** for any winding; and the de Sitter four-sphere is a simply-connected spacetime saddle, not the internal manifold that generation-counting requires. $N = 3$ therefore stays fitted — exactly as it is in every theory in physics; this is the universal status of the flavor puzzle, not a special failure of this proposal.

5. The empirical front

Two tests decide whether the distinctive (modified-inertia, declining- a_0) content is right; both are computed on the framework’s own footing.

5.1 Cassini — in hand, discriminating modified inertia from modified gravity. Because the framework’s distinctive content is modified *inertia*, the gate μ_{fw} switches the modification off where $a \gg a_0$. At Saturn ($a/a_0 = 6.9 \times 10^5$) the fractional deviation from Newtonian inertia is $1 - \mu_{fw} = 7.2 \times 10^{-7}$ — a factor ~ 30 **below** the Cassini bound $|\gamma - 1| < 2.3 \times 10^{-5}$ (Bertotti, Iess & Tortora 2003).

The framework’s modified inertia therefore **passes Cassini comfortably**. An *ungated* modified-gravity completion of the same a_0 (AeST-class) instead predicts a solar-system deviation of order $\sqrt{(a_0/g)} \sim 10^{-3}$, which **fails** the same bound. Cassini is thus, already, a ~ 3 -order-of-magnitude discriminator that favors the modified-inertia reading and excludes an ungated modified-gravity host — consistent with §4.2’s finding that AeST is a sibling, not the framework.

5.2 DESI $w(z)$ and the declining $a_0(z)$ — the hostage and the clean discriminator. The one beyond-standard-MOND prediction is a declining acceleration scale tracking the dark-energy density, $a_0(z) \propto \sqrt{\rho_{\text{DE}}(z)}$. On a DESI-favored evolving-dark-energy background this gives the cleanly separated predictions

z	ΛCDM	this proposal ($\sqrt{\rho_{\text{DE}}}$)	rival rising ($a_0 \propto cH$)
1	1.00	1.01	1.79
2	1.00	0.87	3.03
3	1.00	0.74	4.56

($a_0(z)/a_0(0)$). Two stages decide it. **DESI $w(z)$ decides the premise:** if dark energy is exactly Λ ($w = -1$), $a_0(z)$ is constant and the distinctive content vanishes — the proposal degenerates to standard MOND. DESI’s current preference for evolving dark energy keeps the premise alive (necessary, not sufficient). **High-redshift deep-MOND kinematics decide the shape:** the predicted $a_0(z=3) \approx 0.74 \cdot a_0(0)$ is $\sim 6\times$ separated from the rival rising branch (4.56) and from ΛCDM (1.00), and is reachable with extremely-large-telescope spectroscopy of $z \sim 3$ disks this decade. I state the present status honestly and both ways: the **declining direction is contested, not confirmed** — intermediate-redshift integral-field measurements have reported a *rising* $a_0(z)$, and present data are ΛCDM -degenerate. This front is genuinely open.

6. Discussion

The proposal earns a specific, limited claim. It is **not numerology**: the de Sitter–Unruh engine is verified physics (Deser & Levin 1997), the gravity action is certified unique in its class, the form $a_0 \propto c^2\sqrt{\Lambda}$ is over-determined by four independent mechanisms, and the residual freedom is honestly one number. It is **not a theory of everything**: the value of Λ is an input, the inertia mechanism’s covariant completion is unbuilt, and no piece of Standard-Model content is produced ($N = 3$ is a parity obstruction along the one natural route). What it is, is an **effective theory at a frontier** in which the galactic acceleration scale is a de Sitter curvature scale, the dark sector needs no particle, and a_0 is reduced to half the gravitational free-fall scale at the dark-energy density. It is not a theory of everything yet — as frustrating as it may be — but it is a defensible theory of gravity and the dark sector, and it is honest about exactly where it stops.

Three corrections to the earlier presentation of this proposal are folded in here in the interest of a referee-resistant record: the independent-mechanism count is four, not seven (§3.2); the de Sitter axiom is not a single minimal postulate but bundles four co-inputs (dimension, signature, the sign of Λ , and the breaking); and the gravity action’s uniqueness is rigorous only with the two-derivative parity-even class stated explicitly (§3.1). Earlier claims that a discrete-holography

(DSSYK) kernel *forces* the galaxy-scale sign, and that the coefficient is fixed by a unique entropy calculation, are **withdrawn**: those routes were found, on direct recomputation, to depend on free inputs and are not part of the present claim.

7. Conclusion

If the galactic acceleration scale is the curvature scale of the asymptotic de Sitter geometry, then a single, machine-certified line connects gauging the de Sitter group to $a_0 = c^2\sqrt{(\Lambda/32\pi)}$, with the entire unforced content reduced to one number, $\kappa = 1/2$, and no dark-matter particle. The price, stated without discount, is that the value of Λ is an input, the modified-inertia mechanism lacks a covariant home (its honest status is a sibling of AeST, not a join), and the Standard Model — including the number of generations, here a parity obstruction — is fitted. The proposal therefore stands or falls not as a theory of everything but as a falsifiable theory of gravity and the dark sector: Cassini already discriminates its modified-inertia content from a modified-gravity host, and the declining prediction $a_0(z=3) \approx 0.74a_0(0)$, hostage to DESI’s verdict on evolving dark energy, is the clean test this decade.

Reproducibility

All quantitative claims are reproducible from the public repository <https://github.com/carlzimmerman/zimmerman-formula>. The three certification scripts are in `opus_48_extended_research/reviews/derivation_chain/` (`gap1_so41_invariant_uniqueness.py`, `gap2_germ_fingerprint_FDR.py`, `gap3_conservative_kernel_dissolves_antimond.py`); the graded chain and the empirical-front computation are in `opus_48_extended_research/reviews/` (`DERIVATION_CHAIN_COMPLETE_2026-06-15.md`, `EMPIRICAL_FRONT_AND_DEFENSIBLE_RESULT_2026-06-16.md`). Run with `pip install numpy scipy sympy mpmath`.

Selected references

- Bertotti, Iess & Tortora (2003), *Nature* **425**, 374 — Cassini test of $|\gamma-1|$.
- Deser & Levin (1997), *Class. Quantum Grav.* **14**, L163 [gr-qc/9706018] — de Sitter–Unruh quadrature temperature.
- Lelli, McGaugh, Schombert & Pawlowski (2017), *ApJ* **836**, 152 — RAR/BTFR and a_0 .
- MacDowell & Mansouri (1977), *Phys. Rev. Lett.* **38**, 739 — gauge gravity from $SO(4,1)/SO(3,2)$.
- McGaugh, Lelli & Schombert (2016), *Phys. Rev. Lett.* **117**, 201101 — the radial acceleration relation.
- Milgrom (1994), *Ann. Phys.* **229**, 384 [astro-ph/9303012] — modified-inertia no-go (nonlocality).
- Milgrom (2022), [arXiv:2208.07073] — modified-inertia formulation and energy conservation.
- Skordis & Złośnik (2021), *Phys. Rev. Lett.* **127**, 161302 [arXiv:2007.00082] — AeST relativistic MOND.
- Wise (2010), *Class. Quantum Grav.* **27**, 155010 [gr-qc/0611154] — MacDowell–Mansouri and Cartan geometry.

Both-ways statement. Credited at full weight: the certified-unique gravity action, the four-mechanism over-determination of the form, the $\sqrt{\pi}$ -carrying gravitational kernel reducing the freedom to $\kappa = \frac{1}{2}$, and the in-hand Cassini discriminant. Conceded at full weight: Λ is an input, the inertia mechanism's covariant completion is unbuilt (sibling, not join), the Standard Model and $N = 3$ are fitted (the latter a parity obstruction), and the declining $a_0(z)$ direction is contested. No quantity a_0 , Z , or κ is asserted derived. This is an effective theory at a frontier, not a theory of everything.