

What a Complete Mechanism for a Λ -Tied MOND Law Would Have to Do: A Closure Map of Scoped No-Gos and a Reading of the Requirements

The authors — draft for review, 2026-10-01, version 1.1 (wording corrections after an independent referee, CFG265; no result changes) — AI-assisted research programme; not peer reviewed; nothing here is claimed closed.

Abstract

The programme ties the MOND acceleration scale to the vacuum, $a_0 = \kappa c \sqrt{G \rho_\Lambda}$, with $\kappa = \frac{1}{2}$ fitted, never derived. Its best current effective law, candidate B, is the MOND kernel plus hierarchical ownership (only the outermost bound system carries the phantom) plus a cold component with the cosmic amount $\Omega_c h^2 \approx 0.12$: the mass is still required, and no dark-matter particle is added. No committed action produces B. This note is a map of failed routes and a reading of what they suggest, not a result. (i) Three gaps separate B from a mechanism: a legal owned switch (Gap 1), the cold fluid that *is* the law’s dark density (Gap 2), and the a_0 - Λ tie with its coefficient (Gap 3). (ii) A Lean library of 331 theorems (standard axioms only) certifies, from stated premises, that the postulated ownership rule is not a function of the internal and external field at a point, that a continuous law with no external-field effect is linear, that among monomials a length $\propto M^{1/2}$ needs an acceleration scale, and that an AQUAL action gives the kernel in spherical symmetry; it certifies no empirical fact. (iii) We tabulate 25 committed routes: 22 are scoped no-gos on their frozen classes, two owner-directed lanes find no mechanism (11D’s hand-check, and CFG253’s background calculation, which asks where the cold amount comes from rather than how the missing object arises; without it the count is 24), and one shows realisability only. None is a mechanism. (iv) The failures suggest a specification. It is a reading of the scored classes, not a theorem: only the acceleration-scale item rests on a theorem (for monomials) and the cosmic amount on the inherited CMB gate; the rest rests on the failure of one to three scored classes per item. The reading asks for an early cold fluid present before structure forms (a dust created at turnaround supplies $\Omega h^2 = 0.1200 \times 10^{-1376.8}$ at $z = 1100$); ownership that remembers boundness (a causal latch keeps $n = 0.791$ at one free-fall time against the required 0.99); a distribution that carries the $M^{1/2}$ scale itself (passive bound infall scales as $M^{0.33-0.34}$, and relaxation at a vacuum-set rate reaches $\Gamma\tau \leq 0.79$ against the $\approx 4.1-4.2$ needed); a target that is field-local in the Newtonian field but needs bound-domain labels; and no created rest mass. (v) B’s ultra-faint failure ($3.5-3.9\sigma$) does not move under the 2026 binary-corrected and DEIMOS dispersions, and Gate H leans toward the bound-core (Λ CDM-comparator) reading at satellites by small margins (planted-sample power 0.28, carried entirely by the ultra-faints): a lean, not a detection. (vi) $\kappa = \frac{1}{2}$ is fitted (0.465 ± 0.076 from the baryonic Tully–Fisher relation), and Milgrom’s $cH_0/2\pi$ footing fits SPARC at least as well as either framework footing. (vii) Gaia DR4 (2 December 2026) is a survival test of B against the merged (no-ownership) law: decisive against Arm A’s ν_{RAR} kernel, $2.3-3.7\sigma$ against the P2 kernel (canonical footing, $N = 30,000$), and no separation from the derivation chain’s ceiling; B, Λ CDM and Newton all predict $\hat{\gamma} = 1.000$.

1 The law, candidate B, and the three gaps

The law. $a_0 = \kappa c \sqrt{G \rho_\Lambda}$ with $\kappa = \frac{1}{2}$ fitted; two footings are carried, canonical $9.36\text{e-}11$ and alternative $1.13\text{e-}10 \text{ ms}^{-2}$ (written can/alt). With the monotone kernel ν_{mono} the law fits SPARC’s radial acceleration relation with an rms of 0.1003 dex , against 0.2755 for Newton (CFG4, re-run clean). The distinctive galaxy-scale content and the high-redshift side (a flat $a_0(z)$, which a decisive test would need baryon masses calibrated to 0.10 dex to see) are reported in PAPER38 [P38] and not repeated here.

Candidate B is an effective law: the kernel, a hierarchical ownership rule (a top-level bound system carries the phantom; an owned subsystem is Newtonian internally), and a conserved cold fluid with $\Omega_c h^2 = 0.1200$ whose amount is fitted. The cold mass is still required; candidate B adds no particle species (doors 4 and 7 scored particle models as routes, and both failed). The status page’s bottom line is that “no committed action produces candidate B” (campaign_fresh_gravity/STANDING_2026-09-29.md).

Gap 1, the legal owned switch. A gate multiplying a shift-symmetric field leaves the dynamical mass equal to the baryonic mass beyond its edge (Gauss); local gates are unstable in 44 of 48 cases; a nonlocal enclosed-mass gate is stable in 48 of 48 with no new constant, but it is bilocal (not a legal local term) and its edge sits at $0.11-0.24 r_{\text{ta}}$, below B’s window (CFG48); a dynamical gate scalar is stable only with two new untied constants (CFG49).

Gap 2, the cold fluid that is the law’s dark density. For a spherical baryon profile the fluid must satisfy $C(r) = \rho_c r^3 g_{\text{tot}} = (a_0/4\pi) M_b(< r)$ (CFG44). No local or equation-of-state closure gives it, the tidal-tensor closure fails (CFG50), and written as a memory-kernel or light-cone exchange it reacts on the baryons at $0.065-22.5 g_{\text{law}}$ and costs $23-73\times$ their orbital energy in one r_{ta} convention, $57-318\times$ in B’s committed one (CFG70, CFG72). A

documentary count of 54 committed constructions finds none that derives the dispersion from an action ($D = 0$, $P = 11$, $I = 5$, $X = 27$, $U = 11$). In this record Gap 2 reduces to Gap 1’s object, as an identification, not a theorem.

Gap 3, the tie. The tie can act on a conserved fluid’s stress cap with no new local degree of freedom, but the cap’s entry is postulated (CFG43), and a barotropic saturating cap needs a new constant ν^* and engages over a convention-dependent window of $11 \times$ up to $1e4$ – $1e5$ in mass, against the $1e4$ the BTFR needs. The coefficient κ is the subject of Section 6.

2 What Lean certifies

The ChainCert library (`fable_independent_2026/lean_2026/ChainCert/`) builds with its verifier reporting 331 theorems checked, 0 with non-standard axioms and 0 sorry mentions; `MUTATE=1` fails as required. The modules used here were added in three steps: `Ownership`, `Theory`, `AONumeric` and `DoorEleven` (47 theorems, 219 in the library), `Action`, `Dimension` and `FluidLink` (62 theorems, 281), and `CalibrationWall` (50 theorems, 331). *Lean certifies implications from premises, not data.* $\kappa = \frac{1}{2}$, the kernel, ρ_A constant, the hierarchy and the ownership rule enter as named premises.

- **Ownership is non-local.** If $\nu \neq 1$, a top-level and an owned system with the same internal and external fields get different internal accelerations, so no function of the internal and external field at a point reproduces the rule (`ownership_distinguishes`, `ownership_not_field_local`); given the postulated rule this is close to definitional, and the rule itself stays a postulate. B’s own kernel meets the premise (`CandidateB.ownership_nonlocal`).
- **No external-field effect forces linearity.** A continuous map with $F(z + z_e) - F(z_e) = F(z)$ is linear (`noEFE_continuousLinear`); separately, no pointwise law with MOND’s deep limit is EFE-free, even without continuity, in scalar or vector form (`law_not_efeFreeRay`, `vecLaw_not_efeFree`). This covers pointwise (QUMOND-type) laws only, not the AQUAL or QUMOND field equations. Ownership escapes because it is non-local; anisotropic linear, linear-in-source and screened laws also escape (`DOOR11_RESULT`, Addendum 2).
- **The dimension theorem.** No monomial in (G, M, c) is a length $\propto M^{1/2}$; with one extra constant X such a length exists if and only if (G, c, X) form an acceleration scale. What is forced is an acceleration scale, not that X is an acceleration ($\hbar$ is admissible). Monomials only.
- **The AQUAL action gives the kernel.** For an AQUAL μ with $x\mu(x)$ increasing onto $(0, \infty)$, the spherical Gauss form $\mu(g/a_0)g = g_N$ is equivalent to $g = \nu(g_N/a_0)g_N$, and P2’s kernel follows from $\mu = (\sqrt{1 + 4x^2} - 1)/(2x)$. Premises: the reduced Euler–Lagrange equation and regularity; spherical symmetry only. Ownership and the cold-mass rule stay postulates.
- **The calibration wall (CFG240).** In the deep limit g_{obs} depends only on $f \cdot a_0$ (f a baryon calibration); for exact P2 two distinct g_{bar} identify (f, a_0) ; with f free, $\sigma(\log a_0) \geq 3\sigma/\sqrt{N}$ (conditional on local slopes in $[0, \frac{1}{2}]$, independent equal Gaussian errors and an invertible Fisher matrix). These are the theorems behind PAPER38 [P38].

3 The routes tried, and why each fails

Each route below has frozen criteria written before its scripts: for 20 of the 25 they were committed in an earlier commit; for doors 5, 8, 11A, 11D and CFG253 they were written first (by file time, or with a recorded hash) and committed together with the scripts, as `closure_map/TEN_DOORS_RESULT_2026-09-29.md` and those lanes disclose. Of the 25 rows, 12 (doors 1–10, 12 and 13) are scored against the shared gates of `closure_map/TEN_DOORS_GATES_2026-09-29.md`: G1 reproduces $C(r)$ within 10% for $x = r/r_M \in [0.1, 30]$ over 10^9 – $10^{12} M_\odot$ with the same constants; G2 cold linear growth and the CMB; G3 reaction $\leq 0.10 g_{\text{law}}$ and energy $\leq$ the orbital energy; G4 no constant beyond κ and $\Omega_c h^2$; G5 well-posedness and the Solar System. The door-11 variants 11A to 11C-d are scored against `closure_map/DOOR11_FLOWING_VACUUM_GATES_2026-09-29.md` (G1–G8, with G1 the law), and CFG242–CFG245, CFG251 and CFG253 against their own frozen gates (G0, COSMIC, Gate A, Gate T, T1–T5, and their own G1 and G2), as the class column shows. Every FAIL is a scoped no-go on the frozen class only. Counting the rows gives 25 routes: 22 scoped no-gos, two owner-directed lanes that find no mechanism (11D’s phase-1 hand-check, and CFG253, a background calculation on the cold mass’s origin rather than on $C(r)$, counted here because S1 needs that supply; without it the count is 24), and one realisability result (door 5). Owner-directed lanes (marked †: every door-11 variant including 11D, the four swings CFG242–CFG245 of 2026-10-01, and CFG253) are credited as such, following `closure_map/RESEARCH_DIRECTION_2026-09-29.md`; the AI sessions designed, froze, ran and

reported them, failures included. Before the doors, the Gap 1 and Gap 2 constructions of Section 1 (CFG44, 48, 49, 50, 70, 72) had already failed; they are not counted again.

route	lane, commit	binding failure	class
1 Mashhoon-type kernel [RM14]	CFG120, 9e4757627	a fixed-length linear response gives $R \propto M_b$: a sqrt(1000) mass spread	no-go (G1)
2 Verlinde [V17]	CFG117, bb504274c	point mass $C_V/C_{\text{target}} = (1+x)/x$; Solar System misses by seven orders [HFB17]	no-go (G1, G5)
3 dipolar medium [BL08]	CFG121, 16fca9acd	medium budget needs $Q^2/\kappa_I \gtrsim 140$ against $\leq 0.16 / 1.2$	no-go
4 superfluid [BK15]	CFG122, b7d41c302	from growth	
5 collisional $f(E, L)$	CFG130, c1d719fbf	both branches miss the target; the MOND branch has $c_s^2 < 0$	no-go
6 secondary infall	CFG118, d0baef700	$f \geq 0$ exists but is fixed by the target: it encodes $C(r)$, not derives it	realisable only
7 fuzzy soliton [HBG00]	CFG119, 435cb43e9	radial scale follows the turnaround ($M^{0.33}$), not $r_M \propto M^{1/2}$; C/C_{target} 4–360 at $x \approx 0.1$ (spheres), 0.05–0.21 at $x \approx 28$	no-go (G1)
8 interacting vacuum	CFG131, aa0d95aef	cores flat against the target's $1/r$; growth needs $m \geq 1.28 \times 10^{-20}$ eV	no-go
9 Deser–Woodard / RR [DW07, MM14]	CFG123, 9e4757627	the forced equation of state differs $32\text{--}353\times$ across $10^9\text{--}10^{12} M_\odot$; $Q = 0$ in a stationary halo	no-go
10 mimetic [CM13]	CFG124, 9e4757627	the localised response is a negative density about 10 orders too small	no-go
11A inflow [†]	CFG171, 1c91164e9	no stationary state; a ghost for $0 < gt < 2/3$	no-go
11B' directional [†]	CFG173, e415659c7	the only working flow law is AQUAL restated; the literal medium costs $16\text{--}205\times$ the orbital energy	no-go (restatement)
11C-a timelike flow [†]	CFG172, f1585212e	a $w = -1$ medium cannot flow; a massless flow's own gravity is $\leq 1.2 \times 10^{-6}$ of the phantom; a push is Le Sage gravity	no-go
11C-b single $F(K)$ [†]	CFG172, f1585212e	the kernel is declared, not derived; Solar-System quadrupole tail $6.3 \times 10^3 \times$ the bound	(restatement)
11C-c matter- θ [†]	CFG172, f1585212e	G1 needs $t \lesssim 10^{-6}$, G6/G7 need $t \gtrsim 4 \times 10^6$	no-go
11C-d V0 region gate [†]	CFG172D, 249fa4ec8	the coupling supplies no law, and $c_s^2 < 0$	no-go
11D one-time pass [†]	CFG251, eff33f041	blind in 96/96 cells or unstable: c_{eff} 4e3–9e3 km/s against a 37 km/s line	no-go
12 covariant emergent gravity [H17]	CFG231, bb7d14eb8	set-at-turnaround reproduces the ownership classes, not the amount: a literal freeze is $15.6\times$ short at the edge	no mechanism (hand-check)
13 BIMOND [M09]	CFG232, 982fe61dd	G1 fails for all eight variants; the one that restates P2 has a Solar tail $Q_2 = 6.1 \times 10^3 \times$ the bound and a ghost sign	no-go
ownership latch (route A) [†]	CFG242, e04b22b5a	G1 passes only by inverting the target (M1-inv); a cold component in g fails, crossing 1.10 at $x = 0.483$	no-go
foliated BIMOND (route B) [†]	CFG242, e04b22b5a	a static bound system has no memory: $n(t_{\text{ff}}) = 0.791$, minimum 0.143, against the required 0.99	no-go (G0)
turnaround-created dust [†]	CFG243, e8b702457	not strongly hyperbolic ($c_T^2 = 0$: $\partial_t^2 h = 0$) and undetermined (nullity 2)	no-go (G5)
bound early fluid [†]	CFG244, 50c8c7267	at $z = 1100$ the class supplies $\Omega h^2 = 0.1200 \times 10^{-1376.8}$; $2.8\text{--}38\times$ short even at $z = 10$	no-go (COSMIC)
vacuum-rate relaxation [†]	CFG245, 48ef9f534	the bound mass scales as M^p , $p = 0.33\text{--}0.34$, not $\frac{1}{2}$; R_s/r_M spreads $3.0\text{--}3.2\times$ against 1.22 allowed	no-go (Gate A)
dark energy into cold mass [†]	CFG253, c89139c1b	$\Gamma\tau = 0.79$ (H_Λ), $0.14\text{--}0.16$ (a_0/c), $0.27\text{--}0.33$ ($\sqrt{G\rho_\Lambda}$) against $\approx 4.1\text{--}4.2$ needed	no-go (Gate T)
		continuous transfer can make at most the declared 3% tolerance of the cold mass (0.5–1.6% at CFG131's 1% flat- a_0 line); an early transfer is CDM with a vacuum origin story	no mechanism (background)

What the referees reproduced. Nine of the ten doors had an independent referee lane (CFG151–CFG159, each with its own code; door 2 none); six of those results are recorded as reproduced by the calc chat and not re-verified by the orchestrator, and the door 6 and door 7 referees kept failed controls of their own. None changed a verdict,

but “referees were not blind to the README numbers”, and several cells rest on sub-lines the referees did not test. CFG188 re-derived the field-equation core of 11C-a, b and c. Doors 11A, 11B’, 11C-d, 11D, 12, 13 and CFG253 have no independent re-derivation. CFG242–CFG245 were re-run in place by a second session from the committed state, which checks the code path, not the model. CFG244’s Gate A imports CFG118’s code and reproduces it for the bound subset: it is *not independent*. CFG242’s frozen triage scored 20 untested routes at $P(\text{all gates}) \leq 1.3\text{e-}3$ each before choosing two.

Two owner-directed readings of the vacuum side are not routes to the missing object and are not counted: dark energy as the void–wall expansion difference (CFG252, NON-DIAGNOSTIC; it loses the flat $a_0(z)$) and an outside contact with the dark energy (CFG254; “nothing before recombination” is contradicted by BBN, the acoustic peaks and N_{eff}).

A cross-door pattern, a reading and not a theorem. Where cold matter is dynamical, its scale comes from the turnaround, a particle mass or a free time scale, never $r_M \propto M^{1/2}$ (doors 6, 8, 10, and CFG244, CFG245); doors 1, 3, 4 and 9 fail for other reasons and are not covered by this reading. The day’s four swings (CFG242–245) add that ownership must remember boundness and that the fluid must exist before structure.

4 A reading of the requirements

Each item is a reading of the failures of scored classes: a necessary condition only inside those classes’ hypotheses (CFG230); none is shown sufficient, and the set is not shown jointly satisfiable. Only two parts rest on more than the failure of one to three scored classes: S3’s acceleration scale (the dimension theorem, for monomials) and S1’s cosmic amount at recombination (the inherited CMB gate). CFG230 lists twelve requirements of the same kind (R01–R12) and finds that only R01 and R02 are met by any scored row as a mechanism.

- S1. **An early cold fluid, present before structure.** The fluid must exist with the cosmic amount at recombination. A conserved dust created at turnaround supplies $\Omega h^2 = 0.1200 \times 10^{-1376.8}$ at $z = 1100$, and in a baryon-only universe the trigger never fires (CFG243; the baryon-only σ_b is 0.076 against the threshold 1.276). On the status page’s reading, a turnaround source can at most add to or relabel the early fluid. Continuous vacuum-to-fluid transfer after recombination can make only a few per cent of it (CFG253). The premise of the conservation rule [P36] is exactly what such classes cannot supply.
- S2. **Ownership that remembers boundness, on that early fluid.** A causal doubled-field latch passes causality and bound-only rows but forgets a static bound system ($n(t_{\text{ff}}) = 0.791$ against 0.99); a post-hoc energy-driven repair needs 5.0 free-fall times and an untied coupling (CFG242). A first-crossing rule gives ownership to the smallest progenitors: only 0.16–0.21 of the baryons first turn around in a system of at least 0.1 of the final mass (CFG243, post hoc). Ownership is not field-local (Lean: a consequence of the postulated rule, Section 2).
- S3. **A distribution that carries the $M^{1/2}$ acceleration scale itself.** By the dimension theorem (monomials) an acceleration scale must enter; that the distribution itself carries it is the ten-door reading. Passive infall does not supply it ($M^{0.33}$; CFG118, CFG244), and a relaxation at a vacuum-set rate is too slow: the 10% line needs $\Gamma \geq 5.37 / 5.17 H_{\Lambda}$ (can/alt) at $\tau = t_0$, and partial relaxation misses the RAR by 0.15–0.28 dex against the 0.10 line (CFG245). The galaxy and cluster windows overlap at 1.73–1.93 H_{Λ} only in the generous bracket (empty in the central one; post hoc), and no vacuum candidate provides such a rate.
- S4. **Field-local in the Newtonian field, but labelled by bound domains.** The law’s local-field (QUMOND phantom) density is a function of the Newtonian field, but it is not the CFG44 target for extended baryons (ratio up to 2.33 for P2), and the local form does not give ownership (internal-to-Newtonian ratio up to 3.16 where ownership needs 1): the local target needs non-local labels, a bound domain and a supply cap (CFG245, G0).
- S5. **No created rest mass.** The heat ledger is not the obstacle (at most $1.9\text{e-}4$ of the vacuum energy of the ball, CFG242), but for any class that creates rest mass from the vacuum the ledger is an obstacle (post hoc): $f(30) = 24.8$ in CFG48’s r_{ta} convention and 1.7 against 1 on the Lagrangian-volume ledger; in B’s own r_{ta} convention $f(30) = 0.30$ –1.65, and the failure stands through the a_0 -shift line (CFG243, CFG131).
- S6. **The inherited gates.** Cold at $z \gtrsim 10$ to $k = 30/\text{Mpc}$ ($c_s^2 \leq 4.608\text{e-}12$, CFG230 R05); reaction and energy within G3 (exchange forms give 22.5 g_{law} , CFG242); no new constant (G4); an external-field branch chosen explicitly (ownership, an EFE that DR4 can see, or one of the other escapes of the pointwise theorem: linear-in-source, anisotropic linear or screened laws); and a Solar tail handled by ownership or by screening $\geq 3.5\text{e}3$ for any kernel with $(yq)' \geq 0$ inside the G1 band (tail $\geq 0.28205 a_0$, CFG230 R09).

In one sentence, the reading is: an early cold fluid with the cosmic amount, owned by a memory-carrying, bound-

domain assignment, whose distribution carries the $M^{1/2}$ scale itself; neither passive infall nor vacuum-rate relaxation supplies it, and no committed construction derives it.

5 Satellites: where B already fails

The failure. Under ownership an accreted satellite obeys the isolated law of its infall baryons. For the Milky Way ultra-faints that law under-predicts the dispersions: the Kaplan–Meier median offset is $+0.3245 \pm 0.038$ (3.77σ , canonical) with the nine upper limits restored and a 0.077-dex systematic floor (CFG28); tides and noise do not explain it, and the published binary bounds do not either (CFG29). The Λ CDM side is weakly diagnostic here: its pass window spans 3.5–5 decades of halo mass.

The 2026 dispersions (CFG259). Re-scoring with the DEIMOS archive [G26] and the binary corrections of [AP26] moves B’s median by at most 0.005 dex; the significance stays 3.5 to 3.9σ on both footings. The corrections reach 8 of 40 systems, with a median of -0.068 dex (free binary fraction) or -0.104 dex ($f = 0.7$), a fifth to a third of the offset. The one place they bite is CFG29’s weak-binary subsample (a reported row, not a verdict), which drops to 2.8σ / 2.6σ under the $f = 0.7$ correction. The Boötes I conflict between the multi-epoch value and the single-epoch correction changes none of this.

Which reading the satellites lean toward (CFG244 Gate H, re-scored by CFG259). Reading (a) is “satellites own nothing” (B’s isolated law); reading (b) is a bound cold core, which is the record’s Λ CDM comparator (a stellar-to-halo relation [M13] with NFW concentrations [D08]). On the committed values (b) leads by $\Delta\chi^2 +13.58$ / $+11.32$ (P2 kernel, record’s error model), but the frozen class is H4 (ambiguous) because the record’s own kernel falls to $+8.60$ in the strict view on the alternative footing. Under every 2026 variant both kernels cross the line and the class moves to H2; the margins are small (the variant DV3 sits only 0.24 above 9), the planted-sample power is 0.28, the whole lean comes from the ultra-faints (without them $\Delta\chi^2$ is -1.3 to -1.8), and 33 of the 40 ultra-faints take the clamped stellar-to-halo value $10^9 M_\odot$, an extrapolation.

What this implies. If the lean held, an accreted satellite would keep a bound cold core of order $10^9 M_\odot$ rather than obey the isolated law of its stars. For B, the ownership rule would have to let satellites own a bound remnant of the early fluid; equally, the satellites would then be described by the Λ CDM comparator: a bound-core reading that matches Λ CDM at satellites is Λ CDM there (CFG244), and Gate D (post hoc) finds that the route reduces to Λ CDM plus the a_0 – Λ coincidence. The class cannot supply that collapse mass from its own constants, and at hosts the same class fails Gate A; H2 says that the bound-core route and B differ at satellites, “not a lean for the framework”. It says nothing about hosts, and it is a lean, not a detection.

6 Gap 3: the coefficient

κ is fitted. The measured values are 0.465 ± 0.076 from the baryonic Tully–Fisher relation and 0.547 ± 0.175 distance-free; $\frac{1}{2}$ lies inside both, and the Unruh/de Sitter route is retired ($n = 2$ gives $\kappa = 1.447$, 12.9σ off). On the footing question, Milgrom’s $cH_0/2\pi$ fits SPARC at least as well as the framework ($\Delta\chi^2$ 5.34, against 7.04 alt and 63.9 canonical, relative to the free best fit), and “beats $1/2\pi$ ” holds only on the ρ_Λ footing. Written as $\kappa c\sqrt{G\rho}$ with $\rho = 3H_0^2/(8\pi G)$, the critical density, Milgrom’s value is $\kappa = \sqrt{2/(3\pi)} = 0.461$ (Lean, Footing); with $\rho = \rho_\Lambda$ it is about 0.56.

The 32π puzzle. Writing $C = \Lambda_{\text{geom}}/a_0^2 = 32\pi$ into the canonical-clock construction forces $R = G_{\text{cosm}}/G_N < 0.824$, while BBN alone gives $G_{\text{BBN}}/G_0 = 0.98 \pm 0.06$ at 95.4% [A20, eq. 9]: that branch is excluded under its transfer assumptions (constant couplings through BBN, standard radiation and rates, negligible clock stress, the local Newton calibration); evolving couplings and extra radiation are untested, and $C > 1198$ follows at $R \geq 0.92$ (a lane result the orchestrator did not re-run). This is a conditional no-go for one route to 32π , not for 32π itself; the later variable-clock results are toy-level, and the rational 4 in $G\rho_\Lambda = 4a_0^2$ stays underived. Another agent’s note (gemini_pi_puzzle/SOLVING_THE_PUZZLE.md), which says the puzzle is solved, is read on the status page as an interpretation, not a derivation. It sets $R^* \equiv c/\sqrt{G\rho_\Lambda}$ with $R^{*2}\Lambda = 8\pi$ and $a_0 = c^2/(2R^*)$; the algebra is correct, but the step that borrows a horizon surface gravity at a radius that is not a horizon is postulated. The status page’s wording stands: a coherent physical reading of the 32π , not a derivation of $\kappa = \frac{1}{2}$.

7 What would decide the rest

Gaia DR4 wide binaries, 2 December 2026. B (the preregistration’s Arm C) predicts $\hat{\gamma} = 1.000$. Arm A, the merged law with the ν_{RAR} kernel, has its floor at 1.161 (alt 1.192): with the frozen $\sigma_{\text{sys}} = 0.02$ its cap is 8.1σ , and 3σ needs about 4,300 pairs of the $\sim 30,000$ expected; the preregistration falsifies Arm A below 1.056 and reads 1.056–1.084 as “disfavored”. With the P2 kernel the merged law gives 1.063–1.102 on the canonical footing (1.079–1.127 alt; the range spans the two Galactic fields, CFG191): $2.3\text{--}3.7\sigma$ from ownership at $N = 30,000$ (canonical; $2.9\text{--}4.6\sigma$ alt), with 14,000–264,000 pairs needed for 3σ , and it cannot be separated from the derivation chain’s ceiling ($0.2\text{--}1.1\sigma$ at $N = 30,000$, never 3σ at any N ; CFG200). A result $1.084 \leq \hat{\gamma} \leq 1.23$ falsifies B if the frozen stability requirements pass; otherwise it is “systematic-limited, no verdict”. B, Λ CDM and Newton all predict 1.000, so for B this is a survival test, never a confirmation.

$a_0(z)$. For the flat law against $a_0 \propto H(z)$, the limit that survives an unlimited sample is the absolute baryon calibration; at present sizes several lanes are also limited by statistical power or by the Newtonian regime ([P38], version 1.2). CFG245’s class would predict a_0^{eff} at $z = 2.5$ lower by 1.2–1.4 dex; that is a prediction of a failed class, not a data statement.

Satellites. The test that separates the bare law from B’s derived cold-mass rule is capped near 2.5σ by the Υ_V and collapse-mass floors (0.077 and 0.133 dex); B’s isolated-law failure of Section 5 is a different statistic. What would move it is multi-epoch, binary-tested dispersions for more systems [O26, MC10]; the collapse-mass floor is not reduced by more dispersion data. Gate H’s lean would need its power raised well above 0.28 before it could be called a preference.

8 Limitations

- **The menu was written knowing the target.** The doors, door 11’s variants and the four swings are not a blind sample of theory space; several frozen hand estimates were wrong and are kept in the lane READMEs (for example CFG243’s survival ratio, wrong in direction).
- **Referees were not blind.** The independent re-derivations saw the README numbers; CFG242–245 were re-run, not re-derived; CFG244’s Gate A is not independent of CFG118.
- **Scope.** Every failure is a scoped no-go on its frozen class. Untested across the doors: non-spherical baryons, mergers, relativistic completions, Boltzmann-code CMB runs, a growing baryon core, a non-Lorentz-invariant vacuum, and Hossenfelder’s covariant Lagrangian [H17] beyond the class-V reconstruction scored in door 12. Several gates fail post hoc, after a stop rule, and those cells are labelled post hoc in their lanes.
- **Declared control failures are kept,** for example CFG244’s energy-drift control and CFG245’s MG2 premise; they do not change the binding failures but are part of the record.
- **Literature.** This note compiles the programme’s committed lanes; it does not review the literature on these classes, and each lane scores its own frozen version of a class, not its authors’ full theory. Some literature facts in the lanes are from memory and unverified, as each lane states.
- **What is not claimed.** Nothing here is claimed closed; $\kappa = \frac{1}{2}$ is fitted; nothing says the data favour the framework or Λ CDM; the cold mass is still required, and no dark-matter particle is introduced. A lean is not a detection.

9 Reproducibility

Every number carried by an audit row of `PAPER39_audit.py` is re-read from a committed file at git HEAD: the script checks each value against its committed source (a regex with one capture group over `git show HEAD:<path>`, or a count of regex matches) and checks that the value, or a stated rounding or subtraction of it, is printed in the tex block carrying its audit tag. The tex side is checked at block level, not sentence level. It has two mutation modes (an altered expected value; an altered tex literal) that must fail. Numbers quoted only in running text and the references’ journal data are not checked by the script. The sources it reads are the status page `STANDING_2026-09-29.md` (63 of the 201 rows check the status page’s wording, not a lane file); the closure-map files `GAPS_1_2_JOINT_STATUS.md`, `TEN_DOORS_RESULT`, `TEN_DOORS_GATES`, `DOOR11_RESULT`, `VERIFICATION_REPORTED_ONLY` and `WHAT_WOULD_DECIDE`; the lane READMEs `CFG0_README.md` and those of `CFG28`, `CFG43`, `CFG63`, `CFG200`, `CFG230`, `CFG231`, `CFG232`, `CFG242`, `CFG243`, `CFG244`, `CFG245`, `CFG251`, `CFG253`, `CFG259` and the referee `CFG265`, with its `CFG265_route_recount.out` and `CFG265_physics.out`; the footing likelihood `mi_a0_profile_likelihood_milgrom_footing_2026.out`; the pre-

registration `PREREGISTRATION_DR4.md` and its code-extracted `edge_table_dr4.json`; `PAPER38_a0z_calibration_wall_2026.tex` (version 1.2); and `ChainCert/README.md`, `verify_chain.out` and `Footring.lean`. Numbers from CFG29, CFG118 and CFG131 are checked through the status page or the closure-map files. No new analysis is done here.

Changes in version 1.1. Wording corrections after the independent referee CFG265 (30 findings: 1 CRITICAL, 3 MAJOR, 19 MINOR, 7 NIT); no result changes, and no number in the routes table changes. F-01: how the routes’ criteria were frozen and committed. F-02 and F-05: the DR4 paragraph and abstract item (vii) name the kernels (Arm A’s ν_{RAR} floor, cap and pair count; the P2 merge band per footing and its separation from ownership and from the chain’s ceiling), use the preregistration’s verdict words, and drop the “kills the bare law” line. F-03: the title, the abstract, the Section 4 opener and its one-sentence summary call the specification a reading of the scored classes and name the two items that rest on more. F-04: the $a_0(z)$ gloss follows [P38]. F-06: the BBN interval’s confidence level and the transfer assumptions. F-07: Milgrom’s footing against both framework footings. F-08: the density convention of the Lean **Footring** identity. F-09: the scope of the Lean ownership and dimension statements. F-10, F-11: the satellite lean worded as a lean throughout, and the ultra-faint cap attributed to its own test. F-12: referee coverage. F-13: door 12’s reconstruction of Hossenfelder’s Lagrangian. F-14: particle models in doors 4 and 7. F-15: the audit’s source list. F-16: CFG253’s declared tolerance, its label and the count without it. F-17: which gates each row uses. F-18: the vacuum ledger in B’s r_{ta} convention. F-19: the cap’s new constant and the BTFR’s requirement. F-20: the other escapes of the no-EFE theorem. F-21: the bound-core reading as ΛCDM at satellites. F-22: references for the named classes and the literature-scope statement. F-23: journal data for [A20], [AP26] and [M13]. N-01 to N-07: the deep-limit theorem needs no continuity; the T4 premises; the rate window; the $\Delta\chi^2$ range without the ultra-faints; the doors outside the cross-door reading; CFG259’s reported row; the R09 premise.

References

- [A20] J. Alvey, N. Sabti, M. Escudero & M. Fairbairn 2020, “Improved BBN constraints on the variation of the gravitational constant”, *Eur. Phys. J. C* 80, 148, doi:10.1140/epjc/s10052-020-7727-y, arXiv:1910.10730.
- [AP26] J. M. Arroyo-Polonio, G. Battaglia & G. F. Thomas 2026, “Estimating the dynamical masses of dwarf galaxies in the presence of binary-star contamination”, *A&A* 708, A287, doi:10.1051/0004-6361/202558720, arXiv:2603.03129 (corrigendum *A&A* 712, C8, doi:10.1051/0004-6361/202662160e: it corrects only misplaced galaxy labels in Fig. A.1 and, per the authors, affects no result; Table A.1, used here, is unchanged).
- [BK15] L. Berezhiani & J. Khoury 2015, “Theory of dark matter superfluidity”, *Phys. Rev. D* 92, 103510, arXiv:1507.01019.
- [BL08] L. Blanchet & A. Le Tiec 2008, “Model of dark matter and dark energy based on gravitational polarization”, *Phys. Rev. D* 78, 024031, arXiv:0804.3518.
- [CM13] A. H. Chamseddine & V. Mukhanov 2013, “Mimetic dark matter”, *JHEP* 11 (2013) 135, arXiv:1308.5410.
- [D08] A. R. Duffy, J. Schaye, S. T. Kay & C. Dalla Vecchia 2008, “Dark matter halo concentrations in the Wilkinson Microwave Anisotropy Probe year 5 cosmology”, *MNRAS* 390, L64, arXiv:0804.2486.
- [DW07] S. Deser & R. P. Woodard 2007, “Nonlocal cosmology”, *Phys. Rev. Lett.* 99, 111301, arXiv:0706.2151.
- [G26] M. Geha 2026, “The Keck/DEIMOS Stellar Archive: II. Dynamical masses and metallicities for a uniform sample of Milky Way satellites”, submitted to *ApJ*, arXiv:2602.10202.
- [H17] S. Hossenfelder 2017, “A covariant version of Verlinde’s emergent gravity”, *Phys. Rev. D* 95, 124018, arXiv:1703.01415.
- [HBG00] W. Hu, R. Barkana & A. Gruzinov 2000, “Fuzzy cold dark matter: the wave properties of ultralight particles”, *Phys. Rev. Lett.* 85, 1158, arXiv:astro-ph/0003365.
- [HFB17] A. Hees, B. Famaey & G. Bertone 2017, “Emergent gravity in galaxies and in the Solar System”, *Phys. Rev. D* 95, 064019, arXiv:1702.04358.
- [M09] M. Milgrom 2009, “Bimetric MOND gravity”, *Phys. Rev. D* 80, 123536, arXiv:0912.0790.
- [M13] B. P. Moster, T. Naab & S. D. M. White 2013, “Galactic star formation and accretion histories from matching galaxies to dark matter haloes”, *MNRAS* 428, 3121, doi:10.1093/mnras/sts261, arXiv:1205.5807.
- [MC10] A. W. McConnachie & P. Côté 2010, “Revisiting the influence of unidentified binaries on velocity dispersion measurements in ultra-faint stellar systems”, *ApJ* 722, L209, arXiv:1009.4205.
- [MM14] M. Maggiore & M. Mancarella 2014, “Nonlocal gravity and dark energy”, *Phys. Rev. D* 90, 023005, arXiv:1402.0448.
- [O26] X. Ou et al. 2026, “From observing strategies to velocity dispersion bias: forward modeling unresolved binaries in ultra-faint dwarf galaxies”, submitted to *ApJ*, arXiv:2609.19407.

- [P36] The authors 2026, “The cold component keeps its collapse mass: a derived dark-sector rule for a Λ -tied MOND law, tested with weak-lensing collapse masses”, Zenodo, doi:10.5281/zenodo.23025372.
- [P38] The authors 2026, “Measuring the MOND acceleration scale at high redshift: the baryon-calibration wall”, version 1.2, Zenodo, doi:10.5281/zenodo.23085582 (concept 23073071).
- [RM14] S. Rahvar & B. Mashhoon 2014, “Observational tests of nonlocal gravity: galaxy rotation curves and clusters of galaxies”, Phys. Rev. D 89, 104011, arXiv:1401.4819.
- [V17] E. P. Verlinde 2017, “Emergent gravity and the dark universe”, SciPost Phys. 2, 016, arXiv:1611.02269.