















0000000432549364₀1, P = 1.217509 Days, E = 1764.316309 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
192.7	9.00	1.10	0	4.57	1.65	1.28	191.6	192.7	7.90	9.00	1.53	0.99	0.01	1.40




0000000432549364₀1, P = 1.217509 Days, E = 1764.316171 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
159.2	20.3	-0.82	0	4.57	1.65	4.02	160.0	159.2	21.1	20.3	0.67	0.96	0.03	0.45





Difference Image
Planet Candidate 1 / Sector 17 / Target Pixel Table 176



Difference image for target 432549364, planet candidate 1, sector 17, target pixel table 176. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 14; number of valid in-transit cadences = 967; number of in-transit cadence gaps = 0; number of valid out-of-transit cadences = 2406; number of out-of-transit cadence gaps = 0. Difference image quality metric = 1.00 (good).

Open `./planet-01/difference-image/0000000432549364-01-difference-image-17-176.fig`

Median Image S17



Using TIC: 432549364

Using TIC catalog position 0.362154 39.383828 [J2000.0; epoch 2000.0]

Predicted GAIA position 0.362099 39.383795 [J2000.0; epoch 2015.5]

2MASS J00012691+3923017 From TIC

7 TIC entries within 60.0 arcsec of target 432549364

612040298 Sep [arcsec]: 16.251 Tmag: 19.75 Teff: 0.0 Logg: 0.00 Rs[Rsun]: 0.00
432552602 Sep [arcsec]: 18.106 Tmag: 16.69 Teff: 5026.0 Logg: 4.83 Rs[Rsun]: 0.59
612040295 Sep [arcsec]: 35.043 Tmag: 18.56 Teff: 3987.0 Logg: 4.95 Rs[Rsun]: 0.44
432549365 Sep [arcsec]: 40.968 Tmag: 14.72 Teff: 5563.0 Logg: 4.31 Rs[Rsun]: 1.15
612040297 Sep [arcsec]: 47.864 Tmag: 19.04 Teff: 3621.0 Logg: 0.00 Rs[Rsun]: 0.00
432554498 Sep [arcsec]: 54.760 Tmag: 18.16 Teff: 3957.0 Logg: 4.76 Rs[Rsun]: 0.54
432550162 Sep [arcsec]: 54.906 Tmag: 18.80 Teff: 0.0 Logg: 0.00 Rs[Rsun]: 0.00

No TOIs associated with TIC at ExoFop

Target Parameters

Catalog	Tmag/Rpmag	Teff	Logg	Rstar	Mstar
TIC	10.2242	6596.0±156.6	4.25±0.09	1.46± 0.1	1.38± 0.23
GAIA DR2	10.175	6225.4±352.1	...	1.52± 0.2	...

Other GAIA G: 10.59 Bp: 10.87 AbsG: 2.91 (Bp-Rp)o: 0.431 AstroGOF: 10.89 AstroExNoiSig: 0.00

Target Links

[ExoFOP](#)
[Simbad](#)
[Vizier](#)
[MAST TESS Data Holdings](#)
[IRSA Finderchart](#)
[ESO Data Archive Holdings](#)
[TESScut TPF Download](#)
[GAIA DR2 60" Cone Search @MAST](#)

NASA Ames SPOC DV Results Available at MAST

No DV Results for this target at MAST

TESS Observe - Sec Cam Ccd Col Row
432549364 17 2 3 1014.57 1030.10