

Dragonfly Health

Medication Interface Specifications

Prepared by (alphabetically): Carmen Del Mastro, Adam Orgacki, MaryGrace Rainsford Stanley

Date: 4/30/2026

Version: v7.0

All contents of this document are proprietary information and remain the sole and exclusive property of Dragonfly Health. Unauthorized use or disclosure of this document or its contents is strictly prohibited.



Table of Contents

1. Introduction	Error! Bookmark not defined.
2. Business Rules and Requirements	Error! Bookmark not defined.
2.1 Definitions:.....	4
2.2 Assumptions:	4
2.3 Inbound Med Interface Requirements	5
2.4 Medication Key Information:.....	6
3. Messages	7
3.1 Message Overview	Error! Bookmark not defined.
3.2 Message Format	7
3.3 Message Description – Inbound and Outbound Medication Messages.....	7
4. Interface Connection and Authentication	13
4.1 Connection Protocol	13
4.2 Credentials and URLs	13
5. Interface Acknowledgement Messages.....	13
5.1 Acknowledgements	13
6. Interface Support.....	13
6.1 Vendor to Vendor Meetings	14
6.2 Client Meetings.....	14
7. Interface Service Level	14
8. Fault Tolerance	14
8.1 Outages.....	14
8.2 Maintenance.....	14
9. Testing.....	14
10. Appendix – Sample Messages	15
10.1 JSON Med Message	15
10.2 JSON Med Message Successful Response	15
10.3 JSON Med Message Failure Response	16
10.4 HL7 Med Message.....	16
10.5 HL7 Med Message Successful Response.....	16
10.6 HL7 Med Message Failure Response	16
10.7 Xml Med Message.....	16
10.8 Xml Med Message Successful Response.....	17
10.9 Xml Med Message Failure Response	17

10.10 FHIR JSON Med Message	18
10.11 FHIR JSON Med Message Successful Response	21
10.12 FHIR JSON Med Message Failure Response.....	21

Meds

1. INTRODUCTION

Dragonfly Health stores patient information by billing group, as defined by the financial agreement between the hospice and Dragonfly Health. The functionality of the inbound MED interface depends on Dragonfly Health's ability to identify transactions sent to the pharmacy system. To support this, Dragonfly Health may use the patient ID generated by the EMR, along with additional identifiers, to accurately identify the patient. When sufficient identifying information is provided, interface transactions will be processed accordingly. This specification document and the accompanying sample messages are universal and apply to HL7 2.x, XML, JSON, and FHIR JSON R4 formats.

2. BUSINESS RULES AND REQUIREMENTS

Dragonfly Health validates all the interface required fields for each interface transaction type. If a transaction is sent to Dragonfly Health that does not meet the requirements, the transaction will not be processed.

Typically, the hospice should initially input a patient's information into their EMR system when the hospice is first notified of a potential new patient. Depending upon the hospice vendor and the procedures implemented by the hospice, this information will be transmitted to Dragonfly Health. At that point, if enough identifying data were sent with the transaction, the patient would be registered as a referral in Dragonfly Health's system.

Once Dragonfly Health has received the patient's information through the demographic interface the success of the inbound medication interface is significantly higher.

2.1 Definitions:

- Inbound Medication Interface
 - medication messages transmitted from the client's EMR system to Dragonfly Health
 - inbound medication interface functions with an inbound ADT interface and does not require an outbound medication interface
- Transmission method
 - Push method (inbound interfaces) – EMR sends medication messages to Dragonfly Health.
- End users - client users of Dragonfly Health's systems and their EMRs.
- Dragonfly Health Systems include client-facing systems such as:
 - E3Pro App
 - Dragonfly Health Call Center
- EMR system hosting
 - Client hosted – each client hosts their own patient database.
 - Vendor hosted - the EMR/vendor hosts patient databases for all clients.
- Organization / Location - The hierarchy of location identifiers is as follows:
 - Parent/Master org – corporate office of an organization (hospice) with multiple locations
 - Org (organization) / Agency / Branch – a location under a parent / master org
 - An organization with a single location will only utilize the org level concept, it will not utilize the parent/master org concept.
 - Group / Team / Location / Level of Care / Place of Service – a sub location under an org.
 - It is expected that the locations (such as: Home, ALF, LTC) are standard across agencies. If the locations are not standard, they need to be defined early in the project.

- It is expected that the same team will NOT be under two different groups or locations.
- The team concept needs to be defined early in the project (if applicable)

2.2 Assumptions:

- An ADT patient demographic interface with messages flowing from the client's system to Dragonfly Health is already established.
- The concept of one medication per message is preferred. Sending multiple medications per message can impact processing time and transmittal of acknowledgments.
- If an element value belongs to a codable concept set, the name of the codable concept should be sent. Such as NDC, GCN, GCN SeqNO, RxNorm/RxCUI.
- It's preferred that the prescription data elements are sent as discrete fields et. Dosage, frequency, route, indication.
- No changes will be made to Dragonfly Health's front end systems.
- There might be changes required to the EMRs front end systems based on workflows and/or field requirements.
- This document is for medications only
 - ADTs (patient demographics messages) are covered in a separate document.
 - Allergies are expected to be sent in ADT messages.
- Connectivity – it is assumed that the vendor can send messages for multiple unrelated clients through the same channel.
- The client/vendor and Dragonfly Health will have to agree on client identifiers that will exchange the org_ids. Dynamic org_id identification is out of scope for this project.
- It is assumed that medication messages are sent in a live environment as soon as each medication order is completed. If there are any holding mechanisms, batch sends or offline modes that trigger mass medication messages; such process needs to be described in detail ahead of time during testing and production configuration.
- Formulary and Non-Formulary Mediations - By utilizing the NDC received through the Inbound Medication interface, Dragonfly Health can ascertain if the medication is a formulary medication or non-formulary medication. Non-Formulary medications marked as hospice covered through the interface will not also be listed on the non-formulary authorization tool accessible through Dragonfly Health's online tools.
- Non-ASCII characters such as carriage returns, line feeds, NULL values, etc. will not be included in the message.
- Medication messages will only contain the current period that pertains to the medication. Previous periods will not be included in the message.
- Transmission of custom medications and Comfort Paks needs to be described in detail ahead of time during testing and production configuration.
- It is assumed that each medication has assigned a unique NDC value and there are no instances of different medications having the same NDC value (e.g. "Immediate release" vs "Extended release.")
- If a medication is discontinued and the same medication is ordered again, the new medication order will have a new external Medication ID.

2.3 Inbound Med Interface Requirements

- **Profiled Meds:** Messages will be sent to Dragonfly Health when a new medication is profiled. Medications will be added to the patient's profile with an effective date, coverage determination (covered or not

covered by hospice), the ordering provider, proper SIG codes, and an indication if the medication is PRN or not. The NDC of the medication is a required field. SIG codes should be sent in this order in the directions field: Amount, Dose, Route, Medication, Frequency, and Reason. The SIG codes should be sent in their discrete fields as well. The profile med message needs to include the MedicationID (ClientMedicationId aka ExternalMedId)

- **Discontinued Meds:** Messages will be sent to Dragonfly Health when medication is discontinued. If the hospice discontinues a medication in their EMR system, Dragonfly Health can discontinue the medication in our system. The interface transaction will need to include the end date of the medication and the Medication ID (that matches the MedicationID in the profile med message) to ensure the proper discontinuation of the medication.
 - If a patient is discharged, all the medications in the patient's profile will be automatically discontinued.
- **Cancelled Meds:** Messages will be sent to Dragonfly Health when a medication is cancelled. Dragonfly Health currently handles cancelled meds the same way as discontinued meds. The interface transaction will need to include the end date of the medication and the Medication ID (that matches the MedicationID in the profile med message) to ensure the proper discontinuation of the medication.
- **Updated Med:** Messages will be sent to Dragonfly Health when the following elements are updated within the EMR systems:
 - Covered vs not covered.
 - For any other updates (such as dosage, frequency, prescriber etc.), it is expected that the current medication will be discontinued, and a new medication order entered with the updated fields.
 - The update interface transaction will need to include the Medication ID (that matches the MedicationID in the profile med message) to ensure the proper update of the medication.
- **On Hold Med**
 - If medication needs to be put on hold; Dragonfly Health is expecting the current medication to be discontinued. When the medication is to be resumed Dragonfly Health is expecting a new medication order with a different EMR order/medication number to be sent.

2.4 Medication Key Information:

- **Patient Information**
 - Medical Record Numbers are expected to be the patient's primary identifier.
 - MRNs are required for all messages including referrals.
 - It's expected that this value will remain the same if a patient is admitted, discharged and readmitted.
 - If there are any other patient identifiers (such as episode IDs, patient admit IDs, internal patient IDs), that need to be included in the med interface, such concepts need to be discussed early in the project.
- **Medication Meta Data:**
 - Allergies – out of scope
 - Date Written – date provider wrote the prescription
 - Medication Form - e.g. Tablet, suppository
 - Covered/Not Covered – Covered signifies that the hospice is the responsible party
 - Compound Indicator
 - Reason/Indication on Medication Level – brief description such as: "for pain"
 - Caregiver - Nurse Name
- **Medication Identifiers**

- NDC – primary
- GCN – secondary
- RxNorm – tertiary
- Medication ID – EMR med ID

3. MESSAGES

3.2 Message Format

- **JSON is the preferred format by Dragonfly Health for ADT and medication interfaces.**
- Dragonfly Health also accepts HL7 2.x, XML, and FHIR JSON (<http://hl7.org/fhir/>) formatted messages.

3.3 Message Description

If the medication data elements are filled out by the user, please send/populate the appropriate fields in the message. These fields are minimally required; however minimal data will impact functionality in Dragonfly Health's client facing applications.



Field				Datatype	Required	Description/Comments
JSON	XML	HL7	FHIR JSON			
patient	MedicationRequest		MedicationRequest	--	R	Encapsulating field
Organization						
--	--	--	Organization.id	FHIR JSON: id	R*	FHIR JSON resourceType container identifier *Only required for FHIR
institution.name	Hospice/HospiceName	PV1.3	Organization.name	string	R	Name of the hospice/branch
institution.id	Hospice/HospOrgCode	MSH.4	Organization.identifier	JSON: integer XML: integer HL7: integer FHIR JSON: Identifier* *NOTE: map to the value element & set system to the URI for identifier (specifying DFH org id)	R	Hospice ID assigned by Dragonfly Health
Patient						
--	--	--	Patient.id	FHIR JSON: id	R*	FHIR JSON resourceType container identifier *Only required for FHIR
patient_id	Patient/PatID	PID.3.1	Patient.identifier	JSON: string XML: string HL7: string FHIR JSON: Identifier* *NOTE: map to the value element & set system to the URI for identifier (specifying 'MRN')	R	Patient MRN
patient_ssn	Patient/PatSSN	PID.19	Patient.identifier	JSON: string XML: string HL7: string FHIR JSON: Identifier* *NOTE: map to the value element & set system to the URI for identifier (specifying 'SSN')	O	Patient SSN
last_name	Patient/PatLastName	PID.5.1	Patient.name.family	string	P	Patient's last name
first_name	Patient/PatFirstName	PID.5.2	Patient.name.given[0]	string	P	Patient's first name
middle_name	Patient/PatMiddleName	PID.5.3	Patient.name.given[1]	string	O	Patient middle name



Field				Datatype	Required	Description/Comments
JSON	XML	HL7	FHIR JSON			
Medication						
medication.request_type	Medication/MedRequestType	ORC.1	status	JSON: integer XML: integer HL7: string FHIR JSON: string* <i>*NOTE: accepts 'active' for Add/Update or 'inactive' for Discontinue/Cancel</i>		Type of medication action: 1. Active – Medication Profile Action 2. Update – Coverage changes: covered vs. non covered or NPI changes 3. Discontinue - Medication Discontinue Action 4. Cancel - Medication Cancel Action (treated as a discontinue)
medication.id	Medication/ExternalMedID	ORC.2	identifier	JSON: string XML: string HL7: string FHIR JSON: Identifier* <i>*NOTE: map to the value element & set system to the URI for identifier (specifying med id)</i>	R	The vendor assigned order identifier for the medication
--	--	--	Medication.id	FHIR JSON: id	R*	FHIR JSON resourceType container identifier *Only required for FHIR
medication.rxnorm	Medication/MedRxNorm	RXO.1.10	Medication.code	JSON: string XML: string HL7: string FHIR JSON: CodeableConcept* <i>*NOTE: map to the coding.code element & set coding.system to the URI to specify the code type (rxNorm)</i>	O	RxNorm for the medication
medication.gcn	Medication/MedGCN	RXO.1.13	Medication.code	JSON: string XML: string HL7: string FHIR JSON: CodeableConcept* <i>*NOTE: map to the coding.code element & set coding.system to the URI to specify the code (gcn)</i>	O	GCN for the medication

Field				Datatype	Required	Description/Comments
JSON	XML	HL7	FHIR JSON			
medication.ndc	Medication/MedNDC	RXO.1.1	Medication.code	JSON: string XML: string HL7: string FHIR JSON: CodeableConcept* <i>*NOTE: map to the coding.code element & set coding.system to the URI to specify the code (ndc)</i>	R	NDC for the medication
medication.med_name	Medication/MedName	RXO.1.2	Medication.text	string	R	Name of the medication
medication.dosage_qty	Medication/UnitsPerDose	RXO.2	dosageInstruction.doseAndRate.doseQuantity	JSON: string XML: string HL7: string FHIR JSON: Quantity* <i>*NOTE: map to the value element</i>	P	Units per dose for the medication (e.g. "3" 50 mg tablets)
medication.dosage_unit	Medication/DoseUnits	RXO.5.1	dosageInstruction.doseAndRate.doseQuantity	JSON: string XML: string HL7: string FHIR JSON: Quantity* <i>*NOTE: map to the unit element</i>	P	Dose unit of measure for the medication
medication.directions	Medication/UsageDirections	RXO.7.5	dosageInstruction.text	string	R	The directions for taking the medication. NOTE: All the SIG components should be concatenated into the text field. If there are any additional free text instructions, they should be appended to the concatenated text field. SIG concatenation: Verb, Dose Quantity, Med Name, Route, Frequency, Indication, Additional Inst.
medication.method	Medication/MedMethod	--	dosageInstruction.method	JSON: string XML: string HL7: string FHIR JSON: CodeableConcept* <i>*NOTE: map to the text element & set coding.system to the URI to specify the method code type</i>	O	Method of taking/administering the medication.



Medication Interface Specifications

Field				Datatype	Required	Description/Comments
JSON	XML	HL7	FHIR JSON			
medication.is_prn	Medication/PRN	RXO.17	dosageInstruction.asNeededBoolean	JSON: boolean XML: string HL7: string FHIR JSON: boolean	R	Medication PRN indicator NOTE: If the med directions contain the verbiage “PRN” or “as needed”, then Dragonfly Health will default this flag to true.
medication.start_date	Medication/StartDate	ORC.7.4	dosageInstruction.timing.boundsPeriod.start	dateTime	R	Date the medication is to be / was started
medication.stop_date	Medication/StopDate	ORC.7.5	dosageInstruction.timing.boundsPeriod.end	dateTime	R*	Date the medication is to be / was stopped *Required if medication status is stopped or medication action is DC or Cancel
medication.route	Medication/MedRoute	RXR.1.2	dosageInstruction.route	JSON: string XML: string HL7: string FHIR JSON: CodeableConcept* *NOTE: map to the text element & set coding.system to the URI to specify the method code type	P	Route of the medication
medication.frequency	Medication/DoseFrequency	ORC.7.2	dosageInstruction.timing.repeat + period + periodUnit	JSON: string XML: string HL7: string FHIR JSON: Timing* *NOTE: map to frequency + period + periodUnit	P	Frequency of the medication
medication.written_date	Medication/WrittenDate	ORC.9	authoredOn	dateTime	O	Date provider wrote the prescription
medication.coverage	Medication/Coverage	RXO.1.5	insurance	JSON: string XML: integer HL7: integer FHIR JSON: Reference (Coverage)* *NOTE: build a Coverage resourceType and reference it within the insurance	R	Coverage indicator for the medication - Covered (1) Not Covered (0) Not Specified NOTE: if the coverage segment is missing completely, Dragonfly Health will default the medication to Not Specified coverage



Field				Datatype	Required	Description/Comments
JSON	XML	HL7	FHIR JSON			
medication.indication	Medication/MedIndication	RXO.20	reasonReference	JSON: string XML: string HL7: string FHIR JSON: Reference (Condition)* <i>*NOTE: build a Condition resourceType and reference it within the reasonReference</i>	P	Indication / reason for taking the medication
Doctor						
--	--	--	Practitioner.id	FHIR JSON: id	R*	FHIR JSON resourceType container identifier <i>*Only required for FHIR</i>
doctor.last_name	ApprovingDoctor/DrLastName	ORC.12.2	Practitioner.name.family	string	P	Last name of the prescribing doctor
doctor.first_name	ApprovingDoctor/DrFirstName	ORC.12.3	Practitioner.name.given[0]	string	P	First name of the prescribing doctor
doctor.dea	ApprovingDoctor/DEA	Second instance of ORC.12.1	Practitioner.identifier	JSON: string XML: string HL7: string FHIR JSON: Identifier* <i>*NOTE: map to the value element & set system to the URI for identifier (specifying 'DEA')</i>	O	DEA number of the prescribing doctor
doctor.npi	ApprovingDoctor/NPI	ORC.12.1	Practitioner.identifier	JSON: string XML: string HL7: string FHIR JSON: Identifier* <i>*NOTE: map to the value element & set system to the URI for identifier (specifying 'NPI')</i>	P	NPI License Number Code for practicing physician

4. INTERFACE CONNECTION AND AUTHENTICATION

Dragonfly Health's interface connection and authentication follows industry standard processes.

4.1 Connection Protocol

HTTPS (HTTP over SSL or HTTP Secure) is Transport Layer Security (TLS) 1.2 or higher as a sub layer under regular HTTP application layering. HTTPS encrypts and decrypts user page requests as well as the pages that are returned by the Web server.

4.2 Credentials and URLs

The credentials (username and password) as well as the channel number and the ending of the URL will be provided to the vendor.

- Dragonfly Health TEST1 e.g.
 - <https://testclientservices.dragonflyhealth.com/SIG.API/chm124/PatientServices/SendAdt>
 - <https://testclientservices.dragonflyhealth.com/SIG.API/chm124/PatientServices/SendMed>
- Dragonfly Health TEST3 e.g.
 - <https://testclientservices.dragonflyhealth.com/SIG.API.3/chm124/PatientServices/SendAdt>
 - <https://testclientservices.dragonflyhealth.com/SIG.API.3/chm124/PatientServices/SendMed>
- Dragonfly Health PROD e.g.
 - <https://clientservices.dragonflyhealth.com/SIG.API/chm124/PatientServices/SendAdt>
 - <https://clientservices.dragonflyhealth.com/SIG.API/chm124/PatientServices/SendMed>

5. INTERFACE ACKNOWLEDGEMENT MESSAGES

5.1 Acknowledgements

- For inbound messages Dragonfly Health will send an acknowledgment message when a medication message is received and processed successfully or failed
 - Patient Not Found
 - Patient already discharged/deceased
 - Org not found
 - Medication added as unsolicited
 - Medication identifier RxNorm/NDC/GCN not found
 - Medication not found – error response when a matching medication cannot be found for a medication update or discontinue message.

6. INTERFACE SUPPORT

The EMR vendor agrees to participate in ongoing support of the interface with Dragonfly Health and being an active partner in resolving all issues to the mutual client's satisfaction.

6.1 Vendor to Vendor Meetings

The EMR vendor agrees to participate in ongoing scheduled meetings with Dragonfly Health to review upcoming interface implementations as well as review open production issues with the interface.

6.2 Client Meetings

The EMR vendor agrees to participate, in conjunction with Dragonfly Health, mutual client meetings to review interface implementation and/or interface production issues.

7. INTERFACE SERVICE LEVEL

The EMR vendor agrees to a service level of all interfaces functioning 24 hours a day/7 days a week/365 days a year.

Dragonfly Health requires an operational support escalation path with the EMR prior to going live with a client.

8. FAULT TOLERANCE

8.1 Outages

Any interface outages will be reported by Dragonfly Health at the beginning and the end of the outage. The EMR vendor agrees to have proper alerting in place to notify their internal and Dragonfly Health of the outage, in accordance with the Service Level Agreement. Likewise, Dragonfly Health agrees to the same in return, in accordance with the Service Level Agreement.

In case of a time out Dragonfly Health is expecting the messages to be attempted to be sent again in a relatively short period of time. (e.g. After 10 seconds with 5 retries)

In case of a connectivity outage Dragonfly Health is expecting the messages to queue up on the client's / vendor's end. Once the connectivity is re-established all the messages in the queue should automatically be transmitted. If there is a human intervention required on the client's or vendor's end to resend failed messages, such concepts and processes need to be defined ahead of time.

8.2 Maintenance

The EMR vendor will notify Dragonfly Health and mutual clients prior to any maintenance which will require the interface to be disabled.

9. TESTING

- It is assumed that:
 - The vendor has a testing environment available for testing purposes.
 - Connectivity can be established between the vendor's testing environment and Dragonfly Health test environments specified in item #4.

- A vendor resource will be available to perform patient actions that will trigger outbound MED messages.
- A detailed test plan will be shared with the vendor before the testing stage of the project.

10. SAMPLE MESSAGES

10.1 JSON Med Message

```
{
  "patient": {
    "institution": {
      "id": "6935558",
      "name": "Example Institution"
    },
    "patient_id": "165901012",
    "patient_ssn": "122-11-1111",
    "last_name": "PatientLastName",
    "first_name": "PatientFirstName",
    "middle_name": "PatientMiddleName",
    "medication": {
      "request_type": 1,
      "id": 49304022,
      "rxnorm": "",
      "gcn": 24635,
      "ndo": "00378-9119-16",
      "med_name": "fentanyl 12 mcg/hr transdermal patch",
      "dosage_qty": 1,
      "dosage_unit": "patch",
      "formulation": "12",
      "directions": "Apply one patch TD q72hrs for pain",
      "method": "Apply",
      "is_prn": true,
      "start_date": "2026-04-29",
      "stop_date": null,
      "written_date": "2026-04-29",
      "route": "TD",
      "frequency": "q72hrs",
      "coverage": "covered",
      "indication": "Pain",
      "doctor": {
        "last_name": "ProviderLastName",
        "first_name": "ProviderFirstName",
        "npi": "1164000371",
        "dea": "12345"
      }
    }
  }
}
```

10.2 JSON Med Message Successful Response

```
{
  "TrackingNumber": "202605555001018339b1",
  "TransactionDate": "2026-04-30T22:01:02.2337129-04:00",
  "PatientId": "777888845",
  "PharmacyPatientId": "14066678",
  "ExternalMedId": "8367078666",
}
```

```
"Success": true,  
"Errors": []  
}
```

10.3 JSON Med Message Failure Response

```
{  
  "TrackingNumber": "2026044444222421605",  
  "TransactionDate": "2026-04-30T22:02:22.5562528-04:00",  
  "PatientId": "7746784845",  
  "PharmacyPatientId": "14000078",  
  "ExternalMedId": "8367078234",  
  "Success": false,  
  "Errors": [  
    {  
      "ErrorCode": "",  
      "ErrorDesc": "Error|104|Cannot process meds for a patient in Discharged status  
(7746784845)."  
    }  
  ]  
}
```

10.4 HL7 Med Message

```
MSH|^~\&|SendingApplication|1234|DragonflyHealth|DragonflyHealth||RDE^O11||P|2.5  
PID|||123456^MRN||PatientLastName^PatientFirstName||19520329|F|||512 Elmwood  
Ave^^Sharon Hill^PA^19079|||(215) 937-5500|||364000111|||  
PV1||O|R^^^^^Home^^^|Home|||1374433555^JONES^TINA|1376633248^JONES^TINA|||Home|  
||||||||||||Identifier||||20260324||  
ORC|*|17893|||N||^20260423000000||20210120154533|||20201012000000|||  
TQ1|1|1 tab|Every day All Days|||20260423000000|  
RXO|00009005501^Xanax 0.5 mg oral tablet^^223228|1 tab|1 tab|^10 mcg|^tablet|^1, Xanax  
0.5 mg oral tablet, po, Daily AM, test,|||||AR1230628|||10 mcg|^Xanax 0.5 mg oral  
tablet^10|1 tab|1, Xanax 0.5 mg oral tablet, po, Daily AM, test,  
RXR|oral  
NTE|1
```

10.5 HL7 Med Message Successful Response

```
MSH|^~\&|DragonflyHealth|DragonflyHealth||1234|20260501015411||ACK^O11||T|2.5  
MSA|AA|4470870|Application Accept
```

10.6 HL7 Med Message Failure Response

```
MSH|^~\&|DragonflyHealth|DragonflyHealth||1234|20260501015313||ACK^O11||T|2.5  
MSA|AE|4470870|Application Error  
{"Medications":[{"ClientMedicationId":"17893","DrugName":"Coumadin","MedicationStatus":  
:2,"MedicationDetails":"Error 104 Cannot process meds for a patient in Discharged  
status (777600139)."}]}
```

10.7 XML Med Message

```
<MedicationRequest>  
  <Patient>  
    <PatSSN>123456789</PatSSN>  
    <PatID>123456</PatID>  
    <PatLastName>PatientLastName</PatLastName>  
    <PatFirstName>PatientFirstName</PatFirstName>  
    <PatMiddleName/>  
    <PatBirthDate>04/21/1931</PatBirthDate>
```



```

</Patient>
<Hospice>
  <HospName>Example Hospice</HospName>
  <HospGroupID/>
  <HospLocType>Home</HospLocType>
  <HospTeamName>TeamA</HospTeamName>
  <HospLocEffDate>03/24/2026</HospLocEffDate>
</Hospice>
<Medication>
  <ExternalMedId>2341576</ExternalMedId>
  <MedRequestType>1</MedRequestType>
  <MedNDC>00009005501</MedNDC>
  <MedGPI>49270060000620</MedGPI>
  <MedName>Xanax 0.5 mg oral tablet</MedName>
  <MedIndication>Anxiety</MedIndication>
  <MedStrength>0.5</MedStrength>
  <MedForm>Tablet</MedForm>
  <MedRoute>ORAL</MedRoute>
  <MedMethod>Swallow</MedMethod>
  <AdditionalInstructions/>
  <StartDate>04/20/2026</StartDate>
  <StopDate/>
  <Coverage>1</Coverage>
  <UnitsPerDose>1</UnitsPerDose>
  <DoseUnits>mg</DoseUnits>
  <Route>PO</Route>
  <DoseFrequency>1xDaily</DoseFrequency>
  <PRN>false</PRN>
  <UsageDirections>1 Capsule 1 times a day ORAL (20 mg Capsule)
</UsageDirections>
  <ApprovingDoctor>
    <DrLastName>PhysicianLastName</DrLastName>
    <DrFirstName>PhysicianFirstName</DrFirstName>
    <DrDEA/>
    <DrNPI>1952384505</DrNPI>
    <DrUPIN/>
    <DrOfficePhone>9378857163</DrOfficePhone>
    <DrOfficeFax>9375670670</DrOfficeFax>
  </ApprovingDoctor>
</Medication>
</MedicationRequest>

```

10.8 XML Med Message Successful Response

```

<Response>
  <Status>Success</Status>
  <Message>MED message processed successfully.</Message>
  <TrackingNumber>202604301145342353da</TrackingNumber>
  <MessageControlId>087611333531803375</MessageControlId>
  <TransDate>4/30/2026 3:45:41 PM</TransDate>
</Response>

```

10.9 XML Med Message Failure Response

```

<Response>
  <Status>Error</Status>
  <Message>Error|104|Cannot process meds for a patient in Discharged status
(777600319).</Message>
  <TrackingNumber>202604301145342353da</TrackingNumber>
  <MessageControlId>087611333531803375</MessageControlId>

```

```
<TransDate>4/30/2026 3:45:41 PM</TransDate>
</Response>
```

10.10 FHIR JSON Med Message

```
{
  "resourceType": "MedicationRequest",
  "contained": [
    {
      "resourceType": "Organization",
      "id": "example-organization",
      "identifier": [
        {
          "system":
"https://dragonflyhealth.com/identifier/organization-id",
          "value": "49414"
        }
      ],
      "name": "Example Hospice Name"
    },
    {
      "resourceType": "Patient",
      "id": "example-patient",
      "identifier": [
        {
          "system": "https://exampleVendor.com/identifier/mrn",
          "value": "629360331"
        },
        {
          "system": "http://hl7.org/fhir/sid/us-ssn",
          "value": "123456789"
        }
      ],
      "name": [
        {
          "use": "official",
          "family": "ExampleLastName",
          "given": [
            "ExampleFirstName",
            "ExampleMiddleName"
          ]
        }
      ]
    }
  ],
  {
    "resourceType": "Practitioner",
    "id": "example-practitioner",
    "active": true,
    "identifier": [
      {
        "system": "http://hl7.org/fhir/sid/us-npi",
        "value": "3235655611"
      },
      {
        "system": "http://hl7.org/fhir/sid/us-dea",
        "value": "123456"
      }
    ]
  },

```

```

    "name": [
      {
        "use": "official",
        "family": "SampleMDLastName",
        "given": [
          "SampleMDFirstName"
        ]
      }
    ],
    {
      "resourceType": "Medication",
      "id": "example-medication",
      "code": {
        "coding": [
          {
            "system":
"https://www.accessdata.fda.gov/scripts/cder/ndc/index.cfm",
            "code": "00113021771",
            "display": "Tylenol 8 Hour 650 mg oral tablet,
extended release"
          }
        ],
        "text": "Tylenol 8 Hour 650 mg oral tablet, extended release"
      }
    },
    {
      "resourceType": "Condition",
      "id": "example-condition",
      "clinicalStatus": {
        "coding": [
          {
            "system":
"http://terminology.hl7.org/CodeSystem/condition-clinical",
            "code": "active"
          }
        ]
      },
      "code": {
        "text": "test"
      },
      "subject": {
        "reference": "#example-patient"
      }
    },
    {
      "resourceType": "Coverage",
      "id": "example-coverage-covered",
      "status": "active",
      "beneficiary": {
        "reference": "#example-patient"
      }
    }
  ],
  "identifier": [
    {
      "system": "https://exampleVendor.com/medication/order_identifier",
      "value": "3b371f12"
    }
  ]

```

```

],
"status": "active",
"intent": "order",
"priority": "routine",
"subject": {
  "reference": "#example-patient"
},
"requester": {
  "reference": "#example-practitioner"
},
"medicationReference": {
  "reference": "#example-medication"
},
"insurance": [
  {
    "reference": "#example-coverage-covered"
  }
],
"authoredOn": "2021-02-24T00:15:00-06:00",
"reasonReference": [
  {
    "reference": "#example-condition"
  }
],
"dosageInstruction": [
  {
    "text": "1 tablet by mouth three times daily as needed",
    "timing": {
      "repeat": {
        "frequency": 3,
        "period": 1,
        "periodUnit": "d"
      }
    },
    "asNeededBoolean": true,
    "route": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "26643006",
          "display": "Oral route"
        }
      ]
    },
    "text": "PO"
  },
  {
    "method": {
      "coding": [
        {
          "system": "http://snomed.info/sct",
          "code": "421521009",
          "display": "Swallow"
        }
      ]
    }
  }
],
"doseAndRate": [
  {
    "doseQuantity": {
      "value": 1,
      "unit": "tablet",

```

```

        "system": "http://unitsofmeasure.org",
        "code": "{tbl}"
      }
    ]
  },
  "dispenseRequest": {
    "validityPeriod": {
      "start": "2021-04-02T15:53:04.205Z"
    }
  }
}

```

10.11 FHIR JSON Med Message Successful Response

```

{
  "resourceType": "OperationOutcome",
  "issues": {
    "severity": "success",
    "details": "Id|97265402; Success|204|Id represents RxId. Other info: ClientMedicationId:b2d5b31c"
  }
}

```

10.12 FHIR JSON Med Message Failure Response

```

{
  "resourceType": "OperationOutcome",
  "issues": {
    "severity": "error",
    "details": "Error|104|Cannot process meds for a patient in Discharged status (1777600332978128).\"
  }
}

```