
8th lab: AWS Multi-Region Disaster Recovery & DNS Failover Architecture

---



RPO: Recovery Point Objective
< 1 second

RTO: Recovery Point Objective (< 1s)
RTO: Recovery Time Objective (Minutes)

Estimated Duration: 1.5 to 2 Hours

Focus Areas: Amazon Route 53 DNS Failover Routing, Route 53 Health Checks, Amazon Aurora Global Database, Multi-Region ALB & Auto Scaling Groups, Active-Passive / Warm Standby DR Strategy, RTO/RPO Metrics.

Architecture Overview & Blueprint

This hands-on lab introduces a critical enterprise scenario tested on the AWS Solutions Architect Associate (SAA-C03) exam: implementing an active-passive multi-region Warm Standby disaster recovery architecture capable of automatically detecting regional web tier failures and performing orchestrated database failovers.

Component	AWS Service	Architectural Purpose
Global DNS Gateway	Amazon Route 53	Monitors health of primary region endpoints and automatically routes DNS queries to secondary region upon failover.
Global Relational Tier	Amazon Aurora Global D…	Provides low-latency cross-region replication (less than 1 second) with independent read nodes in both regions.
Compute Tier (Primary)	Application Load Balanc…	Multi-AZ active application fleet deployed in us-east-1 (Primary Region).

Component	AWS Service	Architectural Purpose
Compute Tier (DR)	Application Load Balanc...	Scaled-down warm standby compute fleet deployed in us-west-2 (Secondary Region).
Configuration Synchronization	AWS Systems Manager ...	Synchronizes regional database endpoints and feature deployment configurations.

Description of the Project


In this lab, you will design and implement an enterprise multi-region disaster recovery architecture for a mission-critical web application.

1. **Multi-Region Network & Compute Deployment:** You will deploy identical multi-AZ web infrastructure in two distinct AWS regions: us-east-1 (Primary / Active) and us-west-2 (Secondary / Warm Standby).
2. **Global Database Tier:** You will provision an Amazon Aurora MySQL / PostgreSQL Global Database with a primary cluster in us-east-1 and a read-only secondary cluster in us-west-2 maintaining sub-second replication latency.
3. **Automated Health Monitoring & DNS Failover:** You will configure Amazon Route 53 Health Checks to monitor the HTTP endpoints of the primary region ALB and establish a Failover Routing Policy pointing traffic to the primary region during normal operations.
4. **Disaster Recovery Failover Execution & Testing:** You will simulate a regional outage by blocking traffic to the primary ALB, verify that Route 53 updates DNS resolution to point to the secondary region, and manually promote the secondary Aurora database cluster to accept full production write traffic.

Created Aurora RDS PostgreSQL database

Two instances created:

- Role regional cluster which actually manages the database configurations. The cluster represents the shared storage layer spanning across 3 Availability zones
- Role writer which actually performs the SQL queries. This is the instance that represents the compute node attached to that storage


primary-aurora-cluster - Databa
us-east-1.console.aws.amazon.com/rds/home?region=...
aws
rds
carminecompa33 (586017285548)
carminecompa33
Aurora and RDS
Databases
primary-aurora-cluster
Successfully created database primary-aurora-cluster
You can use settings from primary-aurora-cluster to simplify configuration of suggested database add-ons while we finish creating your DB for you.
View connection details
primary-aurora-cluster
Modify
Actions
Related
Filter by databases
DB identifier
Status
Role
Engine
primary-aurora-cluster
Available
Regional cluster
Aurora Po...
primary-aurora-cluster-instance-1
Available
Writer instance
Aurora Po...
Connectivity & security
Monitoring
Logs & events
Configuration
Zero-ETL integratio
Connect using
Info
Code snippets
Use when connecting through SDK,
CloudShell
Use for a quick access to AWS CLI that
Endpoints
Use when connecting through any IDE

Created ad hoc VPC in us-west 2 (Oregon) for the secondary aurora cluster in the second region

Create Global Database | Auror

VPC details | VPC | us-west-2

us-west-2.console.aws.amazon.com/vpcconsole/home?region...

aws | Search [Alt+S] | United States (Oregon) | carminecompa33 (586017285548) | carminecompa33

VPC > Your VPCs > vpc-08938769803020ac7

vpc-08938769803020ac7 / project-vpc

Actions

Details Info

VPC ID
vpc-08938769803020ac7

State
Available

Block Public Access
Off

DNS hostnames
Enabled

DNS resolution
Enabled

Tenancy
default

DHCP option set
dopt-0943db2292ebe7475

Main route table
rtb-0557864b700f8fcea

Main network ACL
acl-04293f60c3f495e4d

Default VPC
No

IPv4 CIDR
10.0.0.0/16

IPv6 pool
–

IPv6 CIDR (Network border group)
–

Network Address Usage metrics
Disabled

Route 53 Resolver DNS Firewall rule groups
–

Owner ID
586017285548

Encryption control ID
–

Encryption control mode
–

Resource map | CIDRs | Flow logs | Tags | Related resources | Integrations

Resource map Info

Show all details

VPC
Your AWS virtual network

project-vpc

Subnets (4)
Subnets within this VPC

us-west-2a
- project-subnet-public1-us-west-2a
- project-subnet-private1-us-west-2a

us-west-2b

Route tables (4)
Route network traffic to resources

- project-rtb-private1-us-west-2a
- project-rtb-public
- project-rtb-private2-us-west-2b

Created subnet group in RDS in us-west2 with two private subnets of the VPC (one in us-west2a and one in us-west2b)

Create Global Database | Auror

dr-db-subnet-group - Subnet G

us-west-2.console.aws.amazon.com/rds/home?region=us-we...

aws Search [Alt+S] United States (Oregon) carminecompa33 (586017285548) carminecompa33

Aurora and RDS > Subnet groups > dr-db-subnet-group

Successfully created dr-db-subnet-group. View subnet group

dr-db-subnet-group

Subnet group details

VPC ID
vpc-08938769803020ac7

ARN
arn:aws:rds:us-west-2:586017285548:subgrp:dr-db-subnet-group

Supported network types
IPv4

Description
dr-db-subnet-group

Subnets (2)

Availability zone	Subnet name	Subnet ID	CIDR block
us-west-2a	project-subnet-private1-us-west-2a	subnet-0cd8a8e3da7be901c	10.0.128.0/20
us-west-2b	project-subnet-private2-us-west-2b	subnet-05d36acce0b5661ba	10.0.144.0/20

Tags (0)

Manage tags

Filter by Tag key

1

The system doesn’t allow me to create a global aurora db with primary instance db.tg4.medium

primary-aurora-cluster-instance

Create Global Database | Aurora

us-east-1.console.aws.amazon.com/rds/home?region=us-east...

aws Search [Alt+S] United Stat carminecompa33 (586017285548) carminecompa33

Aurora and RDS > Databases > primary-aurora-cluster > Add a region

Backup

Backup retention period Info

The number of days (1-35) for which automatic backups are kept.

7 days

Backup tags | Info

Copies tags from the source database to the automated backup and snapshots respectively.

- [ ] Copy tags to automated backup
  This is a one-time setting. Future tag modifications need manual updates.
- [x] Copy tags to snapshots

Maintenance

Auto minor version upgrade **Info**

- [x] Enable auto minor version upgrade
  Enabling auto minor version upgrade will automatically upgrade your database minor version.
  For limitations and more details, see Automatically upgrading the minor engine version
  documentation.

Maintenance window Info

Select the period you want pending modifications or maintenance applied to the database by Amazon RDS.

- ( ) Choose a window
- (•) No preference

- [ ] Enable deletion protection
  Protects the database from being deleted accidentally. While this option is enabled, you can't delete the database.

Changed primary aurora instance to db.r5.large

primary-aurora-cluster-instance | Create Global Database | Aurora

us-east-1.console.aws.amazon.com/rds/home?region=us-east...

aws | Search [Alt+S] | United Stat | carminecompa33 (586017285548) | carminecompa33

Aurora and RDS > Databases > primary-aurora-cluster > primary-aurora-cluster-instance-1

primary-aurora-cluster-instance-1

Modify | Actions

Related

Filter by databases

1

DB identifier	Status	Role	Engine	Region ...	Si
primary-aurora-cluster	Available	Regional c...	Aurora Po...	us-east-1	1
primary-aurora-cluster-instance-1	Config...	Writer ins...	Aurora Po...	us-east-1a	d

ing | Logs & events | Configuration | Maintenance & backups | Tags | Recommendations

Instance

Configuration

DB instance ID
primary-aurora-cluster-instance-1

Instance class

Instance class
db.r5.large

vCPU

Primary storage


Encryption key
AWS managed KMS key
aws/rds

Monitoring

Monitoring type
Database Insights - Standard

Database counter metrics

Now I am able to create the secondary aurora cluster and secondary instance


Databases | Aurora
VPC | us-west-2
Your VPCs | VPC |
us-east-1.console.aws.amazon.com/rds/home?region=u...
aws
Search
[Alt+S]
4
United States
carminecompa33 (586017285548)
carminecompa33
Aurora and RDS
Databases
Databases (7)
Group resources
Modify
Actions
Create database
Filter by databases
1
DB identifier
Status
Role
Engine
Upgrade rollout order
global-aurora-db
Available
Global da...
Aurora Po...
-
db-aurora-primary
Available
Primary cl...
Aurora Po...
SECOND
db-aurora-primary-instance-1
Available
Writer ins...
Aurora Po...
SECOND
db-aurora-primary-instance-1-rea
Available
Reader ins...
Aurora Po...
SECOND
global-aurora-db-cluster-1
Available
Secondar...
Aurora Po...
SECOND
global-aurora-db-instance-1
Available
Reader ins...
Aurora Po...
SECOND
global-aurora-db-instance-1-us-w
Available
Reader ins...
Aurora Po...
SECOND

Created 2 parameters in AWS Secret Manager.
One parameter which contains the endpoint of the primary db aurora instance
One parameter which contains the endpoint of the secondary db aurora instance

db-aurora-primary | global-aurora-db- | My parameters - A

us-west-2.console.aws.amazon.com/systems-manager/param...

aws | Search [Alt+S] | United States (Orego | carminecompa33 (586017285548) | carminecompa33

AWS Systems Manager > Parameter Store

Create parameter request succeeded! View details

Parameter Store

My parameters | Public parameters | Settings

Ready to scale? Enable higher throughput to handle more API calls - Manage Settings to increase TPS. Manage settings

My parameters

View details | Edit | Delete | Create parameter

Filter parameters

1

Name	Tier	Type	Last modified
/app/db_endpoint_primary	Standard	String	Fri, 02 Oct 2026 06:09:
/app/db_endpoint_secondary	Standard	String	Fri, 02 Oct 2026 06:14:

Created Target Group for the Application Load Balancer

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#...

Claude | CKA | Feature Requests | help desk | Holidays/Duty/We... | IAM | Incidents | KBs

aws | Search [Option+S] | 4 | United States | carminecompa33 (586017285548) | carminecompa33

Successfully created the target group: **th-primary**. Anomaly detection is automatically applied to all registered targets. Results can be viewed in the **Targets** tab. Give feedback

th-primary

Actions

Details

arn:aws:elasticloadbalancing:us-east-1:586017285548:targetgroup/th-primary/e8edd17944b309d0

Target type	Protocol : Port	Protocol version	VPC
Instance	HTTP: 80	HTTP1	vpc-03d346f064327234d

IP address type	Load balancer
IPv4	None associated

0	0	0	0	0	0
Total targets	Healthy	Unhealthy	Unused	Initial	Draining
	0 Anomalous				

Targets | Monitoring | Health checks | Attributes | Tags

Created Application Load Balancer for aurora primary db

Successfully created load balancer: alb-primary
It might take a few minutes for your load balancer to fully set up and route traffic. Targets will also take a few minutes to complete the registration process and pass initial health checks.

Introducing new Capacity Utilization metric for ALB
Monitor how much of your load balancer's available capacity was used to meet traffic demand. Visit the **Capacity** or **Monitoring** tabs to view utilization data.

alb-primary

Actions

Details

Load balancer type
Application

Scheme
Internet-facing

Status
Provisioning

Hosted zone
Z35SXDOTRQ7X7K

VPC
vpc-03d346f064327234d

Availability Zones
subnet-0442b2ca9c0c38d9e us-east-1a (use1-az1)

subnet-0665e14ee1c427eb3 us-east-1b (use1-az2)

Load balancer IP address type
IPv4

Date created
October 2, 2026, 09:19 (UTC+02:00)

Load balancer ARN

DNS name Info

Created Launch Template

web-app-template-primary (lt-085905f361011ec16)

Actions | Delete template

Launch template details

Launch template ID	Launch template name	Default version	Owner
lt-085905f361011ec16	web-app-template-primary	1	arn:aws:iam::586017285548:root


Details | Versions | Template tags

Launch template version details


Actions | Delete template version

Version	Description	Date created	Created by
1 (Default)	Initial version for us-east-1 web fleet	2026-10-02T07:42:34.000Z	arn:aws:iam::586017285548:root

Network related diagram



PRIMARY REGION: us-east-1
(Production VPC)
[PUBLIC INTERNET]
Inbound HTTP (Port 80)
PUBLIC SUBNETS (AZ-1a & AZ-1b)
Application Load Balancer (alb-primary)
Security Group: [alb-public-sg]
• Inbound: HTTP 80 from 0.0.0.0/0
Forward HTTP (Port 80)
Target Group: [tg-primary]
PRIVATE SUBNETS (AZ-1a & AZ-1b)

Created Auto Scaling Group


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#...
Claude
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
aws
Search
[Option+S]
United States (N. Virginia)
carminecompa33 (586017285548)
carminecompa33
EC2
Auto Scaling groups
Auto Scaling groups (1/1) Info
Last updated less than a minute ago
Launch configurations
Launch templates
Actions
Create Auto Scaling group
Search your Auto Scaling groups
1
Name
Status - new
Launch template/configuration
Instances
Instance heal
asg-primary
At desired capacity
web-app-template-primary | Version Late
2
2/2 Healt
Auto Scaling group: asg-primary
Details
Integrations
Automatic scaling
Instance management
Instance refresh
Activity
Monitoring
asg-primary Capacity overview
Edit
arn:aws:autoscaling:us-east-1:586017285548:autoScalingGroup:376778e4-49e1-460b-8a4a-d48a84c8bf21:autoScalingGroupName/asg-primary
Desired capacity
2
Scaling limits
2 - 4
Desired capacity type
Units (number of instances)
Status
At desired capacity
Date created
Fri Oct 02 2026 09:51:21 GMT+0200 (Central European Summer Time)

2 VMs out of 3 are healthy

Desired capacity of the Autoscaling group is 2 so it is okay



But actually all the EC2 are failing

Auto Scaling groups (1/1) Info

Last updated 14 minutes ago

Launch configurations | Launch templates | Actions | Create Auto Scaling group

Search your Auto Scaling groups

1

Name	Status - *new*	Launch template/configuration	Instances	Instance health - *new*	Desired capacity	Min
asg-primary	At desired capacity	web-app-template-primary | Version Late	3	1/3 Healthy	2	2

Auto Scaling group: asg-primary


Create notification

Activity history (100+)

Filter activity history | Filter by a date and time range

1 2 3 4 5 6 7 8 ...

Status	Description	Cause	Start time	End ti
Successful	Launching a new EC2 instance: i-0527f12b91620db56	At 2026-10-02T13:37:46Z an instance was launched in response to an unhealthy instance needing to be replaced.	2026 October 02, 03:37:48 PM +02:00	2026 Octob 03:37: +02:0
Connection draining in progress	Terminating EC2 instance: i-08fe64de7885f1956 - Waiting For ELB Connection Draining.	At 2026-10-02T13:37:46Z an instance was taken out of service in response to an ELB system health check failure.	2026 October 02, 03:37:46 PM +02:00	



I noticed that User Data of the Launch Template is empty

This means that no Web Server will run at the EC2 start up

Metadata version | Info

V2 only (token required)

⚠ For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.

Metadata response hop limit | Info

2

Allow tags in metadata | Info


Don't include in launch template

User data - *optional* | Info


Upload a file with your user data or enter it in the field.

Choose file


Let’s add the below script that will install a web server


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ModifyTemplate:launchTemplateId=lt-085905f361011ec16
Claude
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
Manage customer...
mk8s
aws
Search
[Option+S]
EC2
Launch templates
Modify template (Create new version)
Metadata version
Info
V2 only (token required)
For V2 requests, you must include a session token in all instance metadata requests. Applications or agents that use V1 for instance metadata access will break.
Metadata response hop limit
Info
2
Allow tags in metadata
Info
Don't include in launch template
User data - optional
Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
yum update -y
yum install -y httpd
systemctl start httpd
systemctl enable httpd
echo "<h1>Web App Server Running</h1>" > /var/www/html/index.html


New Launch template created


us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ModifyTemplate:launchTempla
Claude
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
aws
Search
[Option+S]
EC2
Launch templates
Modify template (Create new version)
Success
Successfully created web-app-template-primary(lt-085905f361011ec16).
Actions log
Next Steps
Launch an instance
With On-Demand Instances, you pay for compute capacity by the second (for Linux, with a minimum of 60 seconds) or by the
your launch template.
Launch instance from this template
Create an Auto Scaling group from your template
Amazon EC2 Auto Scaling helps you maintain application availability and allows you to scale your Amazon EC2 capacity up o
number of Amazon EC2 instances during demand spikes to maintain performance and decrease capacity during lulls to reduc
Create Auto Scaling group

Updated the Launch Template to use by default the new version (2)




Let’s refresh the instances



DNS of the Application Load Balancer works

Summary of What Resolved the Issue


- **Subnet & Routing Fix:** Moving the Auto Scaling Group instances into the public subnets allowed them to connect out to the internet via the Internet Gateway to download and start httpd.
- **Health Check Resolution:** Once Apache started, the Target Group health checks passed, marking the instances as **Healthy**.
- **Protocol Match:** Switching the request URL from HTTPS (port 443) to standard HTTP (port 80) allowed traffic to reach your HTTP listener.




Web App Server Running

Let’s create warm standby fleet in us-west2


Created Target Group is us-west2




Application Load Balancer on the secondary region



Created Launch Template with Apache web server User Data



Created Auto Scaling group



Created Route 53 Health Check which probes Application Load Balancer in eu-east1

Route 53 is health check is healthy

primary-alb-health-check - deta

Load balancers | EC2 | us-east-1

us-east-1.console.aws.amazon.com/route53/v2/healthchecks/...

aws | Search [Alt+S] | 5 | Global | carminecompa33 (586017285548) | carminecompa33

Route 53 > Health checks > primary-alb-health-check

Health check with id 5dd87891-e0d3-42c1-af72-bdc7218c6499 has been created successfully.

primary-alb-health-check Info

Delete | Invert | Disable | Edit

Configuration

ID
5dd87891-e0d3-42c1-af72-bdc7218c6499

State
Enabled

Status
Unknown

URL
http://alb-primary-2042931171.us-east-1.elb.amazonaws.com:80/

Specified endpoint by
Domain name

Inverted
No

▶ Advanced configuration

Metrics | Alarms | Health checkers | Tags


Metrics Info

View metrics in CloudWatch


Alarm recommendations | 3h | 1d | 1w | UTC timezone | Explore related

Health check status


Health checkers that report the endpoi...


Health checks | Route 53 | Glob
Load balancers | EC2 | us-east-1
us-east-1.console.aws.amazon.com/route53/v2/healthchecks/...
aws
Search
[Alt+S]
Global
carminecompa33 (586017285548)
carminecompa3
Route 53 > Health checks
Health checks (1) Info
Create health check
Route 53 health checks monitor the health and performance of your application's servers and endpoints.
Find health check
1
Details
Status in last 24 hours
Current status
Actions
http://alb...
Healthy
1 health check selected
Metrics
Latency
Alarm recommendations
3h
1d
1w
UTC timezone
Explore related
Health check status
No data available.
Try adjusting the dashboard time range.
1
0.5
0
14:00
14:30
15:00
15:30
16:00
16:30
Health checkers that report the endpoint ...
No data available.
Try adjusting the dashboard time range.
100
50
0
14:00
14:30
15:00
15:30
16:00
16:30


Created internal Hosted Zone in Route 53 with connections to both VPC in us-east1 and us-west2



Created Route 53 health check in es-east1




Change security group alb-public-sg inbound rule HTTP to source 0.0.0.0/32 (fake IP) .
Alternatively we may remove all the rule completely





Now health check will fail.
This is because now security group drops all the health checks requests before they ever reach the application load balancer


Because Route 53 receives no response, it registers the primary endpoint as non responsive


us-east-1.console.aws.amazon.com/route53/v2/healthchecks/ho...
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
aws
Search
[Option+S]
Global
carminecompa33 (586017285548)
carminecompa33
Route 53
Health checks
Health checks (1) Info
Status and alarm last updated: 3 minutes ago
Create health check
Route 53 health checks monitor the health and performance of your application's servers and endpoints.
Find health check
1
ID
Name
State
Details
Status in last 24 hours
Current s...
Alarm
Actions
5dd87891...
primary-a...
Enabled
http://alb...
Unhealthy
Create
None, alarm
1 health check selected
Metrics
Latency
Alarm recommendations
Investigate with AI - new
1h
3h
12h
1d
3d
1w
Custom
UTC timezone
Explore related

Set secondary aurora db as primary writer by promotion


us-west-2.console.aws.amazon.com/rds/home?region=us-west-2#da...
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
aws
United States (Oregon)
carminecompa33 (586017285548)
carminecompa33
Aurora and RDS
Databases
Aurora and RDS
Dashboard
Databases
Query editor
CloudWatch Database Insights
Snapshots
Exports in Amazon S3
Automated backups
Reserved instances
Proxies
Subnet groups
Parameter groups
Option groups
Custom engine versions
Zero-ETL integrations
Databases (8)
Group resources
Modify
Actions
Create database
Start database activity stream
Delete
Filter by databases
Set up EC2 connection
Set up Lambda connection
Migrate data to this database
DB identifier
Add reader
Create clone
Remove from global database
global-aurora-db
secondary-db
Take snapshot
Restore to point in time
Export to Amazon S3
Add replica auto scaling
Create zero-ETL integration
Create RDS Proxy


us-west-2.console.aws.amazon.com/rds/home?region=us-west-2#da...
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
United States (Oregon)
carminecompa33 (586017285548)
carminecompa33
Aurora and RDS
Databases
Aurora and RDS
Dashboard
Databases
Query editor
CloudWatch Database Insights
Snapshots
Exports in Amazon S3
Automated back
Reserved instar
Proxies
Subnet groups
Parameter grou
Option groups
Custom engine versions
Zero-ETL integrations
Databases (8)
Group resources
Modify
Actions
Create database
Filter by databases
1
DB identifier
Status
Remove from global and promote secondary-db-cluster-1?
Removing and promoting secondary-db-cluster-1 cluster in us-west-2 will stop the replication from db-aurora-primary cluster in us-east-1 and convert it into a standalone cluster.
Close
Remove and promote
secondary-db-cluster-1
Available
secondary-db-instance-1
Available


us-east-1.console.aws.amazon.com/rds/home?region=us-east-1#databases:
CKA
Feature Requests
help desk
Holidays/Duty/We...
IAM
Incidents
KBs
Manage customer...
mk8s
Notifications to c...
OnBoarding
Performance Revi...
Quotas
Security
Search
[Option+S]
United States (N. Virginia)
carminecompa33 (586017285548)
carminecompa33
Aurora and RDS
Databases
Aurora and RDS
Dashboard
Databases
Query editor
CloudWatch Database Insights
Snapshots
Exports in Amazon S3
Automated backups
Reserved instances
Proxies
Subnet groups
Parameter groups
Option groups
Custom engine versions
Zero-ETL integrations
Events
Event subscriptions
Recommendations 1 1
Certificate update
Databases (5)
Group resources
Modify
Actions
Create database
Filter by databases
1
DB identifier
Status
Role
Engine
Upgrade rollout ...
Region ...
Size
Recommendations
CPU
Current...
Mainte...
global-aurora-db
Available
Global database
Aurora PostgreSQL
-
0 regions
0 clusters
-
-
none
secondary-db
Available
Global database
Aurora PostgreSQL
-
1 region
1 cluster
-
-
none
db-aurora-primary
Available
Primary cluster
Aurora PostgreSQL
SECOND
us-east-1
2 instances
2 Informational and 1 other
-
-
none
db-aurora-primary-instance-1
Available
Writer instance
Aurora PostgreSQL
SECOND
us-east-1a
db.r5.large
1 Informational
7.05%
0.00 se
none
db-aurora-primary-instance-1-rea
Available
Reader instance
Aurora PostgreSQL
SECOND
us-east-1b
db.r5.large
1 Informational
8.01%
0.00 se
none