| Category | Test cases | Formula | | | | | | Strategy | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Solved | | Time | | Size | | Solved | | Time | | Size | |
| | | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS |
| Sub | 479 | 136(2) | **460**(326) | 15.61(**14.28**) | 54.04(21.84) | 11.44(**11.48**) | 32.71(32.08) | 136(2) | **460**(326) | 2.33(**2.36**) | 1.23(2.58) | 63.72(**63.72**) | 118.50(116.06) |
| Nim | 302 | 62(1) | **107**(46) | 9.77(9.87) | 15.23(**8.06**) | 5.77(**5.74**) | 64.84(13.84) | 59(1) | **104**(46) | 44.60(**7.36**) | 42.54(8.31) | 28.63(**27.81**) | 211.04(34.26) |
| Welter | 7 | 4(0) | **7**(3) | 62.06(62.06) | 35.29(**1.62**) | 8.00(**8.00**) | 53.14(24.00) | 4(0) | **7**(3) | 1.12(**1.12**) | 4.68(1.29) | 39.00(39.00) | 189.14(**36.00**) |
| Wythoff | 2924 | 1863(0) | **2716**(853) | 24.24(24.24) | 51.01(**8.03**) | 5.57(**5.57**) | 48.18(23.18) | 1815(0) | **2693**(878) | 2.08(**2.08**) | 19.56(3.48) | 37.95(**37.95**) | 206.37(68.59) |
| Chomp | 12 | 2(0) | **4**(2) | 1.40(**1.40**) | 19.67(1.65) | 4.00(**4.00**) | 4.50(**4.00**) | 2(0) | **4**(2) | 2.26(**2.26**) | 3.64(2.64) | 9.50(**9.50**) | 22.00(**9.50**) |
| Total | 3724 | 2067(3) | **3294**(1230) | 23.29(23.22) | 50.20(**8.91**) | 5.97(**5.96**) | 46.52(23.46) | 2016(3) | **3268**(1255) | 3.34(**2.25**) | 17.66(3.56) | 39.39(**39.35**) | 193.89(70.64) |

Table 1: Comparison of Enum and SynMS under the normal rule. In the Solved columns, the value outside parentheses is the total number of cases solved by the method, while the value in parentheses is the number solved only by that method. In the Time and Size columns, the value outside parentheses is the average over all cases solved by the method, while the value in parentheses is the average over commonly solved cases.

| Category | Test cases | Formula | | | | | | Strategy | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Solved | | Time | | Size | | Solved | | Time | | Size | |
| | | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS | Enum | SynMS |
| Sub | 479 | 178(0) | **465**(287) | 16.17(16.17) | 11.50(**7.96**) | 9.13(**9.13**) | 35.31(13.51) | 176(0) | **465**(289) | 2.17(**2.17**) | 2.62(4.91) | 55.60(**55.60**) | 132.70(69.26) |
| Nim | 302 | 38(2) | **77**(41) | 39.69(37.91) | 41.69(**5.77**) | 7.05(**7.11**) | 110.05(27.36) | 36(2) | **72**(38) | 27.04(**28.52**) | 48.52(50.98) | 28.31(**28.24**) | 320.25(63.53) |
| Welter | 7 | 2(0) | **6**(4) | 1.62(**1.62**) | 118.72(186.48) | 4.50(**4.50**) | 169.17(**4.50**) | 2(0) | **6**(4) | 0.65(**0.65**) | 21.76(4.98) | 43.00(**43.00**) | 224.67(**43.00**) |
| Wythoff | 2924 | 1933(2) | **2684**(753) | 37.54(37.41) | 56.70(**9.99**) | 6.73(**6.73**) | 68.96(34.09) | 1912(2) | **2665**(755) | 4.63(**4.63**) | 38.69(18.75) | 42.58(**42.51**) | 253.79(84.34) |
| Chomp | 12 | 2(0) | **6**(4) | 17.48(17.48) | 9.37(**3.50**) | 6.00(**6.00**) | 34.33(64.00) | 2(0) | **6**(4) | 3.33(**3.33**) | 29.48(22.18) | 45.50(**45.50**) | 134.17(67.50) |
| Total | 3724 | 2153(4) | **3238**(1089) | 35.76(35.61) | 49.88(**9.91**) | 6.93(**6.93**) | 65.22(32.27) | 2128(4) | **3214**(1090) | 4.80(**4.80**) | 33.64(18.11) | 43.42(**43.37**) | 237.48(82.70) |

Table 2: Comparison of Enum and SynMS under the misère rule. In the Solved columns, the value outside parentheses is the total number of cases solved by the method, while the value in parentheses is the number solved only by that method. In the Time and Size columns, the value outside parentheses is the average over all cases solved by the method, while the value in parentheses is the average over commonly solved cases.