

Installing R & VS Code

1. Install VS Code

- https://code.visualstudio.com/download?exp_download=fb315fc982
- Click this button, and follow all installation instructions after opening the file (accept the defaults):




2. Install R


- <https://cran.r-project.org/bin/windows/base/R-4.6.1-win.exe>
- Follow all installation instructions (accept the defaults)

3. Install R extension in VS Code

- Click the extensions button on the left:



- b. Search “R” and open this page:



- c. Click Install


4. Tell VS Code where to find R

- a. Open VS Code settings (Ctrl+Shift+P), and look for “Preferences: Open User Settings (JSON)”
- b. Open the page and paste these two lines between the { }, before the existing text in there:

```
"r.rpath.windows": "C:\\Users\\CarolXu\\AppData\\Local\\Programs\\R\\R-4.6.1\\bin\\x64\\R.exe",
```

```
"r.terms.windows": "C:\\Users\\CarolXu\\AppData\\Local\\Programs\\R\\R-4.6.1\\bin\\x64\\R.exe",
```


- c. Change “CarolXu” to your own name
- d. It should look something like this:



- e. Exit this page and click “Save”

Setting Up Your Workspace

1. On your desktop, create a new folder. Name it “Intern Coding Lab”
2. Within *Intern Coding Lab*, create 3 new folders:
 - a. Data
 - b. Analysis
 - c. Results
3. In VS Code, click File -> Open Folder -> Intern Coding Lab
4. Select the analysis folder and click the new file button. Name it “analysis.R”



5. Open *analysis.R*, and type this in the document.

```
print("Taxation is theft")
```

6. Run the code (Ctrl+Enter). If there is no error message, congrats! You should see this in the terminal (bottom of the screen):

```
> print("Taxation is theft")  
[1] "Taxation is theft"  
> 
```