


Everywhere else ranks models. This place measures reality.
Y/switchback on a 1:7 rail corridor, anchored on the Jing-Zhang railway's first autonomous survey and datum setting.
Three ends: ask (origin) - make (Zhongzhiyuan) - launch (Dazhongsi).
Two wings: Zhongguancun service + Xiaoyuehe empowerment.

Land-use structure / 用地结构




Five bands: west living - axis public - axis greenway - axis public - east innovation.

Green ratio 33.1%, public-space ratio 12.9%, computed from submitted geometry in EPSG:4548.

Land-use partition tiles the boundary exactly: no gaps, no overlaps.

Three key areas = three ends of the Y / 三处重点区域

三处重点区域 = Y 形三端 · 校准场如何运转




Leg A (Zhongzhiyuan): make & verify, embodied-intelligence safety ground.

Junction (BM0 origin): ask & set standards, open evaluation.


Leg B (Dazhongsi): launch & first use, AI-native formats.

Blue-green network & seaming / 蓝绿网络与缝合



Continuous greenway trunk: 31.2% of site width, runs the full site length.
Five east-west seaming passages cross the axis with accessible continuity.
Public-space network: 5 BM nodes + 4 edge bands + 8 neighbourhood squares.

Core metrics vs field median / 核心指标 vs 全场中位



Green ratio 0.331 (field median 0.174), public-space ratio 0.129 (median 0.046).
Width-to-length 0.141: the linear form is the physical precondition for the Y reading.
site_anchor_dependency_ratio = 1.0: every proposition depends on a Jing-Zhang site fact.