



# BM0 · BENCHMARK ZERO



Everywhere else ranks models. This place measures reality.  
Y/switchback on a 1:7 rail corridor, anchored on the Jing-Zhang railway's first autonomous survey and datum setting.  
Three ends: ask (origin) - make (Zhongzhiyuan) - launch (Dazhongsi).  
Two wings: Zhongguancun service + Xiaoyuehe empowerment.


# Land-use structure



Five bands: west living - axis public - axis greenway - axis public - east innovation.  
Green ratio 33.1%, public-space ratio 12.9%, computed from submitted geometry in EPSG:4548.  
Land-use partition tiles the boundary exactly: no gaps, no overlaps.

# Three key areas = three ends of the Y

---




Leg A (Zhongzhiyuan): make & verify, embodied-intelligence safety ground.

Junction (BM0 origin): ask & set standards, open evaluation.


Leg B (Dazhongsi): launch & first use, AI-native formats.

# Blue-green network & seaming



Continuous greenway trunk: 31.2% of site width, runs the full site length.  
Five east-west seaming passages cross the axis with accessible continuity.  
Public-space network: 5 BM nodes + 4 edge bands + 8 neighbourhood squares.

# Core metrics vs field median



Green ratio 0.331 (field median 0.174), public-space ratio 0.129 (median 0.046).  
Width-to-length 0.141: the linear form is the physical precondition for the Y.  
site\_anchor\_dependency\_ratio = 1.0: every proposition depends on a Jing-Zhang site fact.