CSci 127: Introduction to Computer Science



hunter.cuny.edu/csci

Announcements



 Welcome back! We hope everyone had a good break from classes.

Announcements



- Welcome back! We hope everyone had a good break from classes.
- We end each lecture with a survey of computing research and tech in NYC.

Today: Prof. Epstein, artifcial intelligence.

From lecture slips & recitation sections.

• How do you study for quizzes? Are they open book?

CSci 127 (Hunter) Lecture 4 13 September 2017 3 / 24

From lecture slips & recitation sections.

• How do you study for quizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.

3 / 24

From lecture slips & recitation sections.

- How do you study for guizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.
- Could you spend more time on colors?

3 / 24

CSci 127 (Hunter) Lecture 4

From lecture slips & recitation sections.

- How do you study for guizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.
- Could you spend more time on colors? Yes! In today's lecture and the next couple of labs.

3 / 24

CSci 127 (Hunter) Lecture 4

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal? Because 10 is not a power of 2.

From lecture slips & recitation sections.

- How do you study for quizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.
- Could you spend more time on colors? Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal? Because 10 is not a power of 2. Basically, it's good for you.

3 / 24

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean?

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets?

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets? Parenthesis are for functions: ex: print("CUNY") or tess.left(45)

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets? Parenthesis are for functions: ex: print("CUNY") or tess.left(45) Brackets are used for access items in a list or string: ex: message[3]

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets?
 Parenthesis are for functions: ex: print("CUNY") or tess.left(45)
 Brackets are used for access items in a list or string: ex: message[3]
- When do you use :? What's a slice?

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets?
 Parenthesis are for functions: ex: print("CUNY") or tess.left(45)
 Brackets are used for access items in a list or string: ex: message[3]
- When do you use :? What's a slice? The colon, :, gives a slice, substring or sublist, ex: myString[3:5]

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets?
 Parenthesis are for functions: ex: print("CUNY") or tess.left(45)
 Brackets are used for access items in a list or string: ex: message[3]
- When do you use: ? What's a slice?
 The colon, :, gives a slice, substring or sublist, ex: myString[3:5]
- What is numpy really? And matplotlib & pyplot?

- How do you study for quizzes? Are they open book?
 Yes, they're open book & open notes (no communicating with others).
 The best way to study is to do the associated programs.
- Could you spend more time on colors?
 Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal?
 Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets?
 Parenthesis are for functions: ex: print("CUNY") or tess.left(45)
 Brackets are used for access items in a list or string: ex: message[3]
- When do you use: ? What's a slice?
 The colon, :, gives a slice, substring or sublist, ex: myString[3:5]
- What is numpy really? And matplotlib & pyplot?
 They are Python files that includes useful functions, definitions, etc.

- How do you study for guizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.
- Could you spend more time on colors? Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal? Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets? Parenthesis are for functions: ex: print("CUNY") or tess.left(45) Brackets are used for access items in a list or string: ex: message [3]
- When do you use :? What's a slice? The colon, :, gives a slice, substring or sublist, ex: myString[3:5]
- What is numpy really? And matplotlib & pyplot? They are Python files that includes useful functions, definitions, etc.
- Could you spend more time on problem solving & algorithms?

- How do you study for guizzes? Are they open book? Yes, they're open book & open notes (no communicating with others). The best way to study is to do the associated programs.
- Could you spend more time on colors? Yes! In today's lecture and the next couple of labs.
- Why hexadecimal? Why can't we just use decimal? Because 10 is not a power of 2. Basically, it's good for you.
- What does len() mean? len(s) gives the length (# of items or chars.). Ex: len("hi!!") is 4.
- Why do you sometimes use parenthesis and other times brackets? Parenthesis are for functions: ex: print("CUNY") or tess.left(45) Brackets are used for access items in a list or string: ex: message [3]
- When do you use :? What's a slice? The colon, :, gives a slice, substring or sublist, ex: myString[3:5]
- What is numpy really? And matplotlib & pyplot? They are Python files that includes useful functions, definitions, etc.
- Could you spend more time on problem solving & algorithms? Yes! More in upcoming lectures & labs.

Today's Topics



- Recap: Colors
- Indexing and Slicing
- Design Question: Cropping Images
- Decisions

4 / 24

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

Can specify by name.

CSci 127 (Hunter) Lecture 4

5 / 24

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).

5 / 24

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:

Color Name	HEX	Color
Black	#000000	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue

Color Name	HEX	Color
Black	#000000	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue
 - ★ White: 100% red, 100% green, 100% blue

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

• Can specify by numbers (RGB):

CSci 127 (Hunter)

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.


Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.

Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each: e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255: e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers)...

Recap: Hexadecimal



```
00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F
10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F
20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F
30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F
40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F
50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F
60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F
70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F
80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F
90 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F
AO A1 A2 A3 A4 A5 A6 A7 A8 A9 AA AB AC AD AE AF
BO B1 B2 B3 B4 B5 B6 B7 B8 B9 BA BB BC BD BE BF
CO C1 C2 C3 C4 C5 C6 C7 C8 C9 CA CB CC CD CE CF
DO D1 D2 D3 D4 D5 D6 D7 D8 D9 DA DB DC DD DE DF
EO E1 E2 E3 E4 E5 E6 E7 E8 E9 EA EB EC ED EE EF
FO F1 F2 F3 F4 F5 F6 F7 F8 F9 FA FB FC FD FE FF
```


Colors

Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	


- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers)...



Recap: Images



Recap: Images



This image has 287 rows, 573 columns, and 4 color channels (for red, green, blue, and a 4th for how transparent).

In Pairs or Triples...

Let's start with loops & slices:

```
word = "Hunter"
for i in range(2.10.3):
    for c in word:
        print(i,c, end = "")
    print()
pali = "a man a plan a canal Panama"
print(pali[0], pali[-1])
print(pali[2:5], pali[-4:-1])
qPop = [152999, 284041, 469042, 1079129, 1297634,
    1550849, 1809578, 1986473, 1891325, 1951598,
    2229379,2230722]
print("Queens population in 1900:", qPop[0])
print("Since 2000:", qPop[-3:len(qPop)])
```

Python Tutor

```
word = "Hunter"
for i in range(2,10,3):
    for c in word:
        print(i,c, end = "")
    print(i,c, end = "")
    print(pall[0], pali-[1])
    print(pall[0], pali-[1])
    qPop = [152999,284041,469042,1079129,1297634,
        1558049,1808578,1986473,1891325,1951598,
        2223972,2238722]
    print("Queens population in 1900:", qPop[0])
    print("Since 2000:", qPop[-3.len(qPop)])
```

(Demo with pythonTutor)



CSci 127 (Hunter) Lecture 4 13 September 2017 12 / 24

















Design Question: Design a program that will crop an image.







Design Question: Design a program that will crop an image.

• First: specify inputs/outputs.







Design Question: Design a program that will crop an image.

- First: specify inputs/outputs.
- Next: write pseudocode.

12 / 24







Design Question: Design a program that will crop an image.

• First: specify inputs/outputs.

Next: write pseudocode.

If time: translate to Python

12 / 24

In Pairs or Triples: Cropping Images







Design Question: Design a program that will crop an image.

First: specify inputs/outputs.

Next: write pseudocode.

If time: translate to Python

13 / 24







• First: specify inputs/outputs.







• First: specify inputs/outputs.

Input file name,







• First: specify inputs/outputs.

Input file name,

output file name,

14 / 24







• First: specify inputs/outputs.

Input file name,
output file name,
upper, lower, left, right ("bounding box")







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.

15 / 24







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.
 - 2 Ask user for file names and dimensions for cropping.







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.
 - Ask user for file names and dimensions for cropping.
 - Save input file to an array.







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.
 - 2 Ask user for file names and dimensions for cropping.
 - 3 Save input file to an array.
 - 4 Copy the cropped portion to a new array.







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.
 - 2 Ask user for file names and dimensions for cropping.
 - 3 Save input file to an array.
 - 4 Copy the cropped portion to a new array.
 - **5** Save the new array to the output file.







- First: specify inputs/outputs. Input file name, output file name, upper, lower, left, right ("bounding box")
- Next: write pseudocode.
 - Import numpy and pyplot.
 - Ask user for file names and dimensions for cropping.
 - 3 Save input file to an array.
 - Copy the cropped portion to a new array.
 - Save the new array to the output file.
- If time: translate to Python.

```
#Name: CSci 127 Teachina Staff
#Date: Fall 2017
#This program loads an image, displays it, and then creates, displays,
     and saves a new image that has only the red channel displayed.
#Import the packages for images and arrays:
import matplotlib.pvplot as plt
import numby as no
inIma = input('Enter input image: ')
img = plt.imread(inImg) #Read in image from csBridge.png
plt.imshow(img) #Load image into pyplot
plt.show()
                 #Show the image (waits until closed to continue)
outImg = input('Enter out image: ')
t = int(input('Enter top:'))
b = int(input('Enter bottom:'))
l = int(input('Enter left: '))
r = int(input('Enter right: '))
ima2 = ima[t:b.l:r]
                         #Slice the original array by dimensions entered
plt.imshow(ima2)
                         #Load our new image into pyplot
plt.show()
                         #Show the image (waits until closed to continue)
plt.imsave(outIma, ima2) #Save the image we created to the out file.
```

In Pairs or Triples...

Predict what these will do (novel concepts):

```
yearBorn = int(input('Enter year born: '))
if yearBorn < 1946:
    print("Greatest Generation")
elif yearBorn <= 1964:
    print("Baby Boomer")
elif yearBorn <= 1984:
    print("Generation X")
elif vearBorn <= 2004:
    print("Millennial")
else:
    print("TBD")
x = int(input('Enter number: '))
if x \% 2 == 0:
    print('Even number')
else:
    print('Odd number')
```

```
import turtle
tess = turtle.Turtle()
mvWin = turtle.Screen()
                             #The graphics window
commands = input("Please enter a command string: ")
for ch in commands:
    #perform action indicated by the character
    if ch == 'F':
                              #move forward
        tess.forward(50)
    elif ch == 'l':
                              #turn left
        tess.left(90)
    elif ch == 'R':
                              #turn right
        tess.riaht(90)
    elif ch == '^':
                              #lift pen
        tess.penup()
    elif ch == 'v':
                              #lower pen
        tess.pendown()
    elif ch == 'B':
                              #ao backwards
        tess.backward(50)
    elif ch == 'r':
                              #turn red
        tess.color("red")
    elif ch == 'a':
                              #turn areen
        tess.color("green")
    elif ch == 'b':
                              #turn blue
        tess.color("blue")
                             #for any other character
        print("Error: do not know the command:", c)
```

Python Tutor

```
yearBorn = int(input('Enter year born: '))
if yearBorn < 1946:
   print("Greatest Generation")
elif yearBorn <= 1964:
   print("Baby Boomer")
elif yearBorn <= 1984:
   print("Generation X")
                                               (Demo with pythonTutor)
elif yearBorn <= 2004:
   print("Millennial")
else:
   print("TBD")
x = int(input('Enter number: '))
if x % 2 == 0:
   print('Even number')
else:
   print('Odd number')
```

IDLE

```
import turtle
tess = turtle.Turtle()
myWin = turtle.Screen()
                           #The graphics window
commands = input("Please enter a command string: ")
for ch in commands:
    #perform action indicated by the character
    if ch == 'F':
                            #move forward
        tess.forward(50)
    elif ch == 'L':
                            #turn left
        tess.left(90)
                                                           (Demo with IDLE)
    elif ch == 'R':
                            #turn right
        tess.right(90)
    elif ch -- '^':
                            #lift pen
        tess.penup()
    elif ch == 'v':
                            #lower pen
        tess.pendown()
    elif ch == 'B':
                            #go backwards
        tess.backward(50)
    elif ch -- 'r':
                            #turn red
        tess.color("red")
    elif ch == 'a':
                            #turn areen
        tess.color("green")
    elif ch == 'b':
                            #turn blue
        tess.color("blue")
    else:
                           #for any other character
        print("Error: do not know the command:", c)
```


Decisions

```
if x < y:
    print("x is less than y")
elif x > y:
    print("x is greater than y")
else:
    print("x and y must be equal")
```

21 / 24

Decisions


```
if x < y:
    print("x is less than y")
elif x > y:
    print("x is greater than y")
else:
    print("x and y must be equal")
```



CSci 127 (Hunter) Lecture 4

Decisions

```
if x < y:
    print("x is less than y")
elif x > y:
    print("x is greater than y")
else:
    print("x and y must be equal")
```



(This was just a first glance, will do much more on decisions over the next several weeks.)

Recap



- Recap: Colors
- Indexing and Slicing
- Design Question: Cropping Images
- Decisions

CS Survey Talk

Prof. Susan Epstein



Department of Computer Science Hunter College & the Graduate Center Artificial Intelligence: development of expertise

Lecture Slips & Writing Boards



• Turn in lecture slips & writing boards as you leave...

24 / 24