CSci 127: Introduction to Computer Science



hunter.cuny.edu/csci

 Welcome back to Assembly Hall, and thank you for your patience in our trek last lecture.





- Welcome back to Assembly Hall, and thank you for your patience in our trek last lecture.
- A big thank you to the undergraduate teaching assistants in getting everyone (& chairs) there!



- Welcome back to Assembly Hall, and thank you for your patience in our trek last lecture.
- A big thank you to the undergraduate teaching assistants in getting everyone (& chairs) there!
- The undergraduate teaching assistants (UTAs) will be in 1001E North, assisting with recitation sessions and holding tutoring hours.



- Welcome back to Assembly Hall, and thank you for your patience in our trek last lecture.
- A big thank you to the undergraduate teaching assistants in getting everyone (& chairs) there!
- The undergraduate teaching assistants (UTAs) will be in 1001E North, assisting with recitation sessions and holding tutoring hours.
- Holidays next week:
 - CUNY Follows Thursday class schedule on Tuesday, 19 September.
 - ► No classes on Wednesday—Friday, 20-22 September.
 - ► Lecture resumes in two weeks.



- Welcome back to Assembly Hall, and thank you for your patience in our trek last lecture.
- A big thank you to the undergraduate teaching assistants in getting everyone (& chairs) there!
- The undergraduate teaching assistants (UTAs) will be in 1001E North, assisting with recitation sessions and holding tutoring hours.
- Holidays next week:
 - CUNY Follows Thursday class schedule on Tuesday, 19 September.
 - ► No classes on Wednesday–Friday, 20-22 September.
 - ► Lecture resumes in two weeks.
- Starting this week, we will end each lecture with a survey of computing research and the tech industry in NYC.

From lecture slips & recitation sections.

I didn't turn in a lecture slip last week. Did I miss it?

CSci 127 (Hunter) Lecture 3 13 September 2017 3 / 34

From lecture slips & recitation sections.

I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.

CSci 127 (Hunter) Lecture 3 13 September 2017 3 / 34

From lecture slips & recitation sections.

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?

CSci 127 (Hunter) Lecture 3 13 September 2017 3 / 34

From lecture slips & recitation sections.

- I didn't turn in a lecture slip last week. Did I miss it?
 No, due to the chaos of changing lecture halls, there were no lecture slips.
 Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.

CSci 127 (Hunter) Lecture 3

3 / 34

From lecture slips & recitation sections.

- I didn't turn in a lecture slip last week. Did I miss it?
 No, due to the chaos of changing lecture halls, there were no lecture slips.
 Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture?

3 / 34

CSci 127 (Hunter) Lecture 3

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture?
 These are also on the class website.

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture? These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why?

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture?
 These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why? Some of the grading scripts are really finicky about spacing and new lines. Let us know— some we can fix, some have to match exactly.

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture? These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why? Some of the grading scripts are really finicky about spacing and new lines. Let us know— some we can fix, some have to match exactly.
- I'm confused by the reading— what should I be reading?

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture? These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why? Some of the grading scripts are really finicky about spacing and new lines. Let us know— some we can fix, some have to match exactly.
- I'm confused by the reading—what should I be reading?
 For this week: Introductory chapters (1-4) and §8.10 on images.

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture?
 These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why? Some of the grading scripts are really finicky about spacing and new lines. Let us know— some we can fix, some have to match exactly.
- I'm confused by the reading—what should I be reading?

 For this week: Introductory chapters (1-4) and §8.10 on images.
- What's the best way to study for the final? What should I read?

- I didn't turn in a lecture slip last week. Did I miss it? No, due to the chaos of changing lecture halls, there were no lecture slips. Lecture slips return today.
- Can I get a copy of the lecture slides?
 Yes, the slides are posted on the class website.
- Where do I find the programs from lecture?
 These are also on the class website.
- I'm sure I did Problem 9 correctly, but Gradescope disagrees. Why? Some of the grading scripts are really finicky about spacing and new lines. Let us know— some we can fix, some have to match exactly.
- I'm confused by the reading— what should I be reading? For this week: Introductory chapters (1-4) and §8.10 on images.
- What's the best way to study for the final? What should I read? Do all the programming assignments & quizzes. Practice final exams will be available mid-November.

Today's Topics



- Indexing and Slicing Lists
- Colors
- Hexadecimal Notation
- 2D Arrays & Image Files

Last Time: User Input

Covered in detail in Lab 2:

```
→ 1 mess = input('Please enter a message: ')
2 print("You entered", mess)
```

(Demo with pythonTutor)



• x = 3 + 5 stores the number 8 in memory location x.



- x = 3 + 5 stores the number 8 in memory location x.
- x = x + 1 increases x by 1.



- x = 3 + 5 stores the number 8 in memory location x.
- \bullet x = x + 1 increases x by 1.
- s = "hi" + "Mom" stores "hiMom" in memory locations s.



- x = 3 + 5 stores the number 8 in memory location x.
- \bullet x = x + 1 increases x by 1.
- s = "hi" + "Mom" stores "hiMom" in memory locations s.
- s = s + "A" adds the letter "A" to the end of the strings s.

In Pairs or Triples...


```
Let's start (mostly) with review review:
   1 for d in range(10, 0, -1):
          print(d)
     print("Blast off!")
   4
     for num in range(5,8):
   6
          print(num, 2*num)
      s = "City University of New York"
      print(s[3], s[0:3], s[:3])
  10 print(s[5:8], s[-1])
  11
  12
      names = ["Eleanor", "Anna", "Alice", "Edith"]
  13 for n in names:
  14
          print(n)
```

Python Tutor

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blast off!")
4 for num in range(5,8):
5 for num in range(5,8):
7 retty University of New York"
9 print(s[3], s[0:3], s[:3])
10 print(s[58], s[-1])
11 names = ["Eleanor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

(Demo with pythonTutor)

Review: for-loop




How to Think Like CS, §4.5

for i in list: statement1 statement2 statement3

9 / 34

Review: for-loop



How to Think Like CS, §4.5

for i in list:
 statement1
 statement2
 statement3

where list is a list of items:

- stated explicitly (e.g. [1,2,3]) or
- generated by a function, e.g. range().

```
1 #Predict what will be printed:
2
3 for num in [2,4,6,8,10]:
5 print(num)
5 sum = 0
7 for x in range(0,12,2):
8 print(x)
9 sum = sum + x
10
11 print(x)
12
13 for c in "ABCD":
14 print(c)
```

What if you wanted to count by twos, or some other number:

• range(start, stop, step)

```
1 #Predict what will be printed:
2
3 for num in [2,4,6,8,10]:
4 print(num)
5 sum = 0
7 for x in range(0,12,2):
print(X)
9 sum = sum + x
10
11 print(x)
12
13 for c in "ABCD":
14 print(c)
```

```
#Predict what will be printed:

for num in [2,4,6,8,10]:
    print(num)

sum = 0
for x in range(0,12,2):
    print(x)
    sum = sum + x

print(x)

ro c in "ABCD":
    print(c)
```

- range(start, stop, step)
- Produces a list:
 [start,start+step,start+2*step...,last]
 (where last is the largest start+k*step less than stop)

```
1 #Predict what will be printed:
2
3 for num in [2,4,6,8,10]:
print(num)
5 sum = 0
7 for x in range(0,12,2):
print(x)
8 sum = sum + x
10
11
12
13 for c in "ABCD":
print(c)
```

- range(start, stop, step)
- Produces a list:
 [start,start+step,start+2*step...,last]
 (where last is the largest start+k*step less than stop)
- For example, if you want the list [5,10,...,50] you would write:

```
1 #Predict what will be printed:
2
3 for num in [2,4,6,8,10]:
    print(num)
5 sum = 0
7 for x in range(0,12,2):
    print(x)
9 sum = sum + x
10
11
12
13 for c in "ABCD":
    print(c)
```

- range(start, stop, step)
- Produces a list:
 [start,start+step,start+2*step...,last]
 (where last is the largest start+k*step less than stop)
- For example, if you want the the list [5,10,...,50]
 you would write:

```
range(5,51,5)
```

Slices

 Similar to range(), you can take portions or slices of lists and strings:

```
1 for d in range(10, 0, -1):
    print(0)
3 print("Blast off!")
4 for num in range(5,8):
    print(mum, 2*num)
7 s = "City University of New York"
9 print(s[3], s[0:3], s[:3])
10 print(s[5:8], s[-1])
11 comes = ["Eleanor", "Anna", "Alice", "Edith"]
13 forn in names:
    print(n)
```

Slices

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blast off!")
4 for num in range(5,8):
5 for num in range(5,8):
7 retty University of New York"
9 print(s[3], s[0:3], s[:3])
10 print(s[3], s[0:3], s[:3])
11 names = ["Eleonor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

 Similar to range(), you can take portions or slices of lists and strings:

```
s[start:stop]
```

```
{\sf gives} \ [{\sf start}, {\sf start}+1, {\sf start}+2..., {\sf stop-1}].
```

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blast off!")
4 for num in range(5,8):
5 for num in range(5,8):
7 retty University of New York"
9 print(s[3], s[0:3], s[:3])
10 print(s[3], s[0:3], s[:1])
11 names = ["Eleonor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

 Similar to range(), you can take portions or slices of lists and strings:

```
s[start:stop]
```

```
{\sf gives} \ [{\sf start}, {\sf start}+1, {\sf start}+2..., {\sf stop-1}].
```

• Also works for lists:

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blost off!")
4 for num in range(5,8):
    print(num, 2"num)
7 s = "City University of New York"
9 print(s[3], s[0:3], s[:3])
10 print(s[5], s[-1])
11 names = ["Eleanor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

 Similar to range(), you can take portions or slices of lists and strings:

```
s[start:stop]
```

```
{\sf gives} \ [{\sf start}, {\sf start}+1, {\sf start}+2..., {\sf stop-1}].
```

• Also works for lists:

```
names[1:3]
```

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blost off!")
4 for num in range(5,8):
6 print(num, 2"num)
7 s = "City University of New York"
9 print(s[31], s[0:3], s[:3])
10 print(s[5:8], s[-1])
11 conces = ["Eleonor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

 Similar to range(), you can take portions or slices of lists and strings:

```
gives [start,start+1,start+2...,stop-1].
```

• Also works for lists:

s[start:stop]

```
names[1:3]
```

gives ["Anna", "Alice"]

```
1 for d in range(10, 0, -1):
    print(d)
3 print("Blast off!")
4 for num in range(5,8):
6 print(num, 2"num)
7 s = "City University of New York"
9 print(s[31], s[0:3], s[:3])
10 print(s[5:8], s[-1])
11 cnames = ["Eleanor", "Anna", "Alice", "Edith"]
13 for n in names:
4 print(n)
```

 Similar to range(), you can take portions or slices of lists and strings:

```
s[start:stop]
```

```
gives [start,start+1,start+2...,stop-1].
```

• Also works for lists:

```
names[1:3]
```

```
gives ["Anna", "Alice"]
```

Python also lets you "count backwards":
 last element has index: -1.

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

Can specify by name.



CSci 127 (Hunter) Lecture 3

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:



Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:



Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by name.
- Can specify by numbers:
 - ► Amount of Red, Green, and Blue (RGB).
 - ► Adding light, not paint:
 - ★ Black: 0% red, 0% green, 0% blue
 - ★ White: 100% red, 100% green, 100% blue



Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	<u>#000080</u>	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

• Can specify by numbers (RGB):



CSci 127 (Hunter) Lecture 3

Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:



Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.

CSci 127 (Hunter) Lecture 3 13 September 2017 13 / 34

Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:



Color Name	HEX	Color
Black	<u>#000000</u>	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.

CSci 127 (Hunter)


Color Name	HEX	Color
Black	#000000	
Navy	#000080	
<u>DarkBlue</u>	#00008B	
<u>MediumBlue</u>	#0000CD	
Blue	#0000FF	


- Can specify by numbers (RGB):
 - Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers)...




Decimal & Hexadecimal Numbers

Counting with 10 digits:












00 01 02 03 04 05 06 07 08 09






00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19




CSci 127 (Hunter)






00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29







00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39






00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49







00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59







00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69





00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79





 00
 01
 02
 03
 04
 05
 06
 07
 08
 09

 10
 11
 12
 13
 14
 15
 16
 17
 18
 19

 20
 21
 22
 23
 24
 25
 26
 27
 28
 29

 30
 31
 32
 33
 34
 35
 36
 37
 38
 39

 40
 41
 42
 43
 44
 45
 46
 47
 48
 49


 50
 51
 52
 53
 54
 55
 56
 57
 58
 59

 60
 61
 62
 63
 64
 65
 66
 67
 68
 69

 70
 71
 72
 73
 74
 75
 76
 77
 78
 79

 80
 81
 82
 83
 84
 85
 86
 87
 88
 89





 00
 01
 02
 03
 04
 05
 06
 07
 08
 09

 10
 11
 12
 13
 14
 15
 16
 17
 18
 19

 20
 21
 22
 23
 24
 25
 26
 27
 28
 29

 30
 31
 32
 33
 34
 35
 36
 37
 38
 39

 40
 41
 42
 43
 44
 45
 46
 47
 48
 49

 50
 51
 52
 53
 54
 55
 56
 57
 58
 59

 60
 61
 62
 63
 64
 65
 66
 67
 68
 69


 70
 71
 72
 73
 74
 75
 76
 77
 78
 79


 80
 81
 82
 83
 84
 85
 86
 87
 88
 89

 90
 91
 92
 93
 94
 95
 96
 97
 98
 99


Decimal & Hexadecimal Numbers

Counting with 16 digits:






00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F





CSci 127 (Hunter) Lecture 3

00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F $\,$




CSci 127 (Hunter)







00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F




00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F




00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F




00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F



00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F




00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2B 2F 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3B 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F 80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F




```
00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 3 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F 80 81 82 83 84 85 86 87 88 89 84 88 8C 8D 8E 8F 90 91 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F
```












00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 14 18 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F 80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F 90 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F A0 A1 A2 A3 A4 A5 A6 A7 A8 A9 AA AB AC AD AE AF BO B1 B2 B3 B4 B5 6B BC 6D BE BF CO C1 C2 C3 C4 C5 66 C7 C8 C9 CA CB CC CD CE CF






00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 66 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F 80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F 90 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F AO A1 A2 A3 A4 A5 A6 A7 A8 A9 AA AB AC AD AE AF BO B1 B2 B3 B4 B5 B6 B7 B8 B9 BA BB BC BD BE BF CO C1 C2 C3 C4 C5 C6 C7 C8 C9 CA CB CC CD CE CF DD D1 D2 D3 D4 D5 D6 D7 D8 D9 DA DB DC DD ED FE OE 1E 12 E3 E4 E5 E6 E7 E8 E9 EA EB EC ED EE EF



00 01 02 03 04 05 06 07 08 09 0A 0B 0C 0D 0E 0F 10 11 12 13 14 15 16 17 18 19 1A 1B 1C 1D 1E 1F 20 21 22 23 24 25 26 27 28 29 2A 2B 2C 2D 2E 2F 30 31 32 33 34 35 36 37 38 39 3A 3B 3C 3D 3E 3F 40 41 42 43 44 45 46 47 48 49 4A 4B 4C 4D 4E 4F 50 51 52 53 54 55 56 57 58 59 5A 5B 5C 5D 5E 5F 60 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 71 72 73 74 75 76 77 78 79 7A 7B 7C 7D 7E 7F 80 81 82 83 84 85 86 87 88 89 8A 8B 8C 8D 8E 8F 90 91 92 93 94 95 96 97 98 99 9A 9B 9C 9D 9E 9F AO A1 A2 A3 A4 A5 A6 A7 A8 A9 AA AB AC AD AE AF BO B1 B2 B3 B4 B5 B6 B7 B8 B9 BA BB BC BD BE BF CO C1 C2 C3 C4 C5 C6 C7 C8 C9 CA CB CC CD CE CF DO D1 D2 D3 D4 D5 D6 D7 D8 D9 DA DB DC DD DE DF EO E1 E2 E3 E4 E5 E6 E7 E8 E9 EA EB EC ED EE EF FO F1 F2 F3 F4 F5 F6 F7 F8 F9 FA FB FC FD FE FF

Side Note: Listing the numbers

Used Python:



```
base = 10
digits = "0123456789ABCDEF"

for i in digits[:base]:
    for j in digits[:base]:
        x = str(i) + str(j)
        print(x, end=" ")
    print()
```

Colors

Color Name	HEX	Color
Black	#000000	
<u>Navy</u>	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255: e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers):



Colors

Color Name	HEX	Color
Black	<u>#000000</u>	
<u>Navy</u>	#000080	
<u>DarkBlue</u>	#00008B	
MediumBlue	#0000CD	
Blue	#0000FF	

- Can specify by numbers (RGB):
 - ► Fractions of each:
 - e.g. (1.0, 0, 0) is 100% red, no green, and no blue.
 - ▶ 8-bit colors: numbers from 0 to 255:
 - e.g. (0, 255, 0) is no red, 100% green, and no blue.
 - ► Hexcodes (base-16 numbers):
 - e.g. #0000FF is no red, no green, and 100% blue.

4 D > 4 D > 4 E > 4 E > E 990

In Pairs or Triples...

Some review and some novel challenges:

```
import turtle
    teddy = turtle.Turtle()
    names = ["violet", "purple", "indigo", "lavender"]
 5 - for c in names:
 6
      teddy.color(c)
     teddy.left(60)
     teddy.forward(40)
9
      teddy.dot(10)
10
11
    teddy.penup()
12
    teddy.forward(100)
13
    teddy.pendown()
14
15
    hexNames = ["#FF00FF", "#990099", "#550055", "#111111"]
16 - for c in hexNames:
17
     teddy.color(c)
18 teddy.left(60)
    teddy.forward(40)
19
20
      teddy.dot(10)
```

Trinkets

```
1 import turtle
 2 teddy = turtle.Turtle()
4 names = ["violet", "purple", "indigo", "lavender"]
 5 - for c in names:
     teddy.color(c)
     teddy.left(60)
     teddy.forward(40)
     teddy.dot(10)
10
11 teddy.penup()
12 teddy.forward(100)
13 teddy.pendown()
14
15 hexNames = ["#FF00FF", "#990099", "#550055", "#111111"]
16 - for c in hexNames:
17
     teddy.color(c)
     teddy.left(60)
     teddy.forward(40)
     teddy.dot(10)
```

(Demo with trinkets)





• We will use the standard portable network graphics (PNG) file format.

22 / 34



- We will use the standard portable network graphics (PNG) file format.
- Saves every picture element (or 'pixel')-

22 / 34



- We will use the standard portable network graphics (PNG) file format.
- Saves every picture element (or 'pixel')— often called a lossless format.


22 / 34





- We will use the standard portable network graphics (PNG) file format.
- Saves every picture element (or 'pixel')

 often called a lossless format.
- Keeps track of the amount of red, blue, and green of each pixel.


22 / 34


























 We will use 2 useful packages for images:



- We will use 2 useful packages for images:
 - ▶ numpy: numerical analysis package



- We will use 2 useful packages for images:
 - ► numpy: numerical analysis package
 - ► pyplot: part of matplotlib for making graphs and plots



- We will use 2 useful packages for images:
 - ▶ numpy: numerical analysis package
 - pyplot: part of matplotlib for making graphs and plots
- See lab notes for installing on your home machine.


Images with pyplot and numpy

```
#Import the packages for images and arrays:
import matplotlib.pvplot as plt
import numpy as np
img = plt.imread('csBridge.png')
                                   #Read in image from csBridge.png
                                   #Load image into pyplot
plt.imshow(img)
plt.show()
                                   #Show the image (waits until closed to contin
                         #make a copy of our image
img2 = img.copy()
img2[:,:,1] = 0
                         #Set the green channel to 0
img2[:,:,2] = 0
                         #Set the blue channel to 0
plt.imshow(img2)
                         #Load our new image into pyplot
plt.show()
                         #Show the image (waits until closed to continue)
plt.imsave('reds.png', img2) #Save the image we created to the file: reds.png
```



More on numpy arrays

```
>>> a[0,3:5]
array([3,4])
>>> a[4:,4:]
array([[44, 45],
       [54, 55]])
>>> a[:,2]
array([2,12,22,32,42,52])
>>> a[2::2,::2]
array([[20,22,24]
       [40.42.44]])
```



numpy tutorial

In Pairs or Triples...

Some review and some novel challenges:

1. Fill in the values in the array:

import numpy as np A = np.zeros((4,5))

A[0,0] = 1.0A[:,1] = 0.75

A[3,:] = 0.5



(If a cell has value 0, you can leave it blank.)

2. Write code that will generate the array with the following values:

Your code here:

1.0				1.0
1.0				1.0
1.0	1.0	1.0	1.0	1.0
1.0				1.0
1.0				1.0

Python Tutor



2. Write code that will generate the array with the following values:

Your code here:

1.0				1.0
1.0				1.0
1.0	1.0	1.0	1.0	1.0
1.0				1.0
1.0				1.0
	_	_	_	_

($Demo\ with\ idle3$)

Recap



- \bullet Indexing and Slicing Lists
- Colors
- Hexadecimal Notation
- 2D Arrays & Image Files


CS Surveys





Survey of research at Hunter & tech industry in NYC...

Lecture 3 CSci 127 (Hunter)

31 / 34








(American Museum of Natural History)


CSci 127 (Hunter) Lecture 3 13 September 2017 33 / 34



(American Museum of Natural History)



CSci 127 (Hunter) Lecture 3 13 September 2017 33 / 34



(American Museum of Natural History)



- Finding optimal evolutionary histories for biological data.
- Computationally hard questions.
- Collaborate with biologists & anthropologists at AMNH, & team of undergraduate researchers.

Lecture Slips & Writing Boards



• Turn in lecture slips & writing boards as you leave...

34 / 34