



california  
health  
interview  
survey

## CHIS 2017 DATA DICTIONARY

Perry 7 Data Dictionary

Adult

October 2018



# **CHIS 2017 DATA DICTIONARY**

## **Adult Survey**

**Rwdrle'Wug'Hkg'\*PUF+**

October 2018

adult.sas7bdat

Contact:  
California Health Interview Survey  
UCLA Center for Health Policy Research  
10960 Wilshire Blvd., Suite 1550  
Los Angeles, CA 90024  
Email: [chis@ucla.edu](mailto:chis@ucla.edu)

***Suggested Citation:***

California Health Interview Survey. CHIS 2017 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: October 2018

# TABLE OF CONTENTS

<b>1. Introduction.....</b>	<b>1</b>
1.1 CHIS 2017 Adult Survey Data File.....	1
1.2 Accompanying Files.....	1
<b>2. What’s New in CHIS 2017 .....</b>	<b>2</b>
<b>3. CHIS 2017 Sample Design and Methodology .....</b>	<b>4</b>
1.1 Overview .....	4
1.2 Switch to a Continuous Survey .....	5
1.3 Sample Design Objectives.....	6
1.4 Data Collection.....	9
1.6 Weighting the Sample .....	16
1.7 Imputation Methods.....	17
<b>4. Sample Code for Analysis and Pooling of CHIS Data.....</b>	<b>19</b>
<b>5. Restricted Variables .....</b>	<b>20</b>
<b>6. CHIS Data Dictionary.....</b>	<b>21</b>

**Click on the “Bookmarks” icon to navigate between sections of the data dictionary:**



# 1. Introduction

## 1.1 CHIS 2017 Adult Survey Data File

The 2017 California Health Interview Survey (CHIS 2017) Adult Data File consists of individual records obtained from the 2017 data collection period of the CHIS 2017-2018 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 17-000362) and the California Committee for the Protection of Human Subjects (12-05-0176). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact [dacchpr@ucla.edu](mailto:dacchpr@ucla.edu). Limited technical assistance is also available from CHIS – please send email to [chis@ucla.edu](mailto:chis@ucla.edu).

## 1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. Data file:** ADULT.SAS7BDAT, ADULT.SAV, ADULT.DTA
- b. Proc format file:** ADULT\_PROC\_FORMAT.SAS
- c. Format file:** ADULT\_FORMAT.SAS
- d. Label file:** ADULT\_LABEL.SAS
- e. Imputation flag file:** ADULTF.SAS7BDAT, ADULTF.SAV, ADULTF.DTA
- f. Others:** ADULT.XPT, ADULTF.XPT

## 2. What's New in CHIS 2017

This document describes new and notable design features and data collected in CHIS 2017. CHIS data users should review the information below and our detailed online documentation before analyzing or reporting CHIS data. Please visit the following page for more documentation on CHIS methods: <http://chis.ucla.edu/chis/design/Pages/methodology.aspx>

### **New and Updated Survey Questions**

Survey questions are added, removed, and modified in each two-year cycle of CHIS to meet stakeholders' needs and monitor emerging public health concerns. Questions are removed from the interview to reduce its length and save data collection costs when topics are no longer relevant for public health surveillance, or when they are not funded by a sponsor. Most CHIS questions remain in the interview across CHIS cycles.

For CHIS 2017 approximately 80 percent of the content continued from CHIS 2016. Occasionally, we make changes to question wording based on methodological evaluations or when user feedback strongly suggests that changes will produce better data. Otherwise, we keep questions consistent across years to aid in trending. Reinstated questions were asked in cycles prior to 2015-2016, and again in 2017-2018. Noteworthy additions to CHIS 2017 include:

#### **New adult interview questions**

- Marijuana use<sup>1</sup>, frequency and methods of use<sup>3</sup>
- Female pregnancy intentions<sup>1</sup>
- Male birth control use<sup>1</sup>
- Voting eligibility and engagement<sup>1</sup>
- Current WIC enrollment<sup>2</sup>, WIC participation in the past 5 years<sup>1</sup>, and satisfaction with WIC<sup>3</sup>
- Prescription drug misuse<sup>2</sup> and heroin use<sup>2</sup>
- Pre-Exposure Prophylaxis<sup>3</sup>
- Reinstated content:
  - Smoking cessation<sup>1</sup>
  - Current birth control use and pregnancy status<sup>1</sup>
  - Race most identified with<sup>1</sup>
  - Paying off mortgage and loan<sup>1</sup> (used in creation of the Elder Index™)
  - Medical debt<sup>1</sup>
  - Usage of health savings accounts<sup>1</sup>

#### **New child interview questions**

- Reclaimed content:
  - Prescription medication and therapy needs<sup>1</sup>
  - Developmental concerns<sup>1</sup>
  - Usage of public dental health programs<sup>1</sup>

#### **New teen interview questions**

- Sleep and technology use<sup>1</sup>
- Marijuana use<sup>2</sup>, frequency of use<sup>2</sup>, and methods of use<sup>3</sup>
- Birth control use and counseling<sup>2</sup>

<sup>1</sup> Available in all CHIS data products including Public Use Files (PUFs)

<sup>2</sup> Available through AskCHIS (<http://ask.chis.ucla.edu>)

<sup>3</sup> Confidential data is only available through the Data Access Center (DAC). For more information please visit <http://healthpolicy.ucla.edu/chis/data/Pages/confidential.aspx>

For a full list of topics covered in CHIS 2017, please visit <http://chis.ucla.edu/chis/design/Pages/survey-topics.aspx>. The full CHIS 2017 questionnaire is available at <http://chis.ucla.edu/chis/design/Pages/questionnairesEnglish.aspx>.

### **Improved Sample Coverage**

In an effort to improve cell phone coverage of California residents, CHIS 2017 included a sample of likely residents (based on zip code) with out-of-state cell phone numbers to better capture recent imports to the state. CHIS 2017 also oversampled residents under 65 to increase the ability to reach households with children and teens.

### **Oversamples**

CHIS 2017 continued to oversample Korean and Vietnamese Americans as has been done in previous cycles since CHIS 2001. For the first-time ever, CHIS was able to expand listed sample of Korean and Vietnamese surnames to include cell phone numbers. CHIS 2017 also saw oversamples in two Southern California counties. San Diego Health and Human Services provided funds to oversample San Diego County while the Imperial County Health Department also provided funds to oversample residents of northern Imperial County.

### **New Vendor**

As the result of a competitive bidding process, SSRS conducted the CHIS 2017-2018 data collection under contract with the UCLA Center for Health Policy Research.

### **Data Collection Timeline**

Like past CHIS data collection, CHIS 2017 data were collected as part of a two-year cycle (2017-2018). CHIS 2017 data were collected between June 2017 and December 2017. Approximately 50 percent of adult interviews were conducted from landline phone numbers and 50 percent from cell phone numbers.

From CHIS 2011 forward, single-year data are available representing a yearly cross-section of the California's population. Relative to the larger, two-year CHIS data files available prior to 2011, small populations (such as child, teen, or some racial/ethnic groups) or rare conditions and characteristics will have fewer observations in the single-year data file. In such cases, pooling two or more single-year data sets may be required to achieve sufficient sample size and statistical stability.

Users who need more information about pooling or trending data over time should review the *Analyze CHIS Data* website at <http://chis.ucla.edu/chis/analyze/Pages/default.aspx> or go to the *CHIS FAQ* page at <http://chis.ucla.edu/chis/faq/Pages/default.aspx>. You can also email questions to [dacchpr@ucla.edu](mailto:dacchpr@ucla.edu).

### 3. CHIS 2017 Sample Design and Methodology

#### 1.1 Overview

A series of five methodology reports are available with more detail about the methods used in CHIS 2017.

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at [CHIS@ucla.edu](mailto:CHIS@ucla.edu). For methodology reports from previous CHIS cycles, go to <http://www.chis.ucla.edu/chis/design/Pages/methodology.aspx>

The CHIS is a population-based telephone survey of California's residential, noninstitutionalized population conducted every other year since 2001 and continually beginning in 2011. CHIS is the nation's largest state-level health survey and one of the largest health surveys in the nation. The UCLA Center for Health Policy Research (UCLA-CHPR) conducts CHIS in collaboration with the California Department of Public Health and the California Department of Health Care Services. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health-related issues.

The sample is designed and optimized to meet two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California



and the nation use CHIS data files to further their understanding of a wide range of health related issues (visit UCLA-CHPR's publication page at <http://healthpolicy.ucla.edu/publications/Pages/default.aspx> for examples of CHIS studies).

## 1.2 Switch to a Continuous Survey

From the first CHIS cycle in 2001 through 2009, CHIS data were collected during a 7 to 9 month period every other year. Beginning in 2011, CHIS data have been collected continually over a 2-year cycle. This change was driven by several factors including the ability to track and release information about health in California on a more frequent and timely basis and to eliminate potential seasonality in the biennial data.

CHIS 2017 data were collected between June and December, 2017. As in previous CHIS cycles, weights are included with the data files and are based on the State of California's Department of Finance population estimates and projections, adjusted to remove the population living in group quarters (such as nursing homes, prisons, etc.) and thus not eligible to participate in CHIS. When the weights are applied to the data, the results represent California's residential population during that year for the age group corresponding to the data file in use (adult, adolescent, or child). In CHIS 2017, data users will be able to produce single-year estimates using the weights provided.

**See what's new in the 2017 CHIS sampling and data collection here:**

<http://www.chis.ucla.edu/chis/design/Documents/whats-new-chis-2017.pdf>

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample statistical code, is available at <http://www.chis.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in the *CHIS 2017 Methodology Series: Report 5—Weighting and Variance Estimation* posted at <http://www.chis.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle year.

## 1.3 Sample Design Objectives

The CHIS 2017 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed a dual-frame, multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. The RDD sample was designed to achieve the required number of completed adult interviews by using approximately 50% landline and 50% cellular phone numbers. For the RDD sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The same geographic stratification of the state has been used since CHIS 2005. The Los Angeles County stratum included eight sub-strata for Service Planning Areas, and the San Diego County stratum included six sub-strata for Health Service Districts. Most of the strata (39 of 44) consisted of a single county with no sub-strata (see counties 3-41 in Table 1-1). Three multi-county strata comprised the 17 remaining counties (see counties 42-44 in Table 1-1). A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective for the two-year period—to provide health estimates for adults at the local level. Asian surname sample list frames added 38 Korean, and 74 Vietnamese adult interviews based on self-identified ethnicity for the 2017 survey year.<sup>1</sup> Additional samples from both the landline and cell phone frames produced 635 interviews in 2017 within San Diego County. Furthermore, an address-based sample from the USPS Delivery Sequence File produced 332 landline or cell phone interviews in 2017 within the northern part of Imperial County.

Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child of the randomly selected parent/guardian were randomly selected; the adolescent was interviewed directly, and the adult sufficiently knowledgeable about the child's health completed the child interview.

---

<sup>1</sup> For the 2017, all sample frames produced totals of 113 Korean, and 148 Vietnamese adult interviews.

Table 1-1. California county and county group strata used in the CHIS 2017 sample design

1. Los Angeles	7. Alameda	27. Shasta
1.1 Antelope Valley	8. Sacramento	28. Yolo
1.2 San Fernando Valley	9. Contra Costa	29. El Dorado
1.3 San Gabriel Valley	10. Fresno	30. Imperial
1.4 Metro	11. San Francisco	31. Napa
1.5 West	12. Ventura	32. Kings
1.6 South	13. San Mateo	33. Madera
1.7 East	14. Kern	34. Monterey
1.8 South Bay	15. San Joaquin	35. Humboldt
2. San Diego	16. Sonoma	36. Nevada
2.1 N. Coastal	17. Stanislaus	37. Mendocino
2.2 N. Central	18. Santa Barbara	38. Sutter
2.3 Central	19. Solano	39. Yuba
2.4 South	20. Tulare	40. Lake
2.5 East	21. Santa Cruz	41. San Benito
2.6 N. Inland	22. Marin	42. Colusa, Glenn, Tehama
3. Orange	23. San Luis Obispo	43. Plumas, Sierra, Siskiyou,
4. Santa Clara	24. Placer	Lassen, Modoc, Trinity, Del Norte
5. San Bernardino	25. Merced	44. Mariposa, Mono, Tuolumne,
6. Riverside	26. Butte	Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2017 California Health Interview Survey.

The CHIS RDD sample is of sufficient size to accomplish the second objective (produce estimates for the state's major racial/ethnic groups, as well as many ethnic subgroups). However, given the smaller sample sizes of one-year data files, two or more pooled cycles years of CHIS data are generally required to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, teens, etc. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames, drawn from listed telephone directories to increase the sample size further for Koreans and Vietnamese.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2017, the

goal was to complete approximately 50% of all RDD interviews statewide with adults contacted via cell phone. Because the geographic information available for cell phone numbers is limited and not as precise as that for landlines, cell phone numbers were assigned to the same 44 geographic strata (i.e., 41 strata defined by a single county and 3 strata created by multiple counties) using a classification associated with the rate center linked to the account activation. The cell phone stratification closely resembles that of the landline sample and has the same stratum names, though the cell phone strata represent slightly different geographic areas than the landline strata. The adult owner of the sampled cell phone number was automatically selected for CHIS. Cell numbers used exclusively by children under 18 were considered ineligible. A total of 448 teen interviews and 1,600 child interviews were completed in CHIS 2017 with approximately 51% of teen interviews and 66% of child interviews coming from the cell phone sample.

The cell phone sampling method used in CHIS has evolved significantly since its first implementation in 2007 when only cell numbers belonging to adults in cell-only households were eligible for sampling adults. These changes reflect the rapidly changing nature of cell phone ownership and use in the US.<sup>2</sup> There have been three significant changes to the cell phone sample since 2009. First, all cell phone sample numbers used for non-business purposes by adults living in California were eligible for the extended interview. Thus, adults in households with landlines who had their own cell phones or shared one with another adult household member could have been selected through either the cell or landline sample. The second change was the inclusion of child and adolescent extended interviews. The third, enacted in CHIS 2015-2016 was to increase the fraction of the sample comprised of cell phones from 20% to 50% of completed interviews. In 2017, we additionally sampled out-of-area cell phone numbers. These are cell phone numbers with exchanges outside of California that can be matched to an address that is within California, indicating that the owner of the cell phone resides in California but purchased a cell phone in another state.

The cell phone sample design and targets by stratum of the cell phone sample have also changed throughout the cycles of the survey. In CHIS 2007, a non-overlapping dual-frame design was implemented where cell phone only users were screened and interviewed in the cell phone sample. Beginning in 2009, an overlapping dual-frame design has been implemented. In this design, dual phone users (e.g., those with both cell and landline service) can be selected and interviewed from either the landline or cellphone samples.

The number of strata has also evolved as more information about cell numbers has become available. In CHIS 2007, the cell phone frame was stratified into seven geographic sampling strata created using telephone area codes. In CHIS 2009 and 2011-2012, the number of cell phone strata was

---

<sup>2</sup> <https://www.cdc.gov/nchs/data/nhis/earlyrelease/wireless201806.pdf>

increased to 28. These strata were created using both area codes and the geographic information assigned to the number. Beginning in CHIS 2011, with the availability of more detailed geographic information, the number of strata was increased to 44 geographic areas that correspond to single and grouped counties similar to the landline strata. The use of 44 geographic strata continued in CHIS 2017.

## 1.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, Korean, and Tagalog. Tagalog interviews were conducted for part of the CHIS 2013-2014 cycle, but 2015-2016 were the first cycle years that Tagalog interviews were conducted from the beginning of data collection. These languages were chosen based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

SSRS designed the methodology and collected data for CHIS 2017, under contract with the UCLA Center for Health Policy Research. SSRS is an independent research firm that specializes in innovative methodologies, optimized sample designs, and reaching low-incidence populations. For all sampled households, SSRS staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. Children and adolescents were generally sampled at the end of the adult interview. If the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview for child-first cases, the final data contain completed child and adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2017 by the type of sample (landline RDD, surname list, cell RDD, and ABS). Note that these figures were accurate as of data collection completion for 2017 and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://www.chis.ucla.edu/chis/design/Pages/sample.aspx>.

Table 1-2. Number of completed CHIS 2017 interviews by type of sample and instrument

Type of sample <sup>1</sup>	Adult <sup>2</sup>	Child	Adolescent
Total all samples	21,153	1,600	448
Landline RDD <sup>3</sup>	9,831	501	206
Cell RDD	10,722	1,037	219
Vietnamese surname list landline	47	6	2
Vietnamese surname list cell phone	44	4	3
Korean surname list landline	133	9	3
Korean surname list cell phone	19	1	
Both Korean and Vietnamese Landline	18		
Imperial County ABS Oversample	339	42	15

Source: UCLA Center for Health Policy Research, 2017 California Health Interview Survey.

<sup>1</sup> Completed interviews listed for each sample type refer to the sampling frame from which the phone number was drawn. Interviews could be conducted using numbers sampled from a frame with individuals who did not meet the target criteria for the frame but were otherwise eligible residents of California. For example, only 69 of the 120 adult interviews completed from the Vietnamese surname list involved respondents who indicated being having Vietnamese ethnicity.

<sup>2</sup> Includes interviews meeting the criteria as partially complete.

<sup>3</sup> Breakdown of completes by frame deviates slightly from original sample numbers due to numbers changing frames following post-sampling database processing.

Interviews in all languages were administered using SSRS's computer-assisted telephone interviewing (CATI) system. The average adult interview took about 43 minutes to complete. The average child and adolescent interviews took about 19 minutes and 24 minutes, respectively. For "child-first" interviews, additional household information asked as part of the child interview averaged about 14 minutes. Interviews in non-English languages typically took longer to complete with an average length of about 53 minutes for the adult interview, 31 minutes for the teen, and 21 minutes for the child. More than seven percent of the adult interviews were completed in a language other than English, as were about 13 percent of all child (parent proxy) interviews and seven percent of all adolescent interviews.

Table 1-3 shows the major topic areas for each of the three survey instruments (adult, child, and adolescent).

Table 1-3. CHIS 2017 survey topic areas by instrument

<b>Health status</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
General health status	✓	✓	✓
Days missed from school due to health problems		✓	✓
<b>Health conditions</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Asthma	✓	✓	✓
Diabetes, gestational diabetes, pre- /borderline diabetes	✓		
Heart disease, high blood pressure, stroke	✓		
Physical, behavioral, and/or mental conditions			✓
Physical disabilities, blindness, deafness	✓		
<b>Mental health</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Mental health status	✓	✓	
Perceived need, access and utilization of mental health services	✓	✓	
Suicide ideation and attempts	✓	✓	
Functional impairment, stigma	✓		
<b>Health behaviors</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Dietary intake and soda intake	✓	✓	✓
Water consumption	✓	✓	
Physical activity and exercise	✓	✓	✓
Commute from school to home		✓	✓
Sedentary time		✓	✓
Walking for transportation and leisure	✓		
Alcohol and drug use	✓	✓	
Cigarette and E-cigarette use	✓	✓	
Sexual behavior	✓	✓	
Breastfeeding			✓
Sleep and Technology		✓	
Sedentary Time		✓	✓
<b>Women's health</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Pregnancy	✓		
<b>Dental health</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Last dental visit, main reason haven't visited dentist	✓	✓	✓
Current dental insurance coverage	✓		✓

(continued)

Table 1-3. CHIS 2017-2018 survey topic areas by instrument (continued)

<b>Neighborhood and housing</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Safety, social cohesion	✓	✓	✓
Homeownership, length of time at current residence	✓		
Park use		✓	✓
Civic engagement	✓	✓	
Building Healthy Communities	✓		
<b>Access to and use of health care</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Usual source of care, visits to medical doctor	✓	✓	✓
Emergency room visits	✓	✓	✓
Delays in getting care (prescriptions and medical care)	✓	✓	✓
Medical home, timely appointments, hospitalizations	✓	✓	✓
Developmental screening			✓
Communication problems with doctor	✓		✓
Tele-medical care	✓		
Family planning	✓		
Change of usual source of care	✓		
<b>Food environment</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Access to fresh and affordable foods	✓		
Availability of food in household over past 12 months	✓		
Hunger	✓		
School lunch consumption		✓	
<b>Health insurance</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Current insurance coverage, spouse's coverage, who pays for coverage	✓	✓	✓
Health plan enrollment, characteristics and plan assessment	✓	✓	✓
Whether employer offers coverage, respondent/spouse eligibility	✓		
Coverage over past 12 months, reasons for lack of insurance	✓	✓	✓
Difficulty finding private health insurance	✓		
High deductible health plans	✓	✓	✓
Partial scope Medi-Cal	✓		
<b>Public program eligibility</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Household poverty level	✓		
Program participation (CalWORKs, Food Stamps, SSI, SSDI, WIC, TANF)	✓	✓	✓
Assets, alimony/child support, social security/pension, worker's compensation	✓		
Reason for Medi-Cal non-participation among potential beneficiaries	✓	✓	✓
Medi-Cal eligibility	✓	✓	✓



Table 1-3. CHIS 2017-2018 survey topic areas by instrument (continued)

<b>Bullying and interpersonal violence</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Bullying, personal safety, school safety, interpersonal violence		✓	
<b>Parental involvement/adult supervision</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Adult presence and support		✓	
Technology use		✓	
<b>Child care and school attendance</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Current child care arrangements			✓
Paid child care	✓		
Preschool/school attendance, name of school		✓	✓
Preschool quality			✓
School instability		✓	
First 5 California: "Talk, Read, Sing Program"			✓
<b>Employment</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Employment status, spouse's employment status	✓		
Hours worked at all jobs	✓		
Industry and occupation, firm size	✓		
<b>Income</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Respondent's and spouse's earnings last month before taxes	✓		
Household income, number of persons supported by household income	✓		
<b>Respondent characteristics</b>	<b>Adult</b>	<b>Teen</b>	<b>Child</b>
Race and ethnicity, age, gender, height, weight	✓	✓	✓
Veteran status	✓		
Marital status, registered domestic partner status (same-sex couples)	✓		
Sexual orientation, gender identity	✓		
Gender expression		✓	
Education, English language proficiency	✓		
Citizenship, immigration status, country of birth, length of time in U.S., languages spoken at home	✓	✓	✓
Education of primary caretaker			✓
Citizenship, immigration status, country of birth, and length of time in U.S. of parents			✓

Source: UCLA Center for Health Policy Research, 2017 California Health Interview Survey.

## 1.5 Response Rates

The overall response rates for CHIS 2017 are composites of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). For CHIS 2017, the landline/list sample household response rate was 9.3 percent (the product of the screener response rate of 13.2 percent and the extended interview response rate at the household level of 70.3 percent). The cell sample household response rate was 6.5 percent, incorporating a screener response rate of 10.0 percent household-level extended interview response rate of 65.2 percent. CHIS uses AAPOR response rate RR4 (see more detailed in *CHIS 2017 Methodology Series: Report 4 – Response Rates*).

Within the landline and cell phone sampling frames for 2017, the extended interview response rate for the landline/list sample varied across the adult (61.0 percent), child (63.3 percent) and adolescent (26.6 percent) interviews. The adolescent rate includes the process of obtaining permission from a parent or guardian.

The adult interview response rate for the cell sample was 66.6 percent, the child rate was 63.9 percent, and the adolescent rate was 20.3 percent in 2017 (see Table 1-4a). Multiplying these rates by the screener response rates used in the household rates above gives an overall response rate for each type of interview for each survey year (see Table 1-4b). As in previous years, household and person level response rates vary by sampling stratum. CHIS response rates are similar to, and sometimes higher than, other

Table 1-4a. CHIS response rates - Conditional

Type of Sample	Screener	Household	Adult (given screened)	Child (given screened & eligibility)	Adolescent (given screened & permission)
Overall	11.0%	66.8%	63.0%	63.7%	23.4%
Landline RDD/List	13.2%	70.3%	61.0%	63.3%	26.6%
Cell RDD/List	10.0%	65.2%	66.6%	63.9%	20.3%

Source: UCLA Center for Health Policy Research, 2017 California Health Interview Survey.  
comparable surveys that interview by telephone.

Table 1-4b. CHIS response rates - Unconditional

Type of Sample	Screener	Household	Adult (given screened)	Child (given screened & eligibility)	Adolescent (given screened & permission)
Overall	11.0%	7.1%	6.7%	6.7%	2.4%
Landline RDD/List	13.2%	9.3%	8.1%	8.4%	3.5%
Cell RDD/List	10.0%	6.5%	6.6%	6.4%	2.0%

Source: UCLA Center for Health Policy Research, 2017 California Health Interview Survey.

To maximize the response rate, especially at the screener stage, an advance letter in six languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for 36.5 percent of the landline RDD sample telephone numbers not identified by the sample vendor as business numbers or not identified by SSRS's dialer software as nonworking numbers, and for 100 percent of surname list sample numbers. Combining these two frames, advance letters were sent to 36.9 percent of all fielded landline telephone numbers. For cell sample, an advance letter was mailed for 38.5 percent of the RDD sample telephone numbers not identified by the sample vendor as business numbers or not identified by SSRS's dialer software as nonworking numbers, and for 100 percent of surname list sample numbers. Combining these two frames, advance letters were sent to 40.7 percent of all fielded cell telephone numbers. As in all CHIS cycles since CHIS 2005, a \$2 bill was included with the CHIS 2017 advance letter to encourage cooperation. Unlike previous cycles, additional incentives were not offered to cell phone and nonresponse follow up (NRFU) respondents.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as "complete." At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data.

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. In CHIS 2017, either a spouse/partner or adult child completed a proxy interview for 3 adults. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/chis/design/Pages/data-quality.aspx>.

## 1.6 Weighting the Sample

To produce population estimates from CHIS data, weights were applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample was weighted to represent the noninstitutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2017 accomplish the following objectives:

- Compensate for differential probabilities of selection for phone numbers (households) and persons within household;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight was used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and for nonresponse. The final step was to adjust the person-level weight using weight calibration, a procedure that forced the CHIS weights to sum to estimated population control totals simultaneously from an independent data source (see below).

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2017 were created primarily from the California Department of Finance’s (DOF) 2017 Population Estimates, and associated population projections. The procedure used several dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), and education. One limitation of using Department of Finance (DOF) data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and

includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to calibration.

The DOF control totals used to create the CHIS 2017 weights are based on 2010 Census counts, as were those used for the 2015-2016 cycle. Please pay close attention when comparing estimates using CHIS 2017 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the U.S. Census Bureau conducts the decennial census. For periods between each census, population-based surveys like CHIS must use population projections based on the decennial count. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information.

## 1.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a substantial task designed to enhance the analytic utility of the files. SSRS imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Three different imputation procedures were used by SSRS to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation. The hot deck approach is one of the most commonly used methods for assigning values for missing responses. Using a hot deck, a value reported by a respondent for a specific item was assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot-deck imputation, the respondents who answered a survey item formed a pool of donors, while the item nonrespondents formed a group of recipients. A recipient was matched to the subset pool of donors based on household and individual characteristics. A value for the recipient was then randomly imputed from one of

the donors in the pool. SSRS used hot deck imputation to impute the same items that have been imputed in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education). The last technique was external data assignment. This method was used for geocoding variables such as strata, SPA, HSR, and zip where the respondent provided inconsistent information. For such cases geocoding information was used for imputation.

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by SSRS and some sensitive variables for which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2017 were low, with most variables missing valid responses for less than 1% of the sample.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaced a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponded to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients were grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match. Among the standard list of control variables, gender, age, race/ethnicity and region of California were imputed by SSRS. UCLA-CHPR began their imputation process by imputing household income and educational attainment, so that these characteristics are available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent's value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process was performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

## **4. Sample Code for Analysis and Pooling of CHIS Data**

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

## 5. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CPHS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

### Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS.
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.
SCH_LON	SCHOOL LONGITUDE	GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING.



## 6. CHIS Data Dictionary

### How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2017 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, CHIS 2011-12, CHIS 2013-2014, and CHIS 2015-16 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://healthpolicy.ucla.edu/chis/design/Pages/questionnairesEnglish.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME17:** Starting in CHIS 2017, the field is blank. Each questionnaire item will be referred to by its variable name only.
- **QNAME1516:** The names of 2015-2016 survey items identical or similar to the 2017 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
  - 1: INAPPLICABLE.
  - 2: PROXY SKIPPED.
  - 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
  - 7: REFUSED.
  - 8: DON'T KNOW.
  - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

### Navigation

Users can also navigate between data dictionary sections by clicking on the section listings on the next page.

## TABLE OF CONTENTS

VARIABLE NAME (alphabetical)

VARIABLE NAME (location)

SECTION Q: SCREENING INFORMATION

SECTION A: DEMOGRAPHIC INFORMATION, PART I

SECTION B: GENERAL HEALTH CONDITION

SECTION C: HEALTH BEHAVIORS

SECTION D: GENERAL HEALTH, DISABILITY &  
SEXUAL HEALTH

SECTION E: WOMEN'S HEALTH

SECTION F: MENTAL HEALTH

SECTION G: DEMOGRAPHIC INFORMATION, PART II  
& CHILD CARE

SECTION H: HEALTH INSURANCE

SECTION J: HEALTH CARE UTILIZATION/ACCESS &  
DENTAL HEALTH

SECTION DM: DISCRIMINATION MODULE

SECTION K: EMPLOYMENT, INCOME, POVERTY  
STATUS & FOOD SECURITY

SECTION L: PUBLIC PROGRAM PARTICIPATION

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC  
INFO.

## **SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80**

## **SECTION P: VOTER ENGAGEMENT**

## Variable Name (alphabetical)

Variable	Label	Page
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-9
AB1	GENERAL HEALTH CONDITION	B-1
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-10
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	B-10
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	B-13
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB22	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-7
AB24	CURRENTLY TAKING INSULIN	B-8
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-8
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)	B-9
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-11
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	B-12
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-12
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-7
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE HEART FAILURE	B-13
AB63	LAST EYE EXAM DILATED PUPILS	B-9
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	B-11
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	B-4
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	B-5

AC100	FREQUENCY OF EXERCISE IN PAST 7 DAYS	C-4
AC104B	USE NICOTINE GUM, LOZENGES, OR INHALER TO HELP QUIT SMOKING IN PA	C-16
AC11	# OF TIMES DRANK SODA LAST MONTH	C-4
AC115	EVER TRIED MARIJUANA OR HASHISH	C-24
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-24
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	C-9
AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	C-9
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	C-10
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-6
AC47	# OF TIMES DRANK WATER YESTERDAY	C-6
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-14
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-14
AC75C	CALL QUITTING HELPLINE TO HELP QUIT SMOKING IN PAST 12 MOS	C-15
AC77	HEALTH PRO ADVISE QUIT SMOKE PAST 12 MOS	C-15
AC78	HEALTH PRO REFER SMOKE CESS PGM PAST 12	C-16
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-17
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-17
AC83C_1	BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING	C-18
AC83C_10	BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE	C-22
AC83C_11	BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT	C-23
AC83C_12	BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE	C-23
AC83C_2	BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING	C-18
AC83C_3	BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI	C-19
AC83C_4	BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A	C-19

AC83C_5	BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY	C-20
AC83C_6	BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR	C-20
AC83C_7	BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE	C-21
AC83C_8	BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS	C-21
AC83C_9	BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE	C-22
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-7
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-6
AD13	CURRENTLY PREGNANT	E-1
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-11
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	C-1
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	C-1
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT	C-2
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	C-2
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	C-3
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	C-3
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-10
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-11
AE16_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-12
AE2	# TIMES ATE FRUIT IN PAST MO	C-7
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	C-7
AE5	# TIMES ATE COOKED DRIED BEANS IN PAST MONTH	C-8
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-8
AE96	EVER DELIVERED BABY IN PAST 12 MOS	E-2
AESODA_P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	C-5
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	C-5
AF40B	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-7

AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-6
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-7
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-8
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-9
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-10
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-11
AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-18
AG10	RESPONDENT USUALLY WORKS	G-9
AG11	SPOUSE USUALLY WORKS	G-9
AG22	EVER SERVE IN U.S. ARMED FORCES	G-10
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-19
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-8
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-8
AH1	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AH100	ANYONE HELP FIND HEALTH PLAN	H-1
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-17
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-2
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-2
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-3
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-3
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-4
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-4
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-5
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-5

AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-6
AH117	COST OF SELECTED PLAN IMPORTANT	H-6
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-7
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-7
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-8
AH125_P	MEDICARE ADVANTAGE PLAN NAME (PUF RECODE)	H-18
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-19
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-36
AH130	HAS MONEY IN HSA ACCOUNT	H-37
AH131_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF Recode)	H-37
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-38
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-39
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-40
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-40
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-41
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-42
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-16
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-10
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-11
AH33NEW	BORN IN U.S.	G-1
AH34NEW	MOTHER BORN IN U.S.	G-1
AH35NEW	FATHER BORN IN U.S.	G-2
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	G-3
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-2
AH43A	LIVING WITH A PARENT	G-6
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	G-5



AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-6
AH5	# OF TIMES SAW MD IN PAST 12 MOS	J-5
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-5
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-13
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-14
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-14
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-15
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-15
AH79B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-33
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-33
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-34
AH83B	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-34
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-35
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-35
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-25
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-17
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-18
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-7
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-8
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-9
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-12
AI22C	MAIN HEALTH PLAN IS HMO	H-11
AI25	COVERED FOR PRESCRIPTION DRUGS	H-12
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	H-11
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-16
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-9

AI4	COVERED BY MEDICARE SUPPL POLICY	H-1
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-10
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-10
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-9
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-12
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-12
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	J-13
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	J-14
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	J-14
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	J-9
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-15
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-15
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-16
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-22
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-22
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-22
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-20
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-20
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-21
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-21
AJ144B	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-12
AJ152	RECEIVED CARE FROM HEALTH PROVIDER THROUGH VIDEO/PHONE IN PAST 12	J-26
AJ153_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-26
AJ153_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION	J-29
AJ153_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-30

AJ153_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-27
AJ153_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-27
AJ153_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-28
AJ153_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-28
AJ153_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-29
AJ154B_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-7
AJ154B_2	BIRTH CONTROL METHOD: VASECTOMY	D-8
AJ154B_3	BIRTH CONTROL METHOD: IUD	D-8
AJ154B_4	BIRTH CONTROL METHOD: IMPLANT	D-9
AJ154B_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-9
AJ154B_6	BIRTH CONTROL METHOD: OTHER HORMONAL	D-10
AJ154B_7	BIRTH CONTROL METHOD: CONDOMS	D-10
AJ154B_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-11
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-18
AJ168	CONDITION OF TEETH	J-19
AJ169	RESPONDENT'S PREGNANCY PLANS	D-6
AJ170_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-11
AJ171_P1	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-12
AJ172	CURRENTLY USING BIRTH CONTROL	D-13
AJ174_3	BIRTH CONTROL METHOD: IUD	D-13
AJ174_4	BIRTH CONTROL METHOD: IMPLANT	D-14
AJ174_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-14
AJ174_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-15
AJ174_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-15
AJ175_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-16
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT	D-113

	PLAN	
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	D-114
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-10
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-11
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-2
AJ31	FELL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-3
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-4
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-8
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-7
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-2
AJ8B	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-7
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-8
AK1	WORK STATUS LAST WEEK	K-1
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-11
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-9
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES (PUF 1 YR RECODE)	K-10
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-2
AK25	OWN OR RENT HOME	M-4
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-6
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-2
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	K-11
AK33_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	K-12
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)	K-3

AK4	TYPE OF EMPLOYER AT MAIN JOB	K-3
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-7
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-9
AKWKLNG	TIME AT MAIN JOB	K-8
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3
AL2	RECEIVING TANF OR CALWORKS	L-1
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL32	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL40_P1	LENGTH OF TIME HAD MEDI-CAL (PUF RECODE)	L-4
AL41	HAD MEDI-CAL COVERAGE RENEWED AUTOMATICALLY IN PAST YEAR	L-4
AL44	EVER HAD PROBLEMS RENEWING MEDI-CAL	L-5
AL45	EVER LOST COVERAGE FOR 1-2 MOS, COMPLETELY, OR HAD TO REAPPLY	L-5
AL46	HEALTH COVERAGE BEFORE MEDI-CAL COVERAGE	L-6
AL49	EVER RECEIVED BENEFITS FROM SPECIAL SUPPLEMENTAL NUTRITION PROGRA	L-6
AL5	RECEIVING FOOD STAMP BENEFITS	L-1
AL50	EVER RECEIVED WIC BENEFITS IN PAST 5 YEARS	L-7
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-12
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-4
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-13
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-5
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-5
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-13
AM34	TELEPHONE CALLS RECEIVED	N-1
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	M-6
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	M-7

AM37	CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN	M-1
AM38_P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	M-7
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-14
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-14
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-15
ASTCUR	CURRENT ASTHMA STATUS	B-3
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-16
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-4
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-31
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-5
DMC3	HOW OFTEN TREATED UNFAIRLY WHEN GETTING MEDICAL CARE OVER LIFETIME	DM-2
DMC6B_P1	MAIN RSN TREATED UNFAIRLY GET MED. CARE (PUF 1 YR RECODE)	DM-3
DMC7	HOW STRESSFUL ARE UNFAIR EXPERIENCES	DM-4
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF. RACE/ETHNICITY	DM-1
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETH	DM-2
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-6
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-12
DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	K-19
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-19

ER	ER VISIT WITHIN THE PAST YEAR	J-25
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-14
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12
FAMT4	FAMILY TYPE - 4 LVLS	G-12
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-11
FORGO	HAD TO FORGO NECESSARY CARE	J-17
FPG	FEDERAL POVERTY GUIDELINE	K-16
FSLEV	FOOD SECURITY STATUS LEVEL	K-15
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-16
HEIGHTM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-1
HMO	HMO STATUS	H-13
HSAAMT_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-38
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)	K-4
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-5
INS	CURRENTLY INSURED	H-19
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-20
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-22
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-21
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-23
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-24
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-25
INSANY	ANY INS IN LAST 12 MOS	H-22
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-25
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-26

INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-36
INSMC	COVERED BY MEDICARE	H-26
INSMC_S	SPOUSE COVERED BY MEDICARE	H-27
INSMD	COVERED BY MEDI-CAL	H-28
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-28
INSOG	COVERED BY OTHER GOVT PLANS	H-29
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-29
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-30
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-30
INSPS	PRIMARY OR SECONDARY COVERAGE	H-31
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-32
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-24
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-23
INS_S	SPOUSE CURRENTLY INSURED	H-20
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	A-2
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	G-2
MARIT	MARITAL STATUS- 3 CATEGORIES	A-9
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-10
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-10
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-27
NUMCIG	# OF CIGARETTES PER DAY	C-13
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-6
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-7
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-32
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-7
OVRWT	OVERWEIGHT OR OBESE	D-5



PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-5
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-23
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-23
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-41
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-17
POVLL	POVERTY LEVEL	K-18
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-18
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	K-17
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL	B-6
PROXY	A PROXY INTERVIEW	Q-2
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-7
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-8
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-8
RAKEDW0	CHIS2017 RAKED WEIGHT - FULL SAMPLE	0-1
RAKEDW1	CHIS2017 RAKED WEIGHT - REPLICATE 1	0-2
RAKEDW10	CHIS2017 RAKED WEIGHT - REPLICATE 10	0-5
RAKEDW11	CHIS2017 RAKED WEIGHT - REPLICATE 11	0-5
RAKEDW12	CHIS2017 RAKED WEIGHT - REPLICATE 12	0-5
RAKEDW13	CHIS2017 RAKED WEIGHT - REPLICATE 13	0-6
RAKEDW14	CHIS2017 RAKED WEIGHT - REPLICATE 14	0-6
RAKEDW15	CHIS2017 RAKED WEIGHT - REPLICATE 15	0-6
RAKEDW16	CHIS2017 RAKED WEIGHT - REPLICATE 16	0-7
RAKEDW17	CHIS2017 RAKED WEIGHT - REPLICATE 17	0-7
RAKEDW18	CHIS2017 RAKED WEIGHT - REPLICATE 18	0-7
RAKEDW19	CHIS2017 RAKED WEIGHT - REPLICATE 19	0-8

RAKEDW2	CHIS2017 RAKED WEIGHT - REPLICATE 2	0-2
RAKEDW20	CHIS2017 RAKED WEIGHT - REPLICATE 20	0-8
RAKEDW21	CHIS2017 RAKED WEIGHT - REPLICATE 21	0-8
RAKEDW22	CHIS2017 RAKED WEIGHT - REPLICATE 22	0-9
RAKEDW23	CHIS2017 RAKED WEIGHT - REPLICATE 23	0-9
RAKEDW24	CHIS2017 RAKED WEIGHT - REPLICATE 24	0-9
RAKEDW25	CHIS2017 RAKED WEIGHT - REPLICATE 25	0-10
RAKEDW26	CHIS2017 RAKED WEIGHT - REPLICATE 26	0-10
RAKEDW27	CHIS2017 RAKED WEIGHT - REPLICATE 27	0-10
RAKEDW28	CHIS2017 RAKED WEIGHT - REPLICATE 28	0-11
RAKEDW29	CHIS2017 RAKED WEIGHT - REPLICATE 29	0-11
RAKEDW3	CHIS2017 RAKED WEIGHT - REPLICATE 3	0-2
RAKEDW30	CHIS2017 RAKED WEIGHT - REPLICATE 30	0-11
RAKEDW31	CHIS2017 RAKED WEIGHT - REPLICATE 31	0-12
RAKEDW32	CHIS2017 RAKED WEIGHT - REPLICATE 32	0-12
RAKEDW33	CHIS2017 RAKED WEIGHT - REPLICATE 33	0-12
RAKEDW34	CHIS2017 RAKED WEIGHT - REPLICATE 34	0-13
RAKEDW35	CHIS2017 RAKED WEIGHT - REPLICATE 35	0-13
RAKEDW36	CHIS2017 RAKED WEIGHT - REPLICATE 36	0-13
RAKEDW37	CHIS2017 RAKED WEIGHT - REPLICATE 37	0-14
RAKEDW38	CHIS2017 RAKED WEIGHT - REPLICATE 38	0-14
RAKEDW39	CHIS2017 RAKED WEIGHT - REPLICATE 39	0-14
RAKEDW4	CHIS2017 RAKED WEIGHT - REPLICATE 4	0-3
RAKEDW40	CHIS2017 RAKED WEIGHT - REPLICATE 40	0-15
RAKEDW41	CHIS2017 RAKED WEIGHT - REPLICATE 41	0-15
RAKEDW42	CHIS2017 RAKED WEIGHT - REPLICATE 42	0-15
RAKEDW43	CHIS2017 RAKED WEIGHT - REPLICATE 43	0-16
RAKEDW44	CHIS2017 RAKED WEIGHT - REPLICATE 44	0-16
RAKEDW45	CHIS2017 RAKED WEIGHT - REPLICATE 45	0-16

RAKEDW46	CHIS2017 RAKED WEIGHT - REPLICATE 46	0-17
RAKEDW47	CHIS2017 RAKED WEIGHT - REPLICATE 47	0-17
RAKEDW48	CHIS2017 RAKED WEIGHT - REPLICATE 48	0-17
RAKEDW49	CHIS2017 RAKED WEIGHT - REPLICATE 49	0-18
RAKEDW5	CHIS2017 RAKED WEIGHT - REPLICATE 5	0-3
RAKEDW50	CHIS2017 RAKED WEIGHT - REPLICATE 50	0-18
RAKEDW51	CHIS2017 RAKED WEIGHT - REPLICATE 51	0-18
RAKEDW52	CHIS2017 RAKED WEIGHT - REPLICATE 52	0-19
RAKEDW53	CHIS2017 RAKED WEIGHT - REPLICATE 53	0-19
RAKEDW54	CHIS2017 RAKED WEIGHT - REPLICATE 54	0-19
RAKEDW55	CHIS2017 RAKED WEIGHT - REPLICATE 55	0-20
RAKEDW56	CHIS2017 RAKED WEIGHT - REPLICATE 56	0-20
RAKEDW57	CHIS2017 RAKED WEIGHT - REPLICATE 57	0-20
RAKEDW58	CHIS2017 RAKED WEIGHT - REPLICATE 58	0-21
RAKEDW59	CHIS2017 RAKED WEIGHT - REPLICATE 59	0-21
RAKEDW6	CHIS2017 RAKED WEIGHT - REPLICATE 6	0-3
RAKEDW60	CHIS2017 RAKED WEIGHT - REPLICATE 60	0-21
RAKEDW61	CHIS2017 RAKED WEIGHT - REPLICATE 61	0-22
RAKEDW62	CHIS2017 RAKED WEIGHT - REPLICATE 62	0-22
RAKEDW63	CHIS2017 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2017 RAKED WEIGHT - REPLICATE 64	0-23
RAKEDW65	CHIS2017 RAKED WEIGHT - REPLICATE 65	0-23
RAKEDW66	CHIS2017 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2017 RAKED WEIGHT - REPLICATE 67	0-24
RAKEDW68	CHIS2017 RAKED WEIGHT - REPLICATE 68	0-24
RAKEDW69	CHIS2017 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW7	CHIS2017 RAKED WEIGHT - REPLICATE 7	0-4
RAKEDW70	CHIS2017 RAKED WEIGHT - REPLICATE 70	0-25

RAKEDW71	CHIS2017 RAKED WEIGHT - REPLICATE 71	0-25
RAKEDW72	CHIS2017 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2017 RAKED WEIGHT - REPLICATE 73	0-26
RAKEDW74	CHIS2017 RAKED WEIGHT - REPLICATE 74	0-26
RAKEDW75	CHIS2017 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2017 RAKED WEIGHT - REPLICATE 76	0-27
RAKEDW77	CHIS2017 RAKED WEIGHT - REPLICATE 77	0-27
RAKEDW78	CHIS2017 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2017 RAKED WEIGHT - REPLICATE 79	0-28
RAKEDW8	CHIS2017 RAKED WEIGHT - REPLICATE 8	0-4
RAKEDW80	CHIS2017 RAKED WEIGHT - REPLICATE 80	0-28
RAKEDW9	CHIS2017 RAKED WEIGHT - REPLICATE 9	0-4
RBMI	BMI DESCRIPTIVE	D-4
RN_FORGO	REASONS FORGONE NECESSARY CARE	J-17
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-24
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-24
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SECTION B	GENERAL HEALTH CONDITION	B-1
SECTION C	HEALTH BEHAVIORS	C-1
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
SECTION DM	DISCRIMINATION MODULE	DM-1
SECTION E	WOMEN'S HEALTH	E-1
SECTION F	MENTAL HEALTH	F-1
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
SECTION H	HEALTH INSURANCE	H-1
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1

SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
SECTION O	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	O-1
SECTION P	VOTER ENGAGEMENT	P-1
SECTION Q	SCREENING INFORMATION	Q-1
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-11
SMKCUR	CURRENT SMOKER	C-12
SMOKING	CURRENT SMOKING HABITS	C-13
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-13
SPK_ENG	ENGLISH USE AND PROFICIENCY	G-3
SRAA	SELF-REPORTED AFRICAN AMERICAN	A-6
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1
SRAI	SELF-REPORTED AMERICAN INDIAN	A-6
SRAS	SELF-REPORTED ASIAN	A-3
SRASO	SELF-REPORTED OTHER ASIAN GROUP	A-3
SRCH	SELF-REPORTED CHINESE	A-3
SRH	SELF-REPORTED LATINO/HISPANIC	A-5
SRJP	SELF-REPORTED JAPANESE	A-4
SRKR	SELF-REPORTED KOREAN	A-4
SRO	SELF-REPORTED OTHER RACE	A-6
SRPH	SELF-REPORTED FILIPINO	A-4
SRSEX	SELF-REPORTED GENDER	A-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-2
SRVT	SELF-REPORTED VIETNAMESE	A-5
SRW	SELF-REPORTED WHITE	A-5
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-39
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-13
TIMEAD_P1V2	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF RECODE)	M-3

UNINSANY	UNINSURED IN PAST 12 MOS	H-21
UR_BG6	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (6 LVLS)	N-3
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1
UR_CLRT6	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS)	N-3
UR_IHS	RURAL AND URBAN - IHS	N-2
UR_OMB	RURAL AND URBAN - OMB	N-2
UR_RHP	RURAL AND URBAN - RHP	N-2
UR_TRACT6	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS)	N-4
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-3
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-3
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-4
USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-4
VOTE_ENG1	VOTER ENGAGEMENT	P-3
VOTE_PRES16	VOTED IN 2016 PRESIDENTIAL ELECTION	P-3
VOTE_REG	CURRENTLY REGISTERED TO VOTE	P-2
VOTE_RSNNOT	MAIN REASON NOT REGISTERED TO VOTE	P-2
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-10
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-4

-----

## Variable Name (by location)

Variable	Label	Page
SECTION P	VOTER ENGAGEMENT	P-1
VOTE_REG	CURRENTLY REGISTERED TO VOTE	P-2
VOTE_RSNNOT	MAIN REASON NOT REGISTERED TO VOTE	P-2
VOTE_PRES16	VOTED IN 2016 PRESIDENTIAL ELECTION	P-3
VOTE_ENG1	VOTER ENGAGEMENT	P-3
SECTION Q	SCREENING INFORMATION	Q-1
PUF1Y_ID	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES	Q-1
HHSIZE_P1	HOUSEHOLD SIZE (PUF 1 YR RECODE)	Q-1
INTVLNGC_P1	LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)	Q-2
PROXY	A PROXY INTERVIEW	Q-2
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	Q-2
SECTION A	DEMOGRAPHIC INFORMATION, PART I	A-1
SRAGE_P1	SELF-REPORTED AGE (PUF 1 YR RECODE)	A-1
SRSEX	SELF-REPORTED GENDER	A-2
LATIN2TP	LATIN/HISPANIC SUBTYPES - 2 LVLS	A-2
SRAS	SELF-REPORTED ASIAN	A-3
SRASO	SELF-REPORTED OTHER ASIAN GROUP	A-3
SRCH	SELF-REPORTED CHINESE	A-3
SRKR	SELF-REPORTED KOREAN	A-4
SRJP	SELF-REPORTED JAPANESE	A-4
SRPH	SELF-REPORTED FILIPINO	A-4
SRVT	SELF-REPORTED VIETNAMESE	A-5
SRH	SELF-REPORTED LATINO/HISPANIC	A-5
SRW	SELF-REPORTED WHITE	A-5
SRAA	SELF-REPORTED AFRICAN AMERICAN	A-6
SRAI	SELF-REPORTED AMERICAN INDIAN	A-6

SRO	SELF-REPORTED OTHER RACE	A-6
OMBSRR_P1	OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-7
RACECN_P1	RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)	A-7
RACEDF_P1	FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)	A-8
RACEHP2_P1	RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)	A-8
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	A-9
MARIT	MARITAL STATUS- 3 CATEGORIES	A-9
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	A-10
MARIT2	MARITAL STATUS- 4 CATEGORIES	A-10
SECTION B	GENERAL HEALTH CONDITION	B-1
AB1	GENERAL HEALTH CONDITION	B-1
AB17	DOCTOR EVER TOLD HAVE ASTHMA	B-1
AB40	STILL HAS ASTHMA	B-2
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	B-2
ASTCUR	CURRENT ASTHMA STATUS	B-3
AB42_P1	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)	B-3
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	B-4
AB98	HAVE WRITTEN COPY OF ASTHMA CARE PLAN	B-4
AB22	DOCTOR EVER TOLD HAVE DIABETES	B-5
AB99	DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES	B-5
DIABETES	DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)	B-6
PREDIAB	DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL)	B-6
AB23_P1	AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)	B-7
AB51_P1	TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)	B-7
AB24	CURRENTLY TAKING INSULIN	B-8
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	B-8
AB28_P1	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR	B-9



	RECODE)	
AB63	LAST EYE EXAM DILATED PUPILS	B-9
AB112	MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN	B-10
AB114_P1	CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)	B-10
AB81	DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY	B-11
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	B-11
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	B-12
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	B-12
AB52	EVER TOLD HAVE HEART FAILURE/CONGESTIVE HEART FAILURE	B-13
AB118	MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN	B-13
SECTION C	HEALTH BEHAVIORS	C-1
AD37W	WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	C-1
AD38W	# TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS	C-1
AD39W	AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT	C-2
AD40W	WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	C-2
AD41W	# TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS	C-3
AD42W	AVERAGE LENGTH OF TIME WALKED FOR LEISURE	C-3
AC100	FREQUENCY OF EXERCISE IN PAST 7 DAYS	C-4
AC11	# OF TIMES DRANK SODA LAST MONTH	C-4
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	C-5
AESODA_P1	# OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)	C-5
AC46	# OF TIMES DRANK SWEET FRUIT DRINKS PAST MO	C-6
AC47	# OF TIMES DRANK WATER YESTERDAY	C-6
AE2	# TIMES ATE FRUIT IN PAST MO	C-7
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	C-7
AE5	# TIMES ATE COOKED DRIED BEANS IN PAST MONTH	C-8
AE7	# OF TIMES ATE VEGETABLES IN PAST MO	C-8
AC42	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB	C-9

AC42_P	HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)	C-9
AC44	NEIGHBORHOOD FRUIT/VEG AFFORDABLE	C-10
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	C-10
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	C-11
AD32_P1	# OF CIGARETTES PER DAY (PUF 1 YR RECODE)	C-11
AE16_P1	# OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)	C-12
SMKCUR	CURRENT SMOKER	C-12
SMOKING	CURRENT SMOKING HABITS	C-13
NUMCIG	# OF CIGARETTES PER DAY	C-13
AC49	STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR	C-14
AC50	THINK ABOUT QUIT SMOKING IN NEXT 6 MOS	C-14
AC75C	CALL QUITTING HELPLINE TO HELP QUIT SMOKING IN PAST 12 MOS	C-15
AC77	HEALTH PRO ADVISE QUIT SMOKE PAST 12 MOS	C-15
AC78	HEALTH PRO REFER SMOKE CESS PGM PAST 12	C-16
AC104B	USE NICOTINE GUM, LOZENGES, OR INHALER TO HELP QUIT SMOKING IN PA	C-16
AC81C	EVER SMOKED ELECTRONIC CIGARETTES	C-17
AC82C_P1	DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)	C-17
AC83C_1	BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING	C-18
AC83C_2	BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING	C-18
AC83C_3	BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI	C-19
AC83C_4	BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A	C-19
AC83C_5	BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY	C-20
AC83C_6	BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR	C-20
AC83C_7	BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE	C-21
AC83C_8	BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS	C-21

AC83C_9	BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE	C-22
AC83C_10	BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE	C-22
AC83C_11	BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT	C-23
AC83C_12	BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE	C-23
AC115	EVER TRIED MARIJUANA OR HASHISH	C-24
AC116_P1	HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)	C-24
SECTION D	GENERAL HEALTH, DISABILITY & SEXUAL HEALTH	D-1
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	D-1
HGHTM_P	HEIGHT: METERS (PUF RECODE)	D-1
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	D-2
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	D-2
WGHTK_P	WEIGHT: KG (PUF RECODE)	D-3
WGHTP_P	WEIGHT: LBS (PUF RECODE)	D-3
BMI_P	BODY MASS INDEX (PUF RECODE)	D-4
RBMI	BMI DESCRIPTIVE	D-4
WHOBMI	BODY MASS INDEX: WHO DEFINITION	D-5
OVRWT	OVERWEIGHT OR OBESE	D-5
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	D-6
AJ169	RESPONDENT'S PREGNANCY PLANS	D-6
AF40B	USES OR MALE SEX PARTNER USES BIRTH CONTROL	D-7
AJ154B_1	BIRTH CONTROL METHOD: TUBAL LIGATION	D-7
AJ154B_2	BIRTH CONTROL METHOD: VASECTOMY	D-8
AJ154B_3	BIRTH CONTROL METHOD: IUD	D-8
AJ154B_4	BIRTH CONTROL METHOD: IMPLANT	D-9
AJ154B_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-9
AJ154B_6	BIRTH CONTROL METHOD: OTHER HORMONAL	D-10

AJ154B_7	BIRTH CONTROL METHOD: CONDOMS	D-10
AJ154B_9	BIRTH CONTROL METHOD: OTHER BIRTH CONTROL	D-11
AJ170_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-11
AJ171_P1	EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD	D-12
AJ144B	RECEIVED BIRTH CONTROL INFO FROM DR PAST YR	D-12
AJ172	CURRENTLY USING BIRTH CONTROL	D-13
AJ174_3	BIRTH CONTROL METHOD: IUD	D-13
AJ174_4	BIRTH CONTROL METHOD: IMPLANT	D-14
AJ174_5	BIRTH CONTROL METHOD: BIRTH CONTROL PILLS	D-14
AJ174_6	BIRTH CONTROL METHOD: OTHER HORMONAL METHODS	D-15
AJ174_7	BIRTH CONTROL METHOD: CONDOMS (MALE)	D-15
AJ175_P1	MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R	D-16
AJ176	DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN	D-113
AJ177	DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL	D-114
SECTION E	WOMEN'S HEALTH	E-1
AD13	CURRENTLY PREGNANT	E-1
AE96	EVER DELIVERED BABY IN PAST 12 MOS	E-2
SECTION F	MENTAL HEALTH	F-1
AJ29	FEEL NERVOUS PAST 30 DAYS	F-1
AJ30	FEEL HOPELESS PAST 30 DAYS	F-2
AJ31	FELL RESTLESS PAST 30 DAYS	F-2
AJ32	FEEL DEPRESSED PAST 30 DAYS	F-3
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	F-3
AJ34	FEEL WORTHLESS PAST 30 DAYS	F-4
DSTRS30	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH	F-4
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	F-5

DSTRS_P1	SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)	F-5
AF62	ANY MONTH PAST 12 MONTHS FELT WORSE	F-6
AF63	FEEL NERVOUS WORST MONTH	F-6
AF64	FEEL HOPELESS WORST MONTH	F-7
AF65	FEEL RESTLESS WORST MONTH	F-7
AF66	FEEL DEPRESSED WORST MONTH	F-8
AF67	FEEL EVERYTHING AN EFFORT WORST MONTH	F-8
AF68	FEEL WORTHLESS WORST MONTH	F-9
AF69B	EMOTIONS INTERFERE W/WORK WORST MONTH	F-9
AF70B	EMOTIONS INTERFERE W/CHORES WORST MONTH	F-10
AF71B	EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH	F-10
AF72B	EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH	F-11
DSTRS12	LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR	F-11
DSTRSYR	SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)	F-12
CHORES2	CHORE IMPAIRMENT PAST 12 MONTHS	F-12
SOCIAL2	SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS	F-13
WORK2	WORK IMPAIRMENT PAST 12 MONTHS	F-13
FAMILY2	FAMILY LIFE IMPAIRMENT PAST 12 MONTHS	F-14
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	F-14
SECTION G	DEMOGRAPHIC INFORMATION, PART II & CHILD CARE	G-1
AH33NEW	BORN IN U.S.	G-1
AH34NEW	MOTHER BORN IN U.S.	G-1
AH35NEW	FATHER BORN IN U.S.	G-2
LNGHM_P1	LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)	G-2
AH37	LEVEL OF ENGLISH PROFICIENCY: GENERAL	G-3
SPK_ENG	ENGLISH USE AND PROFICIENCY	G-3
CITIZEN2	CITIZENSHIP STATUS (3 LVLS)	G-4
YRUS_P1	YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)	G-4

PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	G-5
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	G-5
AH43A	LIVING WITH A PARENT	G-6
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH	G-6
ACHLDC_P1	AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)	G-7
AHEDC_P1	EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)	G-7
AG8	WORK STATUS OF SPOUSE LAST WEEK	G-8
AG9_P1	TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)	G-8
AG10	RESPONDENT USUALLY WORKS	G-9
AG11	SPOUSE USUALLY WORKS	G-9
WRKST_P1	WORKING STATUS (PUF 1 YR RECODE)	G-10
AG22	EVER SERVE IN U.S. ARMED FORCES	G-10
SERVED	LENGTH OF TIME SERVED IN ACTIVE DUTY	G-11
FAMTYP_P	FAMILY TYPE (PUF RECODE)	G-11
FAMSIZE2_P1	FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)	G-12
FAMT4	FAMILY TYPE - 4 LVLS	G-12
SECTION H	HEALTH INSURANCE	H-1
AI4	COVERED BY MEDICARE SUPPL POLICY	H-1
AH100	ANYONE HELP FIND HEALTH PLAN	H-1
AH103	BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO	H-2
AH104	PURCHASE INS DIRECT OR THRU COVERED CA	H-2
AH105	GET INS THRU EMPLOYER, UNION, SHOP PROGRAM	H-3
AH110	SOURCE OF COVERAGE PURCHASED DIRECTLY	H-3
AH111	FIND PLAN WITH NEEDED COVERAGE-COVERED CA	H-4
AH112	FIND PLAN COULD AFFORD-COVERED CA	H-4
AH113	ANYONE HELP R FIND HEALTH PLAN-COVERED CA	H-5
AH114	WHO HELPED R FIND HEALTH PLAN-COVERED CA	H-5
AH115	HAD NEEDED INFO TO PICK HEALTH PLAN	H-6

AH117	COST OF SELECTED PLAN IMPORTANT	H-6
AH118	CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT	H-7
AH119	CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT	H-7
AH120	CHOICE OF DOCTORS THRU PLAN IMPORTANT	H-8
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	H-8
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	H-9
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	H-9
AI45_P1	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)	H-10
AI45A_P1	MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)	H-10
AI22C	MAIN HEALTH PLAN IS HMO	H-11
AI25NEW	RX COVERAGE EDITED FOR MEDI-CAL/HF	H-11
AI25	COVERED FOR PRESCRIPTION DRUGS	H-12
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	H-12
HMO	HMO STATUS	H-13
AH71_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)	H-13
AH72_P1	HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)	H-14
AH73B	SPECIAL FUND TO PAY MEDICAL EXPENSES	H-14
AH74	TRIED TO FIND HEALTH INSURANCE ON OWN	H-15
AH75	TRIED TO FIND HEALTH INSURANCE ON OWN	H-15
AI28	HOW LONG SINCE LAST HAD HEALTH INS	H-16
AH14	PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS	H-16
AH101_P	PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)	H-17
AH98_P1	DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)	H-17
AH99_P1	DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)	H-18
AH125_P	MEDICARE ADVANTAGE PLAN NAME (PUF RECODE)	H-18
AH126_P1	SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)	H-19

INS	CURRENTLY INSURED	H-19
INS_S	SPOUSE CURRENTLY INSURED	H-20
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	H-20
UNINSANY	UNINSURED IN PAST 12 MOS	H-21
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	H-21
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	H-22
INSANY	ANY INS IN LAST 12 MOS	H-22
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	H-23
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	H-23
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	H-24
INSTYPE	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES	H-24
INS9TP	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)	H-25
INSEM	COVERED BY EMPLOYER-BASED PLANS	H-25
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	H-26
INSMC	COVERED BY MEDICARE	H-26
MC_TYPE	TYPE OF MEDICARE COVERAGE	H-27
INSMC_S	SPOUSE COVERED BY MEDICARE	H-27
INSMD	COVERED BY MEDI-CAL	H-28
INSMD_S	SPOUSE COVERED BY MEDI-CAL	H-28
INSOG	COVERED BY OTHER GOVT PLANS	H-29
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	H-29
INSPR	COVERED BY PLANS PURCHASED ON OWN	H-30
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	H-30
COVRDCA	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA	H-31
INSPS	PRIMARY OR SECONDARY COVERAGE	H-31
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	H-32
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	H-32



AH79B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN	H-33
AH80B	REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS	H-33
AH81B	EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B	H-34
AH83B	AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING	H-34
AH85B	UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS	H-35
AH86B	TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS	H-35
INSLMT12M	REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS	H-36
AH128	AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE	H-36
AH130	HAS MONEY IN HSA ACCOUNT	H-37
AH131_P	AMOUNT OF MONEY IN HSA ACCOUNT (PUF Recode)	H-37
HSAAMT_P1	AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)	H-38
AH132	LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN	H-38
AH133	# OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN	H-39
TCURPLAN	TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS	H-39
AH134	HEALTH INSURANCE BEFORE CURRENT PLAN	H-40
AH135	OTHER HEALTH INSURANCE BEFORE CURRENT PLAN	H-40
PINSTYPE	TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN	H-41
AH136	LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN	H-41
AH137	EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS	H-42
SECTION J	HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH	J-1
AH1	HAVE USUAL SOURCE OF HEALTH CARE	J-1
AJ80	HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA	J-2
AH3_P1	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)	J-2
USOC	USUAL SOURCE OF CARE OTHER THAN ER	J-3
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	J-3

USUAL_TP	USUAL SOURCE OF CARE (7 LVLS)	J-4
USUAL5TP	USUAL SOURCE OF CARE (5 LVLS)	J-4
AH5	# OF TIMES SAW MD IN PAST 12 MOS	J-5
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	J-5
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	J-6
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	J-6
AJ77	HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER	J-7
AJ8B	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	J-7
AJ50_P	LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)	J-8
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	J-8
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	J-9
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	J-9
AH16	DELAY/NOT GET PRESCRIPTION IN PAST 12 MO	J-10
AJ19	COST/NO INSUR DELAYED GETTING PRESCRIPTION	J-10
AH22	DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS	J-11
AJ20	COST/NO INSR DELAYED GETTING NEEDED CARE	J-11
AJ102	SOUGHT APPNT W/DOC IN 2 DAYS PAST YR	J-12
AJ103	HOW OFTEN GET APPNT IN 2 DAYS	J-12
TIMAPPT	ABLE TO GET AN APPOINTMENT IN A TIMELY WAY	J-13
AJ105	KNOW RIGHTS TO INTERPRETOR DURING MED VISIT	J-13
AJ106	USUAL PLACE FOR HLTH CARE CHANGED PAST YR	J-14
AJ107	CHANGE USUAL PLACE DUE TO INSURANCE PLAN	J-14
AJ114	TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP	J-15
AJ129	EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED	J-15
AJ131_P1	MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)	J-16
CARE_PV	HAD A PREVENTIVE CARE VISIT IN PAST YEAR	J-16
RN_FORGO	REASONS FORGONE NECESSARY CARE	J-17
FORGO	HAD TO FORGO NECESSARY CARE	J-17

AG1	TIME SINCE LAST VISIT TO DENTIST/SPECIALIST	J-18
AJ167	ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM	J-18
AJ168	CONDITION OF TEETH	J-19
AG3	HAVE ANY KIND OF DENTAL INSURANCE	J-19
AJ136	NEEDED TO SEE MED SPECIALIST PAST YR	J-20
AJ137	HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS	J-20
AJ138	NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR	J-21
AJ139	INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR	J-21
AJ133	HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS	J-22
AJ134	NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR	J-22
AJ135	INSURANCE NOT ACCEPTED BY DOC PAST YR	J-22
PC_INS	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS	J-23
PC_NEWP	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT	J-23
SC_INS	SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I	J-24
SC_NEWP	SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT	J-24
AH95_P1	# TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)	J-25
ER	ER VISIT WITHIN THE PAST YEAR	J-25
AJ152	RECEIVED CARE FROM HEALTH PROVIDER THROUGH VIDEO/PHONE IN PAST 12	J-26
AJ153_1	HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN	J-26
AJ153_2	HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE	J-27
AJ153_4	HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER	J-27
AJ153_5	HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT	J-28
AJ153_6	HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC	J-28
AJ153_8	HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS	J-29
AJ153_10	HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL	J-29

QUESTION		
AJ153_11	HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA	J-30
SECTION DM	DISCRIMINATION MODULE	DM-1
DMC8	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF. RACE/ETHNICITY	DM-1
DMC9	HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETH	DM-2
DMC3	HOW OFTEN TREATED UNFAIRLY WHEN GETTING MEDICAL CARE OVER LIFETIM	DM-2
DMC6B_P1	MAIN RSN TREATED UNFAIRLY GET MED. CARE (PUF 1 YR RECODE)	DM-3
DMC7	HOW STRESSFUL ARE UNFAIR EXPERIENCES	DM-4
SECTION K	EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY	K-1
AK1	WORK STATUS LAST WEEK	K-1
AK2_P1	MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)	K-2
AK3_P1V2	# OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)	K-3
AK4	TYPE OF EMPLOYER AT MAIN JOB	K-3
INDMAIN2	MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)	K-4
IND_FLAG3	CENSUS INDUSTRY CODE - CODING METHOD	K-5
OCCMAIN2	MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)	K-6
OCC_FLAG3	CENSUS OCCUPATION CODE - CODING METHOD	K-7
AK7_P1V2	LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)	K-7
AKWKLNG	TIME AT MAIN JOB	K-8
AK8	# PEOPLE WORKING FOR EMPLOYER/YOU	K-9
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	K-9
AK22_P1	HH TOTAL ANN. INC BEFORE TAXES (PUF 1 YR RECODE)	K-10
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	K-11
AK32	HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH	K-11

AK33_P1	# OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)	K-12
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	K-12
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	K-13
AM3	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-13
AM3A	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	K-14
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	K-14
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	K-15
FSLEV	FOOD SECURITY STATUS LEVEL	K-15
FSLEVCB	FOOD SECURITY STATUS (2 LVLS)	K-16
FPG	FEDERAL POVERTY GUIDELINE	K-16
POVLL_ACA	FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)	K-17
POVGWD_P1	FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)	K-17
POVLL2_P1V2	POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)	K-18
POVLL	POVERTY LEVEL	K-18
ELGMAGI3	MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)	K-19
ELDER_IDX	ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD	K-19
SECTION L	PUBLIC PROGRAM PARTICIPATION	L-1
AL2	RECEIVING TANF OR CALWORKS	L-1
AL5	RECEIVING FOOD STAMP BENEFITS	L-1
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	L-2
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	L-2
AL32	RECD ANY WORKERS COMPENSATION LAST MO	L-3
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	L-3
AL40_P1	LENGTH OF TIME HAD MEDI-CAL (PUF RECODE)	L-4
AL41	HAD MEDI-CAL COVERAGE RENEWED AUTOMATICALLY IN PAST YEAR	L-4
AL44	EVER HAD PROBLEMS RENEWING MEDI-CAL	L-5

AL45	EVER LOST COVERAGE FOR 1-2 MOS, COMPLETELY, OR HAD TO REAPPLY	L-5
AL46	HEALTH COVERAGE BEFORE MEDI-CAL COVERAGE	L-6
AL49	EVER RECEIVED BENEFITS FROM SPECIAL SUPPLEMENTAL NUTRITION PROGRA	L-6
AL50	EVER RECEIVED WIC BENEFITS IN PAST 5 YEARS	L-7
SECTION M	HOUSING & COMMUNITY INVOLVEMENT	M-1
AM37	CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN	M-1
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	M-2
TIMEAD_P1V2	LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF RECODE)	M-3
AK25	OWN OR RENT HOME	M-4
AM19	PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER	M-4
AM20	PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG	M-5
AM21	PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED	M-5
AM35	NEIGHBORHOOD WATCHES OUT FOR CHILDREN'S SAFETY	M-6
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	M-6
AM36	DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR	M-7
AM38_P1	MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)	M-7
SECTION N	DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO.	N-1
AM34	TELEPHONE CALLS RECEIVED	N-1
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	N-1
UR_IHS	RURAL AND URBAN - IHS	N-2
UR_OMB	RURAL AND URBAN - OMB	N-2
UR_RHP	RURAL AND URBAN - RHP	N-2
UR_BG6	RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)(6 LVLS)	N-3
UR_CLRT6	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS)	N-3
UR_TRACT6	RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS)	N-4
SECTION O	FULL DESIGN & REPLICATE WEIGHT SERIES 0-80	O-1

RAKEDW0	CHIS2017 RAKED WEIGHT - FULL SAMPLE	0-1
RAKEDW1	CHIS2017 RAKED WEIGHT - REPLICATE 1	0-2
RAKEDW2	CHIS2017 RAKED WEIGHT - REPLICATE 2	0-2
RAKEDW3	CHIS2017 RAKED WEIGHT - REPLICATE 3	0-2
RAKEDW4	CHIS2017 RAKED WEIGHT - REPLICATE 4	0-3
RAKEDW5	CHIS2017 RAKED WEIGHT - REPLICATE 5	0-3
RAKEDW6	CHIS2017 RAKED WEIGHT - REPLICATE 6	0-3
RAKEDW7	CHIS2017 RAKED WEIGHT - REPLICATE 7	0-4
RAKEDW8	CHIS2017 RAKED WEIGHT - REPLICATE 8	0-4
RAKEDW9	CHIS2017 RAKED WEIGHT - REPLICATE 9	0-4
RAKEDW10	CHIS2017 RAKED WEIGHT - REPLICATE 10	0-5
RAKEDW11	CHIS2017 RAKED WEIGHT - REPLICATE 11	0-5
RAKEDW12	CHIS2017 RAKED WEIGHT - REPLICATE 12	0-5
RAKEDW13	CHIS2017 RAKED WEIGHT - REPLICATE 13	0-6
RAKEDW14	CHIS2017 RAKED WEIGHT - REPLICATE 14	0-6
RAKEDW15	CHIS2017 RAKED WEIGHT - REPLICATE 15	0-6
RAKEDW16	CHIS2017 RAKED WEIGHT - REPLICATE 16	0-7
RAKEDW17	CHIS2017 RAKED WEIGHT - REPLICATE 17	0-7
RAKEDW18	CHIS2017 RAKED WEIGHT - REPLICATE 18	0-7
RAKEDW19	CHIS2017 RAKED WEIGHT - REPLICATE 19	0-8
RAKEDW20	CHIS2017 RAKED WEIGHT - REPLICATE 20	0-8
RAKEDW21	CHIS2017 RAKED WEIGHT - REPLICATE 21	0-8
RAKEDW22	CHIS2017 RAKED WEIGHT - REPLICATE 22	0-9
RAKEDW23	CHIS2017 RAKED WEIGHT - REPLICATE 23	0-9
RAKEDW24	CHIS2017 RAKED WEIGHT - REPLICATE 24	0-9
RAKEDW25	CHIS2017 RAKED WEIGHT - REPLICATE 25	0-10
RAKEDW26	CHIS2017 RAKED WEIGHT - REPLICATE 26	0-10
RAKEDW27	CHIS2017 RAKED WEIGHT - REPLICATE 27	0-10
RAKEDW28	CHIS2017 RAKED WEIGHT - REPLICATE 28	0-11

RAKEDW29	CHIS2017 RAKED WEIGHT - REPLICATE 29	0-11
RAKEDW30	CHIS2017 RAKED WEIGHT - REPLICATE 30	0-11
RAKEDW31	CHIS2017 RAKED WEIGHT - REPLICATE 31	0-12
RAKEDW32	CHIS2017 RAKED WEIGHT - REPLICATE 32	0-12
RAKEDW33	CHIS2017 RAKED WEIGHT - REPLICATE 33	0-12
RAKEDW34	CHIS2017 RAKED WEIGHT - REPLICATE 34	0-13
RAKEDW35	CHIS2017 RAKED WEIGHT - REPLICATE 35	0-13
RAKEDW36	CHIS2017 RAKED WEIGHT - REPLICATE 36	0-13
RAKEDW37	CHIS2017 RAKED WEIGHT - REPLICATE 37	0-14
RAKEDW38	CHIS2017 RAKED WEIGHT - REPLICATE 38	0-14
RAKEDW39	CHIS2017 RAKED WEIGHT - REPLICATE 39	0-14
RAKEDW40	CHIS2017 RAKED WEIGHT - REPLICATE 40	0-15
RAKEDW41	CHIS2017 RAKED WEIGHT - REPLICATE 41	0-15
RAKEDW42	CHIS2017 RAKED WEIGHT - REPLICATE 42	0-15
RAKEDW43	CHIS2017 RAKED WEIGHT - REPLICATE 43	0-16
RAKEDW44	CHIS2017 RAKED WEIGHT - REPLICATE 44	0-16
RAKEDW45	CHIS2017 RAKED WEIGHT - REPLICATE 45	0-16
RAKEDW46	CHIS2017 RAKED WEIGHT - REPLICATE 46	0-17
RAKEDW47	CHIS2017 RAKED WEIGHT - REPLICATE 47	0-17
RAKEDW48	CHIS2017 RAKED WEIGHT - REPLICATE 48	0-17
RAKEDW49	CHIS2017 RAKED WEIGHT - REPLICATE 49	0-18
RAKEDW50	CHIS2017 RAKED WEIGHT - REPLICATE 50	0-18
RAKEDW51	CHIS2017 RAKED WEIGHT - REPLICATE 51	0-18
RAKEDW52	CHIS2017 RAKED WEIGHT - REPLICATE 52	0-19
RAKEDW53	CHIS2017 RAKED WEIGHT - REPLICATE 53	0-19
RAKEDW54	CHIS2017 RAKED WEIGHT - REPLICATE 54	0-19
RAKEDW55	CHIS2017 RAKED WEIGHT - REPLICATE 55	0-20
RAKEDW56	CHIS2017 RAKED WEIGHT - REPLICATE 56	0-20



RAKEDW57	CHIS2017 RAKED WEIGHT - REPLICATE 57	0-20
RAKEDW58	CHIS2017 RAKED WEIGHT - REPLICATE 58	0-21
RAKEDW59	CHIS2017 RAKED WEIGHT - REPLICATE 59	0-21
RAKEDW60	CHIS2017 RAKED WEIGHT - REPLICATE 60	0-21
RAKEDW61	CHIS2017 RAKED WEIGHT - REPLICATE 61	0-22
RAKEDW62	CHIS2017 RAKED WEIGHT - REPLICATE 62	0-22
RAKEDW63	CHIS2017 RAKED WEIGHT - REPLICATE 63	0-22
RAKEDW64	CHIS2017 RAKED WEIGHT - REPLICATE 64	0-23
RAKEDW65	CHIS2017 RAKED WEIGHT - REPLICATE 65	0-23
RAKEDW66	CHIS2017 RAKED WEIGHT - REPLICATE 66	0-23
RAKEDW67	CHIS2017 RAKED WEIGHT - REPLICATE 67	0-24
RAKEDW68	CHIS2017 RAKED WEIGHT - REPLICATE 68	0-24
RAKEDW69	CHIS2017 RAKED WEIGHT - REPLICATE 69	0-24
RAKEDW70	CHIS2017 RAKED WEIGHT - REPLICATE 70	0-25
RAKEDW71	CHIS2017 RAKED WEIGHT - REPLICATE 71	0-25
RAKEDW72	CHIS2017 RAKED WEIGHT - REPLICATE 72	0-25
RAKEDW73	CHIS2017 RAKED WEIGHT - REPLICATE 73	0-26
RAKEDW74	CHIS2017 RAKED WEIGHT - REPLICATE 74	0-26
RAKEDW75	CHIS2017 RAKED WEIGHT - REPLICATE 75	0-26
RAKEDW76	CHIS2017 RAKED WEIGHT - REPLICATE 76	0-27
RAKEDW77	CHIS2017 RAKED WEIGHT - REPLICATE 77	0-27
RAKEDW78	CHIS2017 RAKED WEIGHT - REPLICATE 78	0-27
RAKEDW79	CHIS2017 RAKED WEIGHT - REPLICATE 79	0-28
RAKEDW80	CHIS2017 RAKED WEIGHT - REPLICATE 80	0-28

-----

## **SECTION Q: SCREENING INFORMATION**

VARNAME:	PUF1Y_ID	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	HHSIZE_P1	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	HOUSEHOLD SIZE (PUF 1 YR RECODE)		

N	21153
MIN	1
MAX	10
MEAN	2.56

```
UNIVERSE:  ALL ADULTS

INPUT VAR: ADLTCNT KIDCNT
```

Q-1

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLNGC\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	ENGLISH		19530	92.33
2	SPANISH		1499	7.09
3	OTHER LANGUAGE		124	0.59

UNIVERSE: ALL ADULTS

INPUT VAR: INTVLANG

NOTES:

VARNAME: PROXY

QNAME17:

QNAME16:

QNAME15:

LABEL: A PROXY INTERVIEW

VALUE:			FREQ	%
1	YES		3	0.01
2	NO		21150	99.99

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

VARNAME: SRTENR

QNAME17:

QNAME16:

QNAME15:

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		13340	63.06
2	RENT/SOME OTHER ARRANGEMENT		7813	36.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

## **SECTION A: DEMOGRAPHIC INFORMATION, PART I**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: SRAGE\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
18	18-25	YEARS	1906	9.01
26	26-29	YEARS	867	4.10
30	30-34	YEARS	1060	5.01
35	35-39	YEARS	1074	5.08
40	40-44	YEARS	1062	5.02
45	45-49	YEARS	1302	6.16
50	50-54	YEARS	1621	7.66
55	55-59	YEARS	1978	9.35
60	60-64	YEARS	2343	11.08
65	65-69	YEARS	2170	10.26
70	70-74	YEARS	1959	9.26
75	75-79	YEARS	1525	7.21
80	80-84	YEARS	1125	5.32
85	85+	YEARS	1161	5.49

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   SRSEX                                   QNAME17:

  QNAME16:                           QNAME15:

LABEL:       SELF-REPORTED GENDER

VALUE:	1	MALE	FREQ	%
	2	FEMALE	9317	44.05
			11836	55.95

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   LATIN2TP                               QNAME17:

  QNAME16:                           QNAME15:

LABEL:       LATIN/HISPANIC SUBTYPES - 2 LVLS

VALUE:	-1	NON-LATINO	FREQ	%
	1	MEXICAN	16397	77.52
	2	OTHER	3569	16.87
			1187	5.61

UNIVERSE:   ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAS QNAME17:

QNAME16: QNAME15:

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		1504	7.11
2	NO		19649	92.89

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME17:

QNAME16: QNAME15:

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		339	1.60
2	NO		20814	98.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: JAPANESE CLASSIFIED AS OTHER ASIAN

VARNAME: SRCH QNAME17:

QNAME16: QNAME15:

LABEL: SELF-REPORTED CHINESE

VALUE:			FREQ	%
1	YES		421	1.99
2	NO		20732	98.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



VARNAME:	SRKR	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	SELF-REPORTED KOREAN			
			FREQ	%
VALUE:	1	YES	108	0.51
	2	NO	21045	99.49
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRJP	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	SELF-REPORTED JAPANESE			
			FREQ	%
VALUE:	1	YES	146	0.69
	2	NO	21007	99.31
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRPH	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	SELF-REPORTED FILIPINO			
			FREQ	%
VALUE:	1	YES	274	1.30
	2	NO	20879	98.70
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: SRVT

QNAME17:

QNAME16:

QNAME15:

LABEL: SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		143	0.68
2	NO		21010	99.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRH

QNAME17:

QNAME16:

QNAME15:

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		4756	22.48
2	NO		16397	77.52

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRW

QNAME17:

QNAME16:

QNAME15:

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		16480	77.91
2	NO		4673	22.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:	SRAA	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	SELF-REPORTED AFRICAN AMERICAN			
			FREQ	%
VALUE:	1	YES	1375	6.50
	2	NO	19778	93.50
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	SRAI	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	SELF-REPORTED AMERICAN INDIAN			
			FREQ	%
VALUE:	1	YES	921	4.35
	2	NO	20232	95.65
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME: SRO		QNAME17:	
		QNAME16:	QNAME15:
LABEL: SELF-REPORTED OTHER RACE			
		FREQ	%
VALUE:	1 YES	1497	7.08
	2 NO	19656	92.92
UNIVERSE: ALL ADULTS			
INPUT VAR:			
NOTES:			

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: OMBSRR\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	HISPANIC		4756	22.48
2	WHITE, NON-HISPANIC (NH)		13305	62.90
3	AFRICAN AMERICAN ONLY, NOT HISPANIC		1048	4.95
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH		205	0.97
5	ASIAN ONLY, NH		1253	5.92
6	OTHER/TWO OR MORE RACES		586	2.77

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO

NOTES:

-----

VARNAME: RACECN\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	OTHER SINGLE RACE		1566	7.40
2	AMERICAN INDIAN/ALASKAN NATIVE		525	2.48
3	ASIAN		1307	6.18
4	AFRICAN AMERICAN		1191	5.63
5	WHITE		15873	75.04
7	MORE THAN ONE RACE		691	3.27

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEDF\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		4756	22.48
2	NON-LATINO OTHER, ONE RACE		97	0.46
3	NON-LATINO AMERICAN INDIAN/ALASKAN NATIV		205	0.97
4	NON-LATINO ASIAN		1251	5.91
5	NON-LATINO AFR. AMER.		1045	4.94
6	NON-LATINO WHITE		13258	62.68
8	NON-LATINO, TWO+ RACES		541	2.56

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

VARNAME: RACEHP2\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	LATINO		2878	13.61
2	OTHER SINGLE/MULTIPLE RACE		2035	9.62
3	AMERICAN INDIAN/ALASKA NATIVE		274	1.30
4	ASIAN		1278	6.04
5	AFRICAN AMERICAN		1100	5.20
6	WHITE		13588	64.24

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH AA5G AA5F ISRH ISRW AA5AOS AA5C

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AA5C                                   QNAME17:

  QNAME16:   QA15\_A10                   QNAME15:   QA15\_A10

LABEL:       ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-9	NOT ASCERTAINED		93	0.44
-8	DON'T KNOW		16	0.08
-7	REFUSED		2	0.01
-1	INAPPLICABLE		20329	96.10
1	YES		118	0.56
2	NO		595	2.81

UNIVERSE:   ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

-----

VARNAME:   MARIT                               QNAME17:

  QNAME16:                               QNAME15:

LABEL:       MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		9459	44.72
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		7267	34.35
3	NEVER MARRIED		4427	20.93

UNIVERSE:   ALL ADULTS

INPUT VAR:   AH43

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:    MARIT\_45

QNAME17:

QNAME16:

QNAME15:

LABEL:        MARITAL STATUS - AGE 45 AND OLDER

VALUE:			FREQ	%
-1	INAPPLICABLE		5969	28.22
1	MARRIED		7466	35.30
2	LIVING WITH PARTNER		602	2.85
3	WIDOWED		2660	12.58
4	DIVORCED/SEPARATED		2943	13.91
5	NEVER MARRIED		1513	7.15

UNIVERSE:    ALL ADULTS AGE 45 AND OLDER

INPUT VAR: AH43 SRAGE

NOTES:

-----

VARNAME:    MARIT2

QNAME17:

QNAME16:

QNAME15:

LABEL:        MARITAL STATUS- 4 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		9459	44.72
2	LIVING W/ PARTNER		1211	5.72
3	WID/SEP/DIV		6056	28.63
4	NEVER MARRIED		4427	20.93

UNIVERSE:    ALL ADULTS

INPUT VAR: AH43

NOTES:

-----

## **SECTION B: GENERAL HEALTH CONDITION**



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AB1 QNAME17:

QNAME16: QA15\_B1 QNAME15: QA15\_B1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		3676	17.38
2	VERY GOOD		6827	32.27
3	GOOD		6384	30.18
4	FAIR		3193	15.09
5	POOR		1073	5.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AB17 QNAME17:

QNAME16: QA15\_B2 QNAME15: QA15\_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		3526	16.67
2	NO		17627	83.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AB40 QNAME17:

QNAME16: QA15\_B3 QNAME15: QA15\_B3

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		17627	83.33
1	YES		2105	9.95
2	NO		1421	6.72

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

-----

VARNAME: AB41 QNAME17:

QNAME16: QA15\_B4 QNAME15: QA15\_B4

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		17627	83.33
1	YES		1082	5.12
2	NO		2444	11.55

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   ASTCUR                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       CURRENT ASTHMA STATUS

VALUE:	1	CURRENT ASTHMA	FREQ	%
	2	NO CURRENT ASTHMA	2187	10.34
			18966	89.66

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   AB42\_P1                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	0	0 DAYS	18457	87.25
	1	1-2 DAYS	2530	11.96
	3	3-4 DAYS	76	0.36
	5	5+ DAYS	34	0.16
			56	0.26

UNIVERSE:   ADULTS 69 OR YOUNGER WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR: AB42

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AB43 QNAME17:

QNAME16: QA15\_B15 QNAME15: QA15\_B15

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		17627	83.33
1	YES		2135	10.09
2	NO		1391	6.58

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

-----

VARNAME: AB98 QNAME17:

QNAME16: QA15\_B16 QNAME15: QA15\_B16

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19018	89.91
1	YES		586	2.77
2	NO		1549	7.32

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS DEVELOP  
ASTHMA CARE PLAN

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AB22 QNAME17:

QNAME16: QA15\_B18 QNAME15: QA15\_B18

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		2637	12.47
2	NO		18285	86.44
3	BORDERLINE OR PRE-DIABETES		231	1.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AB99 QNAME17:

QNAME16: QA15\_B19 QNAME15: QA15\_B19

LABEL: DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES

VALUE:			FREQ	%
-1	INAPPLICABLE		231	1.09
1	YES		3461	16.36
2	NO		17461	82.55

UNIVERSE: ALL ADULTS WHO DID NOT REPORT BORDERLINE/PRE-DIABETES IN AB22

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   DIABETES                               QNAME17:

  QNAME16:                               QNAME15:

LABEL:       DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)

VALUE:	1	YES	FREQ	%
	2	NO	2609	12.33
			18544	87.67

UNIVERSE:   ALL ADULTS

INPUT VAR: AB22, AB51

NOTES:       ADULTS WITH AB22 IN (2,3) OR AB51=5 ARE CLASSIFIED AS NON-DIABETICS

-----

VARNAME:   PREDIAB                               QNAME17:

  QNAME16:                               QNAME15:

LABEL:       DOCTOR EVER TOLD HAVE PRE OR BORDERLINE DIABETES (NON-GESTATIONAL)

VALUE:	1	YES	FREQ	%
	2	NO	3694	17.46
			17459	82.54

UNIVERSE:   ALL ADULTS

INPUT VAR: AB99, AB51

NOTES:       PREDIAB STATUS DEFINED BY AB22=3, AB99=1, OR AB51=5

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18516	87.53
1	AGES 18 AND UNDER	91	0.43
2	AGES 19-29	150	0.71
3	AGES 30-39	303	1.43
4	AGES 40-49	514	2.43
5	AGES 50-59	758	3.58
6	AGES 60-69	538	2.54
7	AGES 70-79	221	1.04
8	AGES 80 AND OVER	62	0.29

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES:

VARNAME: AB51\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18586	87.86
1	TYPE I	269	1.27
2	TYPE 2	2298	10.86

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE I OR II DIABETES

INPUT VAR: AB51

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AB24 QNAME17:  
 QNAME16: QA15\_B23 QNAME15: QA15\_B23

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18516	87.53
1	YES		756	3.57
2	NO		1881	8.89

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

-----

VARNAME: AB25 QNAME17:  
 QNAME16: QA15\_B21 QNAME15: QA15\_B21

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		18516	87.53
1	YES		1832	8.66
2	NO		805	3.81

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AB28\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18516	87.53
0	0 TIMES	607	2.87
1	1 TIMES	649	3.07
2	2 TIMES	525	2.48
3	3 TIMES	248	1.17
4	4 TIMES	298	1.41
5	5+ TIMES	310	1.47

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB28

NOTES:

VARNAME: AB63

QNAME17:

QNAME16: QA15\_B27

QNAME15: QA15\_B27

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	18516	87.53
1	WITHIN THE PAST MONTH	488	2.31
2	1 TO 12 MOS AGO	1564	7.39
3	1 TO 2 YRS AGO	221	1.04
4	2 OR MORE YRS AGO	261	1.23
5	NEVER	103	0.49

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB112 QNAME17:

QNAME16: QA15\_B31 QNAME15: QA15\_B31

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18516	87.53
1	YES		2299	10.87
2	NO		338	1.60

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

-----

VARNAME: AB114\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETES (PUF 1 YR RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		18515	87.53
1	VERY CONFIDENT		1633	7.72
2	SOMEWHAT CONFIDENT		824	3.90
3	NOT TOO CONFIDENT/NOT AT ALL CONFIDENT		178	0.84

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB114

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB81 QNAME17:

QNAME16: QA15\_B34 QNAME15: QA15\_B34

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

VALUE:			FREQ	%
-1	INAPPLICABLE		9317	44.05
1	YES		512	2.42
2	NO		11298	53.41
3	BORDERLINE GESTATIONAL DIABETES		26	0.12

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

-----

VARNAME: AB29 QNAME17:

QNAME16: QA15\_B35 QNAME15: QA15\_B35

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:			FREQ	%
1	YES		7955	37.61
2	NO		12935	61.15
3	BORDERLINE HYPERTENSION		263	1.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB30 QNAME17:

QNAME16: QA15\_B36 QNAME15: QA15\_B36

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		13198	62.39
1	YES		6205	29.33
2	NO		1750	8.27

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

-----

VARNAME: AB34 QNAME17:

QNAME16: QA15\_B37 QNAME15: QA15\_B37

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		2251	10.64
2	NO		18902	89.36

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AB52 QNAME17:

QNAME16: QA15\_B38 QNAME15: QA15\_B38

LABEL: EVER TOLD HAVE HEART FAILURE/CONGESTIVE HEART FAILURE

VALUE:			FREQ	%
-1	INAPPLICABLE		18902	89.36
1	YES		648	3.06
2	NO		1603	7.58

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

-----

VARNAME: AB118 QNAME17:

QNAME16: QA15\_B42 QNAME15: QA15\_B42

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		18902	89.36
1	YES		1819	8.60
2	NO		432	2.04

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE HEART DISEASE

INPUT VAR:

NOTES:

-----

## **SECTION C: HEALTH BEHAVIORS**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AD37W                                   QNAME17:

  QNAME16:   QA15\_C1                   QNAME15:   QA15\_C1

LABEL:       WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

VALUE:			FREQ	%
1	YES		10735	50.75
2	NO		10234	48.38
3	UNABLE TO WALK		184	0.87

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   AD38W                                   QNAME17:

  QNAME16:   QA15\_C2                   QNAME15:   QA15\_C2

LABEL:       # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

MEAN STATISTICS	
N	10735
MIN	0
MAX	300
MEAN	4.87

UNIVERSE:   ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME  
              PLACE IN PAST 7 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AD39W                                   QNAME17:

  QNAME16:   QA15\_C3                   QNAME15:   QA15\_C3

LABEL:       AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT

MEAN STATISTICS

N	10661
MIN	0
MAX	600
MEAN	31.38

UNIVERSE:   ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME  
             PLACE IN PAST 7 DAYS

INPUT VAR:

NOTES:

-----

VARNAME:   AD40W                                   QNAME17:

  QNAME16:   QA15\_C4                   QNAME15:   QA15\_C4

LABEL:       WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

VALUE:		FREQ	%
-1	INAPPLICABLE	184	0.87
1	YES	13587	64.23
2	NO	7382	34.90

UNIVERSE:   ALL ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AD41W

QNAME17:

QNAME16: QA15\_C5

QNAME15: QA15\_C5

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

## MEAN STATISTICS

N	13587
MIN	0
MAX	100
MEAN	4.72

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN  
PAST 7 DAYS

INPUT VAR:

NOTES:  
-----

VARNAME: AD42W

QNAME17:

QNAME16: QA15\_C6

QNAME15: QA15\_C6

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

## MEAN STATISTICS

N	13550
MIN	1
MAX	600
MEAN	35.18

UNIVERSE: ALL ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN  
PAST 7 DAYS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AC100

QNAME17:

QNAME16:

QNAME15:

LABEL: FREQUENCY OF EXERCISE IN PAST 7 DAYS

## MEAN STATISTICS

N	20969
MIN	0
MAX	7
MEAN	3.56

UNIVERSE: ALL ADULTS WHO ARE ABLE TO WALK

INPUT VAR:

NOTES:  
-----

VARNAME: AC11

QNAME17:

QNAME16: QA15\_C7

QNAME15: QA15\_C7

LABEL: # OF TIMES DRANK SODA LAST MONTH

## MEAN STATISTICS

N	21153
MIN	0
MAX	300
MEAN	5.77

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AE\_SODA

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF TIMES DRINKING SODA PER WEEK

## MEAN STATISTICS

N	21153
MIN	0
MAX	69
MEAN	1.30

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

VARNAME: AESODA\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF TIMES DRINKING SODA PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
0	0 TIMES	14205	67.15
1	1 TIME	2702	12.77
2	2-3 TIMES	1962	9.28
3	4-6 TIMES	664	3.14
4	7-13 TIMES	1203	5.69
5	14-20 TIMES	255	1.21
6	21+ TIMES	162	0.77

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AC46 QNAME17:  
QNAME16: QNAME15: QA15\_C8

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

## MEAN STATISTICS

N	21153
MIN	0
MAX	300
MEAN	5.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2015

---

VARNAME: AC47 QNAME17:  
QNAME16: QNAME15: QA15\_C9

LABEL: # OF TIMES DRANK WATER YESTERDAY

## MEAN STATISTICS

N	21153
MIN	0
MAX	99
MEAN	6.69

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2015; EXCLUDE VALUE "99" WHEN CALCULATING THE  
MEAN; TOPCODE = 20; "99" REFERS TO LESS THAN 1 GLASS OF WATER

---

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AE2

QNAME17:

QNAME16:

QNAME15:

LABEL: # TIMES ATE FRUIT IN PAST MO

## MEAN STATISTICS

N	21153
MIN	0
MAX	600
MEAN	32.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2012  
-----

VARNAME: AE3

QNAME17:

QNAME16:

QNAME15:

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

## MEAN STATISTICS

N	21153
MIN	0
MAX	300
MEAN	4.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2012  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AE5

QNAME17:

QNAME16:

QNAME15:

LABEL: # TIMES ATE COOKED DRIED BEANS IN PAST MONTH

## MEAN STATISTICS

N	21153
MIN	0
MAX	270
MEAN	6.63

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2005  
-----

VARNAME: AE7

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

## MEAN STATISTICS

N	21153
MIN	0
MAX	600
MEAN	28.93

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2012  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC42 QNAME17:

QNAME16: QA15\_C11 QNAME15: QA15\_C11

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB

VALUE:			FREQ	%
1	NEVER		937	4.43
2	SOMETIMES		1317	6.23
3	USUALLY		1652	7.81
4	ALWAYS		17113	80.90
5	DOESN'T EAT FRUITS AND VEGETABLES		10	0.05
6	DOESN'T SHOP FOR FRUITS AND VEGETABLES		46	0.22
7	DOESN'T SHOP IN HIS/HER NEIGHBORHOOD		78	0.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AC42\_P QNAME17:

QNAME16: QNAME15:

LABEL: HOW OFTEN FIND FRESH FRUIT/VEG IN NEIGHB (PUF RECODE)

VALUE:			FREQ	%
1	NEVER		937	4.43
2	SOMETIMES		1317	6.23
3	USUALLY		1652	7.81
4	ALWAYS		17113	80.90
5	DOESN'T EAT/SHOP FOR FRUITS AND VEGETABL		134	0.63

UNIVERSE: ALL ADULTS

INPUT VAR: AC42

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC44 QNAME17:

QNAME16: QA15\_C12 QNAME15: QA15\_C12

LABEL: NEIGHBORHOOD FRUIT/VEG AFFORDABLE

VALUE:			FREQ	%
-1	INAPPLICABLE		1071	5.06
1	NEVER		309	1.46
2	SOMETIMES		3085	14.58
3	USUALLY		5101	24.11
4	ALWAYS		11587	54.78

UNIVERSE: ALL ADULTS WHO CAN FIND FRESH FRUITS AND VEGETABLES IN NEIGHBORHOOD

INPUT VAR:

NOTES:

-----

VARNAME: AE15 QNAME17:

QNAME16: QA15\_C13 QNAME15: QA15\_C13

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

VALUE:			FREQ	%
1	YES		8228	38.90
2	NO		12925	61.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AE15A QNAME17:

QNAME16: QA15\_C14 QNAME15: QA15\_C14

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:		FREQ	%
-1	INAPPLICABLE	12925	61.10
1	EVERY DAY	1559	7.37
2	SOME DAYS	714	3.38
3	NOT AT ALL	5955	28.15

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

-----

VARNAME: AD32\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	19594	92.63
0	0 CIGARETTES	5	0.02
1	1-5 CIGARETTES	354	1.67
6	6-10 CIGARETTES	574	2.71
11	11-15 CIGARETTES	213	1.01
16	16+ CIGARETTES	413	1.95

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW  
SMOKE EVERY DAY

INPUT VAR: AD32

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AE16\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20439	96.62
0	0 CIGARETTES	28	0.13
1	1 CIGARETTE	155	0.73
2	2 CIGARETTES	140	0.66
3	3 CIGARETTES	119	0.56
4	4 CIGARETTES	69	0.33
5	5 CIGARETTES	83	0.39
6	6-10 CIGARETTES	85	0.40
11	11+ CIGARETTES	35	0.17

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR: AE16

NOTES:  
-----

VARNAME: SMKCUR

QNAME17:

QNAME16:

QNAME15:

LABEL: CURRENT SMOKER

VALUE:		FREQ	%
1	CURRENT SMOKER	2273	10.75
2	NOT CURRENT SMOKER	18880	89.25

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: SMOKING QNAME17:

QNAME16: QNAME15:

LABEL: CURRENT SMOKING HABITS

VALUE:			FREQ	%
1	CURRENTLY SMOKES		2273	10.75
2	QUIT SMOKING		5955	28.15
3	NEVER SMOKED REGULARLY		12925	61.10

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

-----

VARNAME: NUMCIG QNAME17:

QNAME16: QNAME15:

LABEL: # OF CIGARETTES PER DAY

VALUE:			FREQ	%
1	NONE		18880	89.25
2	<=1 CIGARETTES		206	0.97
3	2-5 CIGARETTES		747	3.53
4	6-10 CIGARETTES		659	3.12
5	11-19 CIGARETTES		255	1.21
6	20 OR MORE		406	1.92

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC49 QNAME17:

QNAME16: QA15\_C17 QNAME15: QA15\_C17

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		18880	89.25
1	YES		1201	5.68
2	NO		1072	5.07

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE  
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

-----

VARNAME: AC50 QNAME17:

QNAME16: QA15\_C18 QNAME15: QA15\_C18

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18880	89.25
1	YES		1410	6.67
2	NO		863	4.08

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE  
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC75C QNAME17:

QNAME16: QNAME15:

LABEL: CALL QUITTING HELPLINE TO HELP QUIT SMOKING IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18880	89.25
1	YES		99	0.47
2	NO		2174	10.28

UNIVERSE: ADULTS WHO HAVE SMOKED AT LEAST 100 TIMES IN LIFETIME AND EITHER  
SMOKE EVERYDAY OR SOMEDAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC77 QNAME17:

QNAME16: QA13\_C44 QNAME15:

LABEL: HEALTH PRO ADVISE QUIT SMOKE PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18880	89.25
1	YES		1204	5.69
2	NO		1069	5.05

UNIVERSE: ADULTS WITH => 100 CIG. IN LIFETIME WHO SMOKE SOME DAYS PER  
WEEK/DAILY (CURRENT SMOKERS)

INPUT VAR:

NOTES: RECLAIMED FROM 2014 TOBACCO MODULE

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   AC78                                QNAME17:

                                QNAME16:   QA13_C45           QNAME15:

LABEL:      HEALTH PRO REFER SMOKE CESS PGM PAST 12

VALUE:      -1          INAPPLICABLE                FREQ      %
              1          YES                        18880    89.25
              2          NO                         677      3.20
              1596    7.55

UNIVERSE:   ADULTS WITH => 100 CIG. IN LIFETIME  WHO SMOKE SOME DAYS PER
              WEEK/DAILY (CURRENT SMOKERS)

INPUT VAR:

NOTES:      RECLAIMED FROM 2014 TOBACCO MODULE
-----
```

```
VARNAME:   AC104B                            QNAME17:

                                QNAME16:                   QNAME15:

LABEL:      USE NICOTINE GUM, LOZENGES, OR INHALER TO HELP QUIT SMOKING IN PA

VALUE:      -1          INAPPLICABLE                FREQ      %
              1          YES                        18880    89.25
              2          NO                         298      1.41
              1975    9.34

UNIVERSE:   ADULTS WHO HAVE SMOKED AT LEAST 100 TIMES IN LIFETIME AND EITHER
              SMOKE EVERYDAY OR SOMEDAYS

INPUT VAR:

NOTES:
-----
```

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:  AC81C                      QNAME17:

                                QNAME16:                      QNAME15:

LABEL:      EVER SMOKED ELECTRONIC CIGARETTES

VALUE:      1          YES                      FREQ          %
            2          NO                      2539          12.00
                                           18614         88.00

UNIVERSE:   ALL ADULTS (18+)

INPUT VAR:

NOTES:      2017 E-CIGARETTE USE NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO
            ADULTS 18-65 FOR TRENDING WITH 2016
-----

```

```

-----
VARNAME:  AC82C_P1                  QNAME17:

                                QNAME16:                      QNAME15:

LABEL:      DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)

VALUE:      -1          INAPPLICABLE                      FREQ          %
            1          NONE                      18614         88.00
            2          1 TO 2 DAYS                  1748          8.26
            3          3 TO 5 DAYS                   294          1.39
            4          6 TO 29 DAYS                  138          0.65
            5          EVERY DAY                     155          0.73
                                           204          0.96

UNIVERSE:   ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES:      2017 E-CIGARETTE USE NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO
            ADULTS 18-65 FOR TRENDING WITH 2016
-----

```

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_1 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		156	0.74
2	NO		635	3.00

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_2 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		141	0.67
2	NO		650	3.07

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_3 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		68	0.32
2	NO		723	3.42

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_4 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		34	0.16
2	NO		757	3.58

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_5 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		146	0.69
2	NO		645	3.05

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_6 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		20	0.09
2	NO		771	3.64

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_7 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		10	0.05
2	NO		781	3.69

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_8 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		38	0.18
2	NO		753	3.56

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_9 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		22	0.10
2	NO		769	3.64

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_10 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		62	0.29
2	NO		729	3.45

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AC83C\_11 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		104	0.49
2	NO		687	3.25

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

VARNAME: AC83C\_12 QNAME17:

QNAME16: QNAME15:

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE

VALUE:			FREQ	%
-1	INAPPLICABLE		20362	96.26
1	YES		71	0.34
2	NO		720	3.40

UNIVERSE: ADULTS 18+ YEARS WHO SMOKED E-CIGARETTES IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AC115 QNAME17:

QNAME16: QNAME15:

LABEL: EVER TRIED MARIJUANA OR HASHISH

			FREQ	%
VALUE:	1	YES	11340	53.61
	2	NO	9813	46.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AC116\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)

MEAN STATISTICS

N	11340
MIN	1
MAX	6
MEAN	3.72

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR:

NOTES:

-----

## **SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH**

```

VARNAME:      HGHTI_P                      QNAME17:
                                           QNAME16:      QNAME15:

LABEL:        HEIGHT: INCHES (PUF RECODE)

                                MEAN STATISTICS
                                N                21153
                                MIN              42
                                MAX              77
                                MEAN            66.41

UNIVERSE:     ALL ADULTS

INPUT VAR:    HGHTI

NOTES:        TOPCODE=77; BOTTOMCODE=42

```

```

VARNAME:      HGHTM_P                      QNAME17:
                                           QNAME16:      QNAME15:

LABEL:        HEIGHT: METERS (PUF RECODE)

                                MEAN STATISTICS
                                N                21153
                                MIN              1
                                MAX              2
                                MEAN            1.69

UNIVERSE:     ALL ADULTS

INPUT VAR:    HGHTM

NOTES:        TOPCODE=2; BOTTOMCODE=1

```



```

VARNAME:      HEIGHM_P              QNAME17:
                                     QNAME16:      QNAME15:

LABEL:        HEIGHT: METERS - UCLA (PUF RECODE)

              MEAN STATISTICS
              N                21153
              MIN              1
              MAX              2
              MEAN             1.69

UNIVERSE:     ALL ADULTS

INPUT VAR:     HEIGHTM

NOTES:        TOPCODE=2; BOTTOMCODE=1

```

```

VARNAME:    WEIGHK_P                                QNAME17:
                                                    QNAME16:
                                                    QNAME15:

LABEL:      WEIGHT: KG - UCLA (PUF RECODE)

                                MEAN STATISTICS
                                N                21153
                                MIN              41
                                MAX              150
                                MEAN            78.01

UNIVERSE:   ALL ADULTS

INPUT VAR:  WEIGHTKG

NOTES:      TOPCODE=150; BOTTOMCODE=41

```

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: WGHTK\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: WEIGHT: KG (PUF RECODE)

## MEAN STATISTICS

N	21153
MIN	41
MAX	150
MEAN	78.01

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41  
-----

VARNAME: WGHTP\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: WEIGHT: LBS (PUF RECODE)

## MEAN STATISTICS

N	21153
MIN	90
MAX	330
MEAN	171.99

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: BMI\_P QNAME17:

QNAME16: QNAME15:

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS	
N	21153
MIN	12
MAX	112
MEAN	27.36

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK\_P HEIGHM\_P

NOTES: SEE WEIGHK\_P AND HEIGHM\_P FOR BOTTOM AND TOP CODES

-----

VARNAME: RBMI QNAME17:

QNAME16: QNAME15:

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	445	2.10
2	NORMAL 18.5-24.99	7847	37.10
3	OVERWEIGHT 25.0-29.99	7282	34.43
4	OBESE 30.0+	5579	26.37

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: WHOBMI QNAME17:

QNAME16: QNAME15:

LABEL: BODY MASS INDEX: WHO DEFINITION

VALUE:			FREQ	%
1	0 - 18.49 (UNDERWEIGHT)		445	2.10
2	18.5 - 22.99 (ACCEPTABLE RISK)		4514	21.34
3	23.0 - 27.49 (INCREASED RISK)		7656	36.19
4	27.5 OR HIGHER (HIGHER HIGH RISK)		8538	40.36

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES: WORLD HEALTH ORGANIZATION (WHO) BMI CUT-POINTS CORRESPOND TO  
INCREASING RISKS FOR CONDITIONS SUCH AS DIABETES AND HEART DISEASE  
IN ASIAN POPULATIONS. FOR MORE INFORMATION SEE  
[http://www.who.int/nutrition/publications/bmi\\_asia\\_strategies.pdf](http://www.who.int/nutrition/publications/bmi_asia_strategies.pdf)

VARNAME: OVRWT QNAME17:

QNAME16: QNAME15:

LABEL: OVERWEIGHT OR OBESE

VALUE:			FREQ	%
1	YES		12861	60.80
2	NO		8292	39.20

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AD50 QNAME17:

QNAME16: QA15\_D3 QNAME15: QA15\_D3

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

			FREQ	%
VALUE:	1	YES	2160	10.21
	2	NO	18993	89.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ169 QNAME17:

QNAME16: QNAME15:

LABEL: RESPONDENT'S PREGNANCY PLANS

			FREQ	%
VALUE:	-1	INAPPLICABLE	17466	82.57
	1	NO PLAN TO GET PREGNANT	2924	13.82
	2	NOT SEXUALLY ACTIVE	462	2.18
	3	PLAN TO GET PREGNANT	221	1.04
	4	CURRENTLY PREGNANTT	80	0.38

UNIVERSE: FEMALES 18-49

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF40B

QNAME17:

QNAME16:

QNAME15:

LABEL: USES OR MALE SEX PARTNER USES BIRTH CONTROL

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	18079	85.47
1	YES	2113	9.99
2	NO	827	3.91
3	NO MALE SEXUAL PARTNER	131	0.62

UNIVERSE: HETEROSEXUAL FEMALES 18-49 AND NOT CURRENTLY PREGNANT OR SEXUALLY ACTIVE

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154B\_1

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	350	1.65
2	NO	1760	8.32

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154B\_2

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: VASECTOMY

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	300	1.42
2	NO	1810	8.56

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154B\_3

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: IUD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	422	2.00
2	NO	1688	7.98

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154B\_4

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: IMPLANT

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	128	0.61
2	NO	1982	9.37

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154B\_5

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	439	2.08
2	NO	1671	7.90

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154B\_6

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL

VALUE:			FREQ	%
-9	NOT ASCERTAINED		3	0.01
-1	INAPPLICABLE		19037	90.01
1	YES		98	0.46
2	NO		2012	9.51

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154B\_7

QNAME17:

QNAME16:

QNAME15:

LABEL: BIRTH CONTROL METHOD: CONDOMS

VALUE:			FREQ	%
-1	INAPPLICABLE		19037	90.01
1	YES		495	2.34
2	NO		1618	7.65

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND  
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45  
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE  
OR ARE CURRENTLY PREGNANT (PER AJ169)

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ154B\_9 QNAME17:

QNAME16: QNAME15:

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

VALUE:		FREQ	%
-9	NOT ASCERTAINED	3	0.01
-1	INAPPLICABLE	19037	90.01
1	YES	57	0.27
2	NO	2053	9.71

UNIVERSE: FEMALES 18-49 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

---

VARNAME: AJ170\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	20323	96.08
1	TRYING TO GET PREGNANT/WANT A BABY	129	0.61
2	OTHER	115	0.54
3	DON'T BELIEVE IN BIRTH CONTROL	48	0.23
4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	107	0.51
5	NO NEED/DON'T WANT	147	0.69
6	INABILITY TO GET PREGNANT	200	0.95
7	NO SEXUAL PARTNER	81	0.38

UNIVERSE: FEMALES 18-49 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING BIRTH CONTROL

INPUT VAR:

NOTES:

---

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ171\_P1                               QNAME17:

  QNAME16:                               QNAME15:

LABEL:       EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	3	0.01
	1	YES	20323	96.08
	2	NO	400	1.89
			427	2.02

UNIVERSE:   FEMALES 18-49 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING  
              BIRTH CONTROL

INPUT VAR:

NOTES:

-----

VARNAME:   AJ144B                               QNAME17:

  QNAME16:                               QNAME15:

LABEL:       RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	3	0.01
	1	YES	11835	55.95
	2	NO	174	0.82
			9141	43.21

UNIVERSE:   ALL ADULT MEN

INPUT VAR:

NOTES:       NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE EXPANDED FROM 18-44 TO  
              18-49 YEARS OLD

-----

VARNAME:	AJ172	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CURRENTLY USING BIRTH CONTROL			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11836	55.95
	2	NO	2596	12.27
	3	NO FEMALE SEXUAL PARTNER	5619	26.56
			1102	5.21
UNIVERSE:	MALES 18-49 WHO ARE HETEROSEXUAL			
INPUT VAR:				
NOTES:				

VARNAME:	AJ174_3	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	BIRTH CONTROL METHOD: IUD			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18554	87.73
	2	NO	251	1.19
			2345	11.09
UNIVERSE:	MALES 18-49 WHO ARE HETEROSEXUAL AND DO NOT USE BIRTH CONTROL			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   AJ174\_4                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       BIRTH CONTROL METHOD: IMPLANT

VALUE:			FREQ	%
-1	INAPPLICABLE		18554	87.73
1	YES		87	0.41
2	NO		2509	11.86

UNIVERSE:   MALES 18-49 WHO ARE HETEROSEXUAL AND DO NOT USE BIRTH CONTROL

INPUT VAR:

NOTES:

-----

VARNAME:   AJ174\_5                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

VALUE:			FREQ	%
-1	INAPPLICABLE		18554	87.73
1	YES		528	2.50
2	NO		2068	9.78

UNIVERSE:   MALES 18-49 WHO ARE HETEROSEXUAL AND DO NOT USE BIRTH CONTROL

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ174\_6                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18554	87.73
	2	NO	103	0.49
			2493	11.79

UNIVERSE:   MALES 18-49 WHO ARE HETEROSEXUAL AND DO NOT USE BIRTH CONTROL

INPUT VAR:

NOTES:

-----

VARNAME:   AJ174\_7                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       BIRTH CONTROL METHOD: CONDOMS (MALE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18554	87.73
	2	NO	827	3.91
			1769	8.36

UNIVERSE:   MALES 18-49 WHO ARE HETEROSEXUAL AND DO NOT USE BIRTH CONTROL

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AJ175\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	15532	73.43
1	TRYING TO GET PREGNANT/WANT A BABY	256	1.21
2	OTHER	439	2.08
3	DON'T BELIEVE IN BIRTH CONTROL	152	0.72
4	WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH	73	0.35
5	NO NEED/DON'T WANT	592	2.80
6	INABILITY TO GET PREGNANT	2961	14.00
7	NO SEXUAL PARTNER	1145	5.41

UNIVERSE: MALES 18-49 WHO ARE HETEROSEXUAL AND NOT USING BIRTH CONTROL

INPUT VAR:

NOTES:

-----

## **SECTION E: WOMEN'S HEALTH**



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AD13

QNAME17:

QNAME16: QA15\_E1

QNAME15: QA15\_E1

LABEL: CURRENTLY PREGNANT

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		18085	85.50
1	YES		74	0.35
2	NO		2991	14.14

UNIVERSE: FEMALES AGES 18-45 YEARS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AE96

QNAME17:

QNAME16:

QNAME15:

LABEL: EVER DELIVERED BABY IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		18088	85.51
1	YES		161	0.76
2	NO		2904	13.73

UNIVERSE: WOMEN 45 OR YOUNGER

INPUT VAR:

NOTES:  
-----

## **SECTION F: MENTAL HEALTH**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AJ29

QNAME17:

QNAME16: QA15\_F1

QNAME15: QA15\_F1

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
1	ALL OF THE TIME	528	2.50
2	MOST OF THE TIME	1035	4.89
3	SOME OF THE TIME	4071	19.25
4	A LITTLE OF THE TIME	7020	33.19
5	NOT AT ALL	8496	40.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ30

QNAME17:

QNAME16: QA15\_F2

QNAME15: QA15\_F2

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	ALL OF THE TIME		179	0.85
2	MOST OF THE TIME		352	1.66
3	SOME OF THE TIME		1602	7.57
4	A LITTLE OF THE TIME		3153	14.91
5	NOT AT ALL		15864	75.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ31

QNAME17:

QNAME16: QA15\_F3

QNAME15: QA15\_F3

LABEL: FELL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	ALL OF THE TIME		640	3.03
2	MOST OF THE TIME		892	4.22
3	SOME OF THE TIME		3656	17.28
4	A LITTLE OF THE TIME		5586	26.41
5	NOT AT ALL		10376	49.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AJ32 QNAME17:

QNAME16: QA15\_F4 QNAME15: QA15\_F4

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	ALL OF THE TIME		140	0.66
2	MOST OF THE TIME		286	1.35
3	SOME OF THE TIME		1198	5.66
4	A LITTLE OF THE TIME		2368	11.19
5	NOT AT ALL		17158	81.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ33 QNAME17:

QNAME16: QA15\_F5 QNAME15: QA15\_F5

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	ALL OF THE TIME		1054	4.98
2	MOST OF THE TIME		1021	4.83
3	SOME OF THE TIME		3327	15.73
4	A LITTLE OF THE TIME		4663	22.04
5	NOT AT ALL		11085	52.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ34                                   QNAME17:

  QNAME16:   QA15\_F6                   QNAME15:   QA15\_F6

LABEL:       FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	ALL OF THE TIME		171	0.81
2	MOST OF THE TIME		299	1.41
3	SOME OF THE TIME		1001	4.73
4	A LITTLE OF THE TIME		1787	8.45
5	NOT AT ALL		17892	84.58

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   DSTRS30                           QNAME17:

  QNAME16:                           QNAME15:

LABEL:       LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	YES		843	3.99
2	NO		20307	96.00

UNIVERSE:   ALL ADULTS

INPUT VAR: DISTRESS

NOTES:       BASED on DISTRESS>=13

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   DISTRESS

QNAME17:

QNAME16:

QNAME15:

LABEL:       SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS

N	21150
MIN	0
MAX	24
MEAN	3.63

UNIVERSE:   ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES:       BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA  
-----

VARNAME:   DSTRS\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL:       SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

MEAN STATISTICS

N	21150
MIN	0
MAX	21
MEAN	3.63

UNIVERSE:   ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES:       BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED  
DATA; TOPCODE = 21  
-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF62

QNAME17:

QNAME16: QA15\_F7

QNAME15: QA15\_F7

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	YES		4490	21.23
2	NO		16660	78.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF63

QNAME17:

QNAME16: QA15\_F8

QNAME15: QA15\_F8

LABEL: FEEL NERVOUS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		16660	78.76
1	ALL OF THE TIME		632	2.99
2	MOST OF THE TIME		1133	5.36
3	SOME OF THE TIME		1375	6.50
4	A LITTLE OF THE TIME		843	3.99
5	NOT AT ALL		507	2.40

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AF64 QNAME17:

QNAME16: QA15\_F9 QNAME15: QA15\_F9

LABEL: FEEL HOPELESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16660	78.76
1	ALL OF THE TIME	350	1.65
2	MOST OF THE TIME	773	3.65
3	SOME OF THE TIME	1158	5.47
4	A LITTLE OF THE TIME	1069	5.05
5	NOT AT ALL	1140	5.39

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

VARNAME: AF65 QNAME17:

QNAME16: QA15\_F10 QNAME15: QA15\_F10

LABEL: FEEL RESTLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16660	78.76
1	ALL OF THE TIME	521	2.46
2	MOST OF THE TIME	794	3.75
3	SOME OF THE TIME	1389	6.57
4	A LITTLE OF THE TIME	960	4.54
5	NOT AT ALL	826	3.90

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AF66 QNAME17:

QNAME16: QA15\_F11 QNAME15: QA15\_F11

LABEL: FEEL DEPRESSED WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16660	78.76
1	ALL OF THE TIME	300	1.42
2	MOST OF THE TIME	614	2.90
3	SOME OF THE TIME	1022	4.83
4	A LITTLE OF THE TIME	988	4.67
5	NOT AT ALL	1566	7.40

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

VARNAME: AF67 QNAME17:

QNAME16: QA15\_F12 QNAME15: QA15\_F12

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16660	78.76
1	ALL OF THE TIME	735	3.47
2	MOST OF THE TIME	927	4.38
3	SOME OF THE TIME	1297	6.13
4	A LITTLE OF THE TIME	934	4.42
5	NOT AT ALL	597	2.82

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AF68 QNAME17:

QNAME16: QA15\_F13 QNAME15: QA15\_F13

LABEL: FEEL WORTHLESS WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16660	78.76
1	ALL OF THE TIME	314	1.48
2	MOST OF THE TIME	466	2.20
3	SOME OF THE TIME	853	4.03
4	A LITTLE OF THE TIME	814	3.85
5	NOT AT ALL	2043	9.66

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE  
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

-----

VARNAME: AF69B QNAME17:

QNAME16: QA15\_F14 QNAME15: QA15\_F14

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	17937	84.80
1	A LOT	738	3.49
2	SOME	1044	4.94
3	NOT AT ALL	642	3.04
4	DOES NOT WORK	789	3.73

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL  
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AF70B

QNAME17:

QNAME16: QA15\_F15

QNAME15: QA15\_F15

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	17551	82.97
1	A LOT	1395	6.59
2	SOME	1457	6.89
3	NOT AT ALL	747	3.53

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

VARNAME: AF71B

QNAME17:

QNAME16: QA15\_F16

QNAME15: QA15\_F16

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	17551	82.97
1	A LOT	1627	7.69
2	SOME	1374	6.50
3	NOT AT ALL	598	2.83

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AF72B QNAME17:

QNAME16: QA15\_F17 QNAME15: QA15\_F17

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		17551	82.97
1	A LOT		1237	5.85
2	SOME		1651	7.81
3	NOT AT ALL		711	3.36

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST  
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

-----

VARNAME: DSTRS12 QNAME17:

QNAME16: QNAME15:

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	YES		1806	8.54
2	NO		19344	91.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR>=13

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRSYR

QNAME17:

QNAME16:

QNAME15:

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

## MEAN STATISTICS

N	21150
MIN	0
MAX	24
MEAN	4.45

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

VARNAME: CHORES2

QNAME17:

QNAME16:

QNAME15:

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	17551	82.97
0	NONE	747	3.53
1	MODERATE	1457	6.89
2	SEVERE	1395	6.59

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS  
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF70B

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:  SOCIAL2                      QNAME17:

                                QNAME16:                      QNAME15:

LABEL:    SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:    -2          PROXY SKIPPED          FREQ          %
          -1          INAPPLICABLE          17551          82.97
           0          NONE                   598           2.83
           1          MODERATE                1374           6.50
           2          SEVERE                  1627           7.69

UNIVERSE:  ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
           (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF71B

NOTES:     CANNOT BE TRENDED WITH SOCIAL (2009)
-----

```

```

VARNAME:  WORK2                      QNAME17:

                                QNAME16:                      QNAME15:

LABEL:    WORK IMPAIRMENT PAST 12 MONTHS

VALUE:    -2          PROXY SKIPPED          FREQ          %
          -1          INAPPLICABLE          18726          88.53
           0          NONE                   642           3.04
           1          MODERATE                1044           4.94
           2          SEVERE                   738           3.49

UNIVERSE:  ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
           (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF69B

NOTES:     CANNOT BE TRENDED WITH WORK (2009)
-----

```



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:  FAMILY2              QNAME17:

                                QNAME16:              QNAME15:

LABEL:    FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

VALUE:    -2          PROXY SKIPPED          FREQ      %
          -1          INAPPLICABLE          3          0.01
          0           NONE          17551      82.97
          1          MODERATE          711       3.36
          2          SEVERE          1651       7.81
          2          SEVERE          1237       5.85

UNIVERSE:  ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
           (K6>8) IN THE PAST 12 MONTHS

INPUT VAR: AF72B

NOTES:     CANNOT BE TRENDED WITH FAMILY (2009)
-----

```

```

VARNAME:  AJ1                  QNAME17:

                                QNAME16:  QA15_F22      QNAME15:  QA15_F22

LABEL:    INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:    -2          PROXY SKIPPED          FREQ      %
          -1          INAPPLICABLE          3          0.01
          1          YES          17414      82.32
          2          NO          3082       14.57
          3          NO          536        2.53
          3          NO INSURANCE          118       0.56

UNIVERSE:  ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL
           PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS
           WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:
-----

```

## **SECTION G: DEMOGRAPHIC INFORMATION, PART II & CHILD CARE**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AH33NEW

QNAME17:

QNAME16:

QNAME15:

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		17089	80.79
2	BORN OUTSIDE U.S.		4064	19.21

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:  
-----

VARNAME: AH34NEW

QNAME17:

QNAME16:

QNAME15:

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		4108	19.42
1	BORN IN U.S.		14567	68.86
2	BORN OUTSIDE U.S.		2478	11.71

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW

QNAME17:

QNAME16:

QNAME15:

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		4108	19.42
1	BORN IN U.S.		14409	68.12
2	BORN OUTSIDE U.S.		2636	12.46

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: LNGHM\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	ENGLISH		15334	72.49
2	SPANISH		1254	5.93
3	CHINESE		109	0.52
4	VIETNAMESE		67	0.32
5	KOREAN		38	0.18
6	OTHER ONE LANGUAGE ONLY		136	0.64
8	ENGLISH & SPANISH		2588	12.23
9	ENGLISH & CHINESE		175	0.83
10	ENGLISH & EUROPEAN LANGUAGE		418	1.98
11	ENGLISH & ANOTHER ASIAN LANGUAGE		427	2.02
12	ENGLISH & ONE OTHER LANGUAGE		223	1.05
13	OTHER LANGUAGES (2+)		384	1.82

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH37 QNAME17:

QNAME16: QA15\_G8 QNAME15: QA15\_G8

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

VALUE:		FREQ	%
-1	INAPPLICABLE	15323	72.44
1	VERY WELL	3041	14.38
2	WELL	1250	5.91
3	NOT WELL	916	4.33
4	NOT AT ALL	623	2.95

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR  
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

-----

VARNAME: SPK\_ENG QNAME17:

QNAME16: QNAME15:

LABEL: ENGLISH USE AND PROFICIENCY

VALUE:		FREQ	%
1	SPEAK ONLY ENGLISH	15334	72.49
2	VERY WELL/WELL	4284	20.25
3	NOT WELL/NOT AT ALL	1535	7.26

UNIVERSE: ALL ADULTS

INPUT VAR: AH36\_1 AH36\_2 AH36\_3 AH36\_4 AH36\_5 AH36\_6 AH36\_7 AH36\_8 AH36\_9

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: CITIZEN2 QNAME17:

QNAME16: QNAME15:

LABEL: CITIZENSHIP STATUS (3 LVLS)

VALUE:			FREQ	%
1	US-BORN CITIZEN		17089	80.79
2	NATURALIZED CITIZEN		2490	11.77
3	NON-CITIZEN		1574	7.44

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES:

-----

VARNAME: YRUS\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		17089	80.79
1	<5 YEARS		231	1.09
3	5-9 YEARS		237	1.12
4	10-14 YEARS		355	1.68
5	15-19 YEARS		3241	15.32

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR  
VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: PCTLF\_P QNAME17:

QNAME16: QNAME15:

LABEL: PERCENT LIFE IN US (PUF RECODE)

			FREQ	%
VALUE:	1	0-20	395	1.87
	2	21-40	707	3.34
	3	41-60	1194	5.64
	4	61-80	1086	5.13
	5	81+	17771	84.01

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

-----

VARNAME: AH44 QNAME17:

QNAME16: QA15\_G12 QNAME15: QA15\_G12

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

			FREQ	%
VALUE:	-1	INAPPLICABLE	10464	49.47
	1	YES	10366	49.00
	2	NO	323	1.53

UNIVERSE: ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AH43A                                   QNAME17:

  QNAME16:   QA15\_G14                   QNAME15:   QA15\_G14

LABEL:       LIVING WITH A PARENT

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19115	90.37
	2	NO	1259	5.95
			779	3.68

UNIVERSE:   ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING  
W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND LIVING  
W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

-----

VARNAME:   AH44A                                   QNAME17:

  QNAME16:   QA15\_G15                   QNAME15:   QA15\_G15

LABEL:       USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	18312	86.57
	2	NO	785	3.71
			2056	9.72

UNIVERSE:   ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ACHLDC\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20368	96.29
1	\$0-24/WEEK	106	0.50
3	\$25-49/WEEK	84	0.40
4	\$50-99/WEEK	154	0.73
5	\$100-199/WEEK	214	1.01
6	\$200+/WEEK	227	1.07

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

VARNAME: AHEDC\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	NO FORMAL EDUCATION OR GRADE 1-8	982	4.64
2	GRADE 9-11	768	3.63
3	GRADE 12/H.S. DIPLOMA	4354	20.58
4	SOME COLLEGE	3685	17.42
5	VOCATIONAL SCHOOL	620	2.93
6	AA OR AS DEGREE	1568	7.41
7	BA OR BS DEGREE/SOME GRAD SCHOOL	5457	25.80
8	MA OR MS DEGREE	2290	10.83
9	PH.D. OR EQUIVALENT	1429	6.76

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AG8 QNAME17:

QNAME16: QA15\_G29 QNAME15: QA15\_G29

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	11653	55.09
1	WORKING AT A JOB OR BUSINESS	4937	23.34
2	WITH A JOB/BUSINESS, BUT NOT AT WORK	150	0.71
3	LOOKING FOR WORK	151	0.71
4	NOT WORKING AT A JOB OR BUSINESS	4262	20.15

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

-----

VARNAME: AG9\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	15642	73.95
1	PRIVATE COMPANY/NON-PROFIT ORG	3245	15.34
2	GOVERNMENT	1087	5.14
3	SELF-EMPLOYED/FAMILY BUSINESS/FARM	1179	5.57

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR: AG9

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AG10 QNAME17:

QNAME16: QA15\_G23 QNAME15: QA15\_G23

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		17623	83.31
1	YES		1428	6.75
2	NO		1793	8.48
3	LOOKING FOR WORK		309	1.46

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

-----

VARNAME: AG11 QNAME17:

QNAME16: QA15\_G30 QNAME15: QA15\_G30

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		16740	79.14
1	YES		424	2.00
2	NO		3934	18.60
3	LOOKING FOR WORK		55	0.26

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: WRKST\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: WORKING STATUS (PUF 1 YR RECODE)

VALUE:			FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)		9004	42.57
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)		1765	8.34
3	OTHER EMPLOYED		60	0.28
4	UNEMPLOYED, LOOKING FOR WORK		569	2.69
5	UNEMPLOYED, NOT LOOKING FOR WORK		9755	46.12

UNIVERSE: ALL ADULTS

INPUT VAR: AK3 AK1 AK2 AG10

NOTES: CANNOT BE TRENDED WITH WRKST 2003  
-----

VARNAME: AG22 QNAME17:

QNAME16: QA15\_G18 QNAME15: QA15\_G18

LABEL: EVER SERVE IN U.S. ARMED FORCES

VALUE:			FREQ	%
1	YES		2379	11.25
2	NO		18774	88.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

VARNAME:	SERVED	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	LENGTH OF TIME SERVED IN ACTIVE DUTY			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	<6 MONS	18774	88.75
	2	6 MONS - 2 YRS	44	0.21
	3	>2 YRS - 4 YRS	511	2.42
	4	>4 YRS - <20 YRS	869	4.11
	5	>20 YRS	679	3.21
			276	1.30

```
INPUT VAR: AG22 AG24UNIT AG24NUM AG23BEG AG23END
```

NOTES:

VARNAME:	FAMTYP_P	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	FAMILY TYPE (PUF RECODE)			
			FREQ	%
VALUE:	1	SINGLE ADULT, 21+	10024	47.39
	2	SINGLE YOUNG ADULT, 19-20	474	2.24
	3	MARRIED, NO KIDS	6715	31.74
	4	MARRIED WITH KIDS	2747	12.99
	5	SINGLE WITH KIDS	884	4.18
	6	SINGLE 18 YEARS OLD	309	1.46

UNIVERSE: ALL ADULTS

```
INPUT VAR: FAM_TYPE
```

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

```

VARNAME:      FAMSIZE2_P1                      QNAME17:
                                                    QNAME16:      QNAME15:

LABEL:        FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)

              MEAN STATISTICS
              N                      21153
              MIN                     1
              MAX                     8
              MEAN                    1.85

UNIVERSE:     ALL ADULTS

INPUT VAR:    FAM_SIZE2

NOTES:        MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY
              HOUSEHOLD INCOME; TOPCODE = 8

```

VARNAME:	FAMT4	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	FAMILY TYPE - 4 LVLS			
VALUE:	1	SINGLE, NO KIDS	FREQ	%
	2	MARRIED, NO KIDS	10807	51.09
	3	MARRIED WITH KIDS	6715	31.74
	4	SINGLE WITH KIDS	2747	12.99
			884	4.18
UNIVERSE:	ALL ADULTS			
INPUT VAR:	FAM_TYPE			
NOTES:	"SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.			

## **SECTION H: HEALTH INSURANCE**

VARNAME:	AI4	QNAME17:		
		QNAME16:	QA15_H11	QNAME15: QA15_H11
LABEL:	COVERED BY MEDICARE SUPPL POLICY			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	17413	82.32
	2	NO	1966	9.29
			1774	8.39
UNIVERSE:	ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO			
INPUT VAR:				
NOTES:				

VARNAME:	AH100	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	ANYONE HELP FIND HEALTH PLAN			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	20762	98.15
	2	NO	198	0.94
			193	0.91
UNIVERSE:	ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO BUY INS DIRECTLY FROM INS COMPANY			
INPUT VAR:				
NOTES:				



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AH103                                   QNAME17:

QNAME16:   QA15\_H82                   QNAME15:   QA15\_H82

LABEL:       BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

VALUE:		FREQ	%
-1	INAPPLICABLE	17807	84.18
1	YES	817	3.86
2	NO	2529	11.96

UNIVERSE:   ALL ADULTS WITH PRIVATE HEALTH COVERAGE IN PAST 12 MONTHS (CURRENT  
AND PAST COVERAGE) OR UNINSURED ADULTS (CURRENT/PAST 12 MONTHS)

INPUT VAR:

NOTES:

-----

VARNAME:   AH104                                   QNAME17:

QNAME16:   QA15\_H19                   QNAME15:   QA15\_H19

LABEL:       PURCHASE INS DIRECT OR THRU COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	19962	94.37
1	INSURANCE COMPANY OR HMO	557	2.63
2	COVERED CALIFORNIA	617	2.92
91	OTHER	17	0.08

UNIVERSE:   ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS.  
COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH105 QNAME17:

QNAME16: QA15\_H22 QNAME15: QA15\_H22

LABEL: GET INS THRU EMPLOYER,UNION,SHOP PROGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	19160	90.58
1	EMPLOYER	1657	7.83
2	UNION	142	0.67
3	SHOP/COVERED CALIFORNIA	98	0.46
91	OTHER	96	0.45

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

-----

VARNAME: AH110 QNAME17:

QNAME16: QA15\_H83 QNAME15: QA15\_H83

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

VALUE:		FREQ	%
-1	INAPPLICABLE	20336	96.14
1	DIRECTLY FROM AN INSURANCE COMPANY OR HM	238	1.13
2	THROUGH COVERED CALIFORNIA	426	2.01
3	BOTH DIRECT AND COVERED CALIFORNIA	153	0.72

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH111 QNAME17:

QNAME16: QA15\_H88 QNAME15: QA15\_H88

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	20574	97.26
1	VERY DIFFICULT	125	0.59
2	SOMEWHAT DIFFICULT	111	0.52
3	NOT TOO DIFFICULT	168	0.79
4	NOT AT ALL DIFFICULT	175	0.83

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

VARNAME: AH112 QNAME17:

QNAME16: QA15\_H89 QNAME15: QA15\_H89

LABEL: FIND PLAN COULD AFFORD-COVERED CA

VALUE:		FREQ	%
-1	INAPPLICABLE	20574	97.26
1	VERY DIFFICULT	214	1.01
2	SOMEWHAT DIFFICULT	124	0.59
3	NOT TOO DIFFICULT	111	0.52
4	NOT AT ALL DIFFICULT	130	0.61

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH113 QNAME17:

QNAME16: QA15\_H90 QNAME15: QA15\_H90

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		20574	97.26
1	YES		231	1.09
2	NO		348	1.65

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

VARNAME: AH114 QNAME17:

QNAME16: QA15\_H91 QNAME15: QA15\_H91

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

VALUE:			FREQ	%
-1	INAPPLICABLE		20922	98.91
1	BROKER		88	0.42
2	FAMILY MEMBER/FRIEND		35	0.17
3	INTERNET		5	0.02
4	CERTIFIED ENROLLMENT COUNSELOR		98	0.46
91	OTHER		5	0.02

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND  
RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH115 QNAME17:  
QNAME16: QA15\_H92 QNAME15: QA15\_H92

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		20336	96.14
1	YES		648	3.06
2	NO		169	0.80

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH117 QNAME17:  
QNAME16: QA15\_H94 QNAME15: QA15\_H94

LABEL: COST OF SELECTED PLAN IMPORTANT

VALUE:			FREQ	%
-1	INAPPLICABLE		20336	96.14
1	VERY IMPORTANT		594	2.81
2	SOMEWHAT IMPORTANT		179	0.85
3	NOT IMPORTANT		44	0.21

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH118 QNAME17:  
QNAME16: QA15\_H95 QNAME15: QA15\_H95

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

VALUE:		FREQ	%
-1	INAPPLICABLE	20336	96.14
1	VERY IMPORTANT	346	1.64
2	SOMEWHAT IMPORTANT	195	0.92
3	NOT IMPORTANT	276	1.30

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH119 QNAME17:  
QNAME16: QA15\_H96 QNAME15: QA15\_H96

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

VALUE:		FREQ	%
-1	INAPPLICABLE	20336	96.14
1	VERY IMPORTANT	259	1.22
2	SOMEWHAT IMPORTANT	223	1.05
3	NOT IMPORTANT	335	1.58

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH120 QNAME17:

QNAME16: QA15\_H97 QNAME15: QA15\_H97

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

VALUE:		FREQ	%
-1	INAPPLICABLE	20336	96.14
1	VERY IMPORTANT	333	1.57
2	SOMEWHAT IMPORTANT	244	1.15
3	NOT IMPORTANT	240	1.13

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12  
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED  
CALIFORNIA

INPUT VAR:

NOTES:

-----

VARNAME: AI15 QNAME17:

QNAME16: QA15\_H30 QNAME15: QA15\_H30

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	19951	94.32
1	COVERED BY ANOTHER PLAN	589	2.78
2	TOO EXPENSIVE	311	1.47
3	DIDNT LIKE PLAN OFFERED	69	0.33
4	DONT NEED OR BELIEVE IN HEALTH INSURANCE	29	0.14
5	IN PROCESS	36	0.17
6	DIDNT TAKE UP - OTHER	139	0.66
7	RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL	4	0.02
91	OTHER	25	0.12

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH  
ELIGIBLE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15A

QNAME17:

QNAME16: QA15\_H31

QNAME15: QA15\_H31

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	20282	95.88
1	HAVENT WORKED HERE LONG ENOUGH	109	0.52
2	CONTRACT OR TEMP EMPLOYEE	132	0.62
3	DONT WORK ENOUGH HOURS PER WEEK	447	2.11
4	DOES NOT MEET AGE REQUIREMENTS	15	0.07
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	12	0.06
6	NOT ELIGIBLE - OTHER	20	0.09
7	HAS LEFT POSITION/RETIRED/LAID OFF	62	0.29
91	OTHER	74	0.35

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT  
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AI37A

QNAME17:

QNAME16: QA15\_H41

QNAME15: QA15\_H41

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:		FREQ	%
-1	INAPPLICABLE	19914	94.14
1	YES	846	4.00
2	NO	393	1.86

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT  
COVERED BY HMO

INPUT VAR:

NOTES:



VARNAME:	AI45_P1	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	COVERED BY ANOTHER PLAN	20231	95.64
	2	TOO EXPENSIVE	579	2.74
	3	DIDNT LIKE PLAN OFFERED	233	1.10
	4	OTHER REASON	46	0.22
			64	0.30
UNIVERSE:	ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE			
INPUT VAR:	AI45			
NOTES:				

H-10

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AI22C QNAME17:  
 QNAME16: QA15\_H60 QNAME15: QA15\_H60

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		6828	32.28
1	YES		7334	34.67
2	NO		6991	33.05

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE  
HMO

INPUT VAR:

NOTES:  
 -----

VARNAME: AI25NEW QNAME17:  
 QNAME16: QNAME15:

LABEL: RX COVERAGE EDITED FOR MEDI-CAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		1073	5.07
1	YES		19066	90.13
2	NO		1014	4.79

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES  
 -----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25

QNAME17:

QNAME16: QA15\_H63

QNAME15: QA15\_H63

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:			FREQ	%
-1	INAPPLICABLE		1113	5.26
1	YES		18584	87.86
2	NO		1456	6.88

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI22A\_P

QNAME17:

QNAME16: QA15\_H62

QNAME15: QA15\_H62

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-8	DON'T KNOW		188	0.89
-1	INAPPLICABLE		6762	31.97
1	KAISER		3033	14.34
2	BLUE CROSS		2770	13.10
3	UNITED HEALTHCARE (FORMER PACIFICARE)		803	3.80
4	BLUE SHIELD		1538	7.27
5	HEALTH NET		559	2.64
6	AETNA		527	2.49
7	CIGNA HEALTH CARE		319	1.51
8	OTHER		4654	22.00

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE  
HMO

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: HMO QNAME17:

QNAME16: QNAME15:

LABEL: HMO STATUS

VALUE:			FREQ	%
1	HMO		9996	47.26
2	NON-HMO		9909	46.84
3	UNINSURED		1248	5.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AH71\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		10983	51.92
1	YES		3549	16.78
2	NO		6621	31.30

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH  
INS

INPUT VAR: AH71

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH72\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	10983	51.92
	2	NO	2944	13.92
			7226	34.16

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR: AH72

NOTES:

-----

VARNAME: AH73B QNAME17:

QNAME16: QA11\_H64 QNAME15:

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	12947	61.21
	2	NO	2278	10.77
			5928	28.02

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH74

QNAME17:

QNAME16: QA15\_H75

QNAME15: QA15\_H75

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		20579	97.29
1	YES		253	1.20
2	NO		321	1.52

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH75

QNAME17:

QNAME16: QA15\_H77

QNAME15: QA15\_H77

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

VALUE:			FREQ	%
-1	INAPPLICABLE		20040	94.74
1	YES		407	1.92
2	NO		706	3.34

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AI28

QNAME17:

QNAME16: QA15\_H79

QNAME15: QA15\_H79

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:		FREQ	%
-1	INAPPLICABLE	20457	96.71
1	1 TO 3 YRS AGO	230	1.09
2	MORE THAN 3 YRS AGO	282	1.33
3	NEVER HAD HEALTH INSURANCE COVERAGE	184	0.87

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME  
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AH14

QNAME17:

QNAME16: QA15\_H99

QNAME15: QA15\_H99

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	1	0.00
1	YES	2546	12.04
2	NO	18606	87.96

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA DURING THE PAST 12  
MOS

INPUT VAR:

NOTES: CHIS 2017: RECOMMEND USING 'ER' CONSTRUCTED VARIABLE

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH101\_P QNAME17:

QNAME16: QNAME15:

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20955	99.06
1	BROKER		138	0.65
2	FAMILY MEMBER/FRIEND		40	0.19
3	INTERNET		1	0.00
4	OTHER/MULTIPLE REASONS		19	0.09

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR: AH101

NOTES:

-----

VARNAME: AH98\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		20762	98.15
1	VERY DIFFICULT		117	0.55
2	SOMEWHAT DIFFICULT		80	0.38
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT		194	0.92

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH98

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH99\_P1 QNAME17:

QNAME16: QNAME15:

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	20762	98.15
1	VERY DIFFICULT	179	0.85
2	SOMEWHAT DIFFICULT	82	0.39
3	NOT TOO DIFFICULT/NOT AT ALL DIFFICULT	130	0.61

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO  
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR: AH99

NOTES:

-----

VARNAME: AH125\_P QNAME17:

QNAME16: QA15\_H10 QNAME15: QA15\_H10

LABEL: MEDICARE ADVANTAGE PLAN NAME (PUF RECODE)

VALUE:		FREQ	%
-8	DON'T KNOW	21	0.10
-1	INAPPLICABLE	15677	74.11
1	KAISER	1618	7.65
2	BLUE CROSS	422	1.99
3	UNITED HEALTHCARE (FORMER PACIFICARE)	898	4.25
4	BLUE SHIELD	210	0.99
5	HEALTH NET	229	1.08
6	AETNA	76	0.36
7	CIGNA HEALTH CARE	16	0.08
8	OTHER	1986	9.39

UNIVERSE: ADULTS WITH A MEDICARE ADVANTAGE PLAN

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH126\_P1 QNAME17:

QNAME16: QA15\_H12 QNAME15: QA15\_H12

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		14090	66.61
1	DIRECTLY		3138	14.83
2	CURRENT EMPLOYER		108	0.51
3	FORMER EMPLOYER		1750	8.27
4	UNION		135	0.64
5	OTHER		928	4.39
6	AARP		746	3.53
7	SPOUSE'S EMPLOYER/UNION		258	1.22

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR: AH126

NOTES:

-----

VARNAME: INS QNAME17:

QNAME16: QNAME15:

LABEL: CURRENTLY INSURED

VALUE:			FREQ	%
1	YES		19911	94.13
2	NO		1242	5.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   INS\_S                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       SPOUSE CURRENTLY INSURED

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11909	56.30
	2	NO	8805	41.63
			439	2.08

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

VARNAME:   INS12M                               QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       MOS COVERED BY HEALTH PLANS LAST 12 MOS

	MEAN STATISTICS	
	N	21153
	MIN	0
	MAX	12
	MEAN	11.34

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: UNINSANY

QNAME17:

QNAME16:

QNAME15:

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		7940	37.54
1	UNINSURED ALL YEAR		794	3.75
2	UNINSURED PART YEAR		887	4.19
3	INSURED ALL YEAR		11532	54.52

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:  
-----

VARNAME: INS64\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		7940	37.54
1	UNINSURED		1203	5.69
2	MEDI-CAL (MEDICAID)		3343	15.80
3	MEDICARE		235	1.11
4	EMPLOYMENT-BASED		6972	32.96
5	PRIVATELY PURCHASED		1221	5.77
6	CHIP/OTHER PUBLIC PRGM		239	1.13

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INS64

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: SPOUSE'S CURRENT HEALTH COVG - &lt; 65 YRS (PUF RECODE)

VALUE:		FREQ	%
-1	SKIPPED - AGE >= 65	15035	71.08
1	UNINSURED	426	2.01
2	MEDI-CAL (MEDICAID)	706	3.34
3	MEDICARE	85	0.40
4	EMPLOYMENT-BASED	4303	20.34
5	PRIVATELY PURCHASED	478	2.26
6	CHIP/OTHER PUBLIC PRGM	120	0.57

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64\_S

NOTES:

VARNAME: INSANY

QNAME17:

QNAME16:

QNAME15:

LABEL: ANY INS IN LAST 12 MOS

VALUE:		FREQ	%
1	CURRENTLY UNINSURED	1242	5.87
2	UNINS. ANY PAST 12 MO	505	2.39
3	INSURED ALL PAST 12 MO	19406	91.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INST\_12

QNAME17:

QNAME16:

QNAME15:

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:		FREQ	%
-1	INAPPLICABLE-AGE>=65	7940	37.54
1	MEDI-CAL (MEDICAID) ONLY	3022	14.29
2	EMPLOYER-BASED COVERAGE ONLY (EBI)	6578	31.10
3	PRIVATE COVERAGE ONLY	1103	5.21
4	OTHER COVERAGE ONLY	440	2.08
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)	389	1.84
6	UNINSURED ONLY	794	3.75
7	UNINSURED + EMPLOYER-BASED ONLY	267	1.26
8	ANY 1 OR MORE TYPES + UNINSURED	620	2.93

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR: INSLT12

NOTES:

VARNAME: INS65

QNAME17:

QNAME16:

QNAME15:

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:		FREQ	%
-1	SKIPPED - AGE < 65	13213	62.46
1	MEDICARE + MEDI-CAL (MEDICAID)	1398	6.61
2	MEDICARE + OTHER	5648	26.70
3	MEDICARE ONLY	507	2.40
4	OTHER ONLY	348	1.65
5	UNINSURED	39	0.18

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME:   INS65\_S                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

  

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		18027	85.22
1	MEDICARE + MEDICAID		190	0.90
2	MEDICARE + OTHER		840	3.97
3	MEDICARE ONLY		1877	8.87
4	OTHER ONLY		206	0.97
5	UNINSURED		13	0.06

UNIVERSE:   ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

---

VARNAME:   INSTYPE                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

  

VALUE:			FREQ	%
1	UNINSURED		1242	5.87
2	MEDICARE & MEDICAID		1816	8.59
3	MEDICARE & OTHERS		5508	26.04
4	MEDICARE ONLY		882	4.17
5	MEDICAID		2954	13.96
7	EMPLOYMENT-BASED		7226	34.16
8	PRIVATELY PURCHASED		1247	5.90
9	OTHER PUBLIC		278	1.31

UNIVERSE:   ALL ADULTS

INPUT VAR:   INS   INSMD   INSMC   INSEM   INSHF   INSPR   INSML   INSOT   INSOG   INSHK   SRAGE

NOTES:

---

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INS9TP

QNAME17:

QNAME16:

QNAME15:

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)

VALUE:			FREQ	%
1	UNINSURED		1242	5.87
2	MEDICARE + EMPLOYER-BASED		1371	6.48
3	MEDICARE AND OTHERS (NO EMPLOYER-BASED)		6835	32.31
4	MEDICAID + EMPLOYER-BASED		397	1.88
5	MEDICAID (NO EMPLOYER-BASED)		2557	12.09
7	EMPLOYER BASED (NO MEDICARE OR MEDICAID)		7226	34.16
8	PRIVATE PURCHASE		1247	5.90
9	OTHER PUBLIC		278	1.31

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE INS INSMD INSMC INSEM INSHF INSPR INSML INSOT INSOG INSHK

NOTES:

VARNAME: INSEM

QNAME17:

QNAME16:

QNAME15:

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
1	YES		8994	42.52
2	NO		12159	57.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



VARNAME:	INSEM_S	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	SPOUSE COVERED BY EMPLOYER-BASED PLANS			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11909	56.30
	2	NO	5209	24.63
			4035	19.08
UNIVERSE:	ALL ADULTS WITH SPOUSE			
INPUT VAR:				
NOTES:				

H-26

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: MC\_TYPE QNAME17:

QNAME16: QNAME15:

LABEL: TYPE OF MEDICARE COVERAGE

VALUE:			FREQ	%
-1	NOT ENROLLED IN MEDICARE		12947	61.21
1	MEDICARE ADVANTAGE		4784	22.62
2	MEDICARE + MEDICARE SUPPLEMENTAL PLAN		1914	9.05
3	OTHER MEDICARE		1508	7.13

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR:

NOTES:

-----

VARNAME: INSMC\_S QNAME17:

QNAME16: QNAME15:

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		11909	56.30
1	YES		3008	14.22
2	NO		6236	29.48

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   INSMD                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       COVERED BY MEDI-CAL

VALUE:	1	YES	FREQ	%
	2	NO	4779	22.59
			16374	77.41

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   INSMD\_S                               QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       SPOUSE COVERED BY MEDI-CAL

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11909	56.30
	2	NO	902	4.26
			8342	39.44

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   INSOG                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       COVERED BY OTHER GOVT PLANS

VALUE:	1	YES	FREQ	%
	2	NO	126	0.60
			21027	99.40

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   INSOG\_S                               QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	11909	56.30
	2	NO	142	0.67
			9102	43.03

UNIVERSE:   ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

-----

VARNAME:	INSPR	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	COVERED BY PLANS PURCHASED ON OWN			
VALUE:	1	YES	FREQ	%
	2	NO	1316	6.22
			19837	93.78
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

H-30

VARNAME:	COVRDCA	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA			
VALUE:	1	YES	FREQ	%
	2	NO	738	3.49
			20415	96.51
UNIVERSE:	ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY THROUGH COVERED CALIFORNIA OR THROUGH EMPLOYER BY COVERED CALIFORNIA SHOP.			
INPUT VAR:				
NOTES:				

VARNAME:	INSPS	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	PRIMARY OR SECONDARY COVERAGE			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	PRIMARY	11099	52.47
	2	SECONDARY	8377	39.60
	3	NOT SPECIFIED AS PRIMARY OR SECONDARY	1676	7.92
			1	0.00
UNIVERSE:	ALL ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

VARNAME:	INSPS_S	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	PRIMARY	15951	75.41
	2	SECONDARY	2968	14.03
			2234	10.56
UNIVERSE:	ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS			
INPUT VAR:				
NOTES:				

VARNAME:	OFFTK	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS			
VALUE:	-1	UNEMPLOYED OR SELF-EMPLOYED	FREQ	%
	1	ACCEPTED EBI	10011	47.33
	2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	7501	35.46
	3	WAS OFFERED EBI, NOT ELIGIBLE	1185	5.60
	4	WAS NOT OFFERED EBI	868	4.10
			1588	7.51
UNIVERSE:	ALL ADULTS WHO ARE WORKING FOR WAGES			
INPUT VAR:	INSEM INSPS AK1 AG10 AK4 AI13 AI14			
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH79B

QNAME17:

QNAME16:

QNAME15:

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		5323	25.16
1	YES		513	2.43
2	NO		15317	72.41

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH80B

QNAME17:

QNAME16:

QNAME15:

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		20640	97.57
1	YES		353	1.67
2	NO		160	0.76

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES MEDI-CAL) WHO REPORTED REACHING  
LIMIT OF INSURANCE COMPANY

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH81B

QNAME17:

QNAME16:

QNAME15:

LABEL: EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B

VALUE:			FREQ	%
1	YES		1893	8.95
2	NO		19260	91.05

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH83B

QNAME17:

QNAME16:

QNAME15:

LABEL: AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING

VALUE:			FREQ	%
-1	INAPPLICABLE		19260	91.05
1	LESS THAN \$1,000		500	2.36
2	\$1,000 TO LESS THAN \$2,000		322	1.52
3	\$2,000 TO LESS THAN \$4,000		322	1.52
4	\$4,000 TO LESS THAN \$8,000		310	1.47
5	\$8,000 OR MORE		425	2.01
6	NONE		14	0.07

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S  
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AH85B                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19260	91.05
	2	NO	564	2.67
			1329	6.28

UNIVERSE:   ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S  
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES:       NOT TRENDABLE W/ CHIS 2009

-----

VARNAME:   AH86B                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19260	91.05
	2	NO	796	3.76
			1097	5.19

UNIVERSE:   ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S  
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES:       NOT TRENDABLE W/ CHIS 2009

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: INSLMT12M QNAME17:

QNAME16: QNAME15:

LABEL: REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS

VALUE:			FREQ	%
-1	INAPPLICABLE		5323	25.16
1	YES		353	1.67
2	NO		15477	73.17

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR: AH79 AH80

NOTES:

-----

VARNAME: AH128 QNAME17:

QNAME16: QNAME15:

LABEL: AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE

MEAN STATISTICS	
N	6981
MIN	0
MAX	9000
MEAN	427.32

UNIVERSE: ADULTS COVERED BY EMPLOYER, SHOP, OR PRIVATE INSURANCE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH130

QNAME17:

QNAME16:

QNAME15:

LABEL: HAS MONEY IN HSA ACCOUNT

VALUE:			FREQ	%
-1	INAPPLICABLE		18875	89.23
1	YES		1905	9.01
2	NO		373	1.76

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

VARNAME: AH131\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT (PUF Recode)

VALUE:			FREQ	%
-1	INAPPLICABLE		19248	90.99
1	\$0		31	0.15
2	\$1 - \$999		575	2.72
3	\$1000 - \$1999		340	1.61
4	\$2000 - \$2999		309	1.46
5	\$3000 - \$3999		111	0.52
6	\$4000 - \$4999		56	0.26
7	\$5,000+		483	2.28

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: HSAAMT\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	18875	89.23
1	\$0	404	1.91
2	\$1 - \$999	575	2.72
3	\$1000 - \$1999	340	1.61
4	\$2000 - \$2999	309	1.46
5	\$3000 - \$3999	111	0.52
6	\$4000 - \$4999	56	0.26
7	\$5000+	483	2.28

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS  
COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR:

NOTES:

VARNAME: AH132

QNAME17:

QNAME16:

QNAME15:

LABEL: LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS	
N	18095
MIN	1
MAX	720
MEAN	141.08

UNIVERSE: ADULTS WHO HAD THE SAME HEALTH INSURANCE FOR ALL OF THE PAST 12 MOS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AH133

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN

## MEAN STATISTICS

N	2046
MIN	0
MAX	12
MEAN	5.65

UNIVERSE: ADULTS WITH A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE PAST  
12 MOS

INPUT VAR:

NOTES:  
-----

VARNAME: TCURPLAN

QNAME17:

QNAME16:

QNAME15:

LABEL: TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS

## MEAN STATISTICS

N	20040
MIN	0
MAX	720
MEAN	127.93

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR: AI31 AH132 AH133

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH134

QNAME17:

QNAME16:

QNAME15:

LABEL: HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		21118	99.83
1	MEDI-CAL		5	0.02
3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	12		0.06
5	PURCHASED DIRECTLY	2		0.01
6	COVERED CALIFORNIA	6		0.03
91	OTHER HEALTH PLAN	10		0.05

UNIVERSE: ADULTS WHO HAD 2 OR MORE DIFFERENT TYPES OF HEALTH PLAN IN THE  
PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH135

QNAME17:

QNAME16:

QNAME15:

LABEL: OTHER HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		2527	11.95
1	MEDI-CAL		978	4.62
3	THROUGH CURRENT OR FORMER EMPLOYER/UNION	7424		35.10
5	PURCHASED DIRECTLY	1147		5.42
6	COVERED CALIFORNIA	502		2.37
91	OTHER HEALTH PLAN	1874		8.86
95	NO OTHER HEALTH PLAN	6701		31.68

UNIVERSE: ADULTS WITH CURRENT HEALTH PLAN IN ALL OF THE PAST 12 MOS OR  
UNINSURED DURING PAST 12 MOS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: PINSTYPE

QNAME17:

QNAME16:

QNAME15:

LABEL: TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN

VALUE:			FREQ	%
-1	INAPP, NOT INSURED		1113	5.26
1	MEDI-CAL		1126	5.32
3	ESI		8173	38.64
5	PRIVATE PURCHASE		1262	5.97
6	COVERED CA		666	3.15
91	OTHER PLAN		2112	9.98
95	NO PREVIOUS PLAN		6701	31.68

UNIVERSE: CURRENTLY INSURED ADULTS WHO HAD DIFFERENT HEALTH INSURANCE BEFORE  
CURRENT PLAN

INPUT VAR: AH134 AH135 AI31 AI32

NOTES:

VARNAME: AH136

QNAME17:

QNAME16:

QNAME15:

LABEL: LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN

MEAN STATISTICS	
N	13339
MIN	0
MAX	720
MEAN	152.42

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE  
PAST 12 MOS

INPUT VAR:

NOTES:



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AH137

QNAME17:

QNAME16:

QNAME15:

LABEL: EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		1113	5.26
1	YES		1672	7.90
2	NO		18368	86.83

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE  
PAST 12 MOS

INPUT VAR:

NOTES:  
-----

## **SECTION J: HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AH1

QNAME17:

QNAME16: QA15\_H1

QNAME15: QA15\_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		17518	82.82
2	NO		2041	9.65
3	DOCTOR / MY DOCTOR		1150	5.44
4	KAISER		407	1.92
5	MORE THAN ONE PLACE		37	0.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ80                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	15907	75.20
	2	NO	3883	18.36
			1363	6.44

UNIVERSE:   ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND  
              HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:       RECLAIMED FROM CHIS 2014

-----

VARNAME:   AH3\_P1                               QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	DOCTOR'S OFFICE/KAISER/HMO	2041	9.65
	2	CLINIC/HEALTH CENTER/HOSPITAL CLINIC	13546	64.04
	3	EMERGENCY ROOM	5085	24.04
	4	OTHER/NO ONE PLACE	298	1.41
			183	0.87

UNIVERSE:   ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR: AH3

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   USOC                                   QNAME17:

  QNAME16:                           QNAME15:

LABEL:       USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		18817	88.96
2	NO		2336	11.04

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   USUAL                                   QNAME17:

  QNAME16:                           QNAME15:

LABEL:       HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		19112	90.35
2	NO		2041	9.65

UNIVERSE:   ALL ADULTS

INPUT VAR: AH1

NOTES:

-----

VARNAME:	USUAL_TP	QNAME17:			
		QNAME16:		QNAME15:	
LABEL:	USUAL SOURCE OF CARE (7 LVLS)				
				FREQ	%
VALUE:	1	DOC OFFICE/HMO/KAISER		13840	65.43
	2	COMMUN/GOV CLIN, COMMUN HOSP		4801	22.70
	3	EMERGENCY ROOM		295	1.39
	5	SOME OTHER PLACE		126	0.60
	6	NO ONE PARTICULAR PLACE		50	0.24
	7	NO USUAL SOURCE OF CARE		2041	9.65
UNIVERSE:	ALL ADULTS				
INPUT VAR:	AH1 AH3				
NOTES:					

VARNAME:	USUAL5TP	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	USUAL SOURCE OF CARE (5 LVLS)			
VALUE:	1	DOC OFFICE/HMO/KAISER	FREQ	%
	2	COMMUN/GOV CLIN, COMMUN HOSP	13840	65.43
	3	EMERGENCY ROOM/URGENT CARE	4801	22.70
	4	OTHER PLACE/NO ONE PLACE	295	1.39
	5	NO USUAL SOURCE OF CARE	176	0.83
			2041	9.65
UNIVERSE:	ALL ADULTS			
INPUT VAR:	USUAL_TP			
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH5 QNAME17:

QNAME16: QA15\_J1 QNAME15: QA15\_J1

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS

N	21153
MIN	0
MAX	365
MEAN	5.31

UNIVERSE: ALL ADULT

INPUT VAR:

NOTES:

-----

VARNAME: AH6 QNAME17:

QNAME16: QA15\_J2 QNAME15: QA15\_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	18278	86.41
0	WITHIN THE PAST YR	620	2.93
1	1 TO 2 YRS AGO	1128	5.33
2	2 TO 5 YRS AGO	702	3.32
3	MORE THAN 5 YRS AGO	353	1.67
4	NEVER	72	0.34

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME:   ACMDNUM

QNAME17:

QNAME16:

QNAME15:

LABEL:       # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0 TIME		2875	13.59
1	1 TIMES		3344	15.81
2	2 TIMES		3447	16.30
3	3 TIMES		2485	11.75
4	4 TIMES		2274	10.75
5	5 TIMES		1197	5.66
6	6 TIMES		1343	6.35
7	7-8 TIMES		915	4.33
8	9-12 TIMES		1743	8.24
9	13-24 TIMES		963	4.55
10	25+ TIMES		567	2.68

UNIVERSE:   ALL ADULTS

INPUT VAR:   AH5

NOTES:

VARNAME:   DOCT\_YR

QNAME17:

QNAME16:

QNAME15:

LABEL:       VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		18278	86.41
2	NO		2875	13.59

UNIVERSE:   ALL ADULTS

INPUT VAR:   AH5

NOTES:



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

---

VARNAME: AJ77 QNAME17:

QNAME16: QA15\_J4 QNAME15: QA15\_J4

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

VALUE:			FREQ	%
-1	INAPPLICABLE		2041	9.65
1	YES		17177	81.20
2	NO		1935	9.15

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE ABOUT HEALTH

INPUT VAR:

NOTES: Not trendable with CHIS 2009 AJ77

---

VARNAME: AJ8B QNAME17:

QNAME16: QA11\_J12 QNAME15: QA15\_J11

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		1127	5.33
1	YES		575	2.72
2	NO		19448	91.94

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES: Caution trending with 2011-2012 AJ8 due to universe change.

---

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		16003	75.65
1	ENGLISH		3887	18.38
2	SPANISH		1028	4.86
3	VIETNAMESE		62	0.29
4	KOREAN		25	0.12
5	CANTONESE		27	0.13
6	MANDARIN		46	0.22
7	OTHER		72	0.34

UNIVERSE: ALL ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST  
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

VARNAME: AJ9

QNAME17:

QNAME16: QA15\_J13

QNAME15: QA15\_J13

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
-1	INAPPLICABLE		20575	97.27
1	YES		309	1.46
2	NO		266	1.26

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING DOCTOR

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10

QNAME17:

QNAME16: QA15\_J14

QNAME15: QA15\_J14

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	16688	78.89
1	YES	461	2.18
2	NO	4001	18.91

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND DIDN'T  
HAVE HARD TIME UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES:

VARNAME: AJ11

QNAME17:

QNAME16: QA15\_J15

QNAME15: QA15\_J15

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	20689	97.81
1	MINOR CHILD (UNDER AGE 18)	2	0.01
2	AN ADULT FAMILY MEMBER OF FRIEND OF MINE	87	0.41
3	NON-MEDICAL OFFICE STAFF	12	0.06
4	MEDICAL STAFF INCLUDING NURSES / DOCTORS	235	1.11
5	PROFESSIONAL INTERPRETER (BOTH IN PERSON	70	0.33
6	OTHER (PATIENTS, SOMEONE ELSE)	26	0.12
7	DID NOT HAVE SOMEONE TO HELP	29	0.14

UNIVERSE: ALL ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A  
HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED  
SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AH16 QNAME17:

QNAME16: QA15\_J19 QNAME15: QA15\_J19

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

VALUE:			FREQ	%
1	YES		2167	10.24
2	NO		18986	89.76

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ19 QNAME17:

QNAME16: QA15\_J20 QNAME15: QA15\_J20

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

VALUE:			FREQ	%
-1	INAPPLICABLE		18986	89.76
1	YES		995	4.70
2	NO		1172	5.54

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST  
12 MOS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AH22 QNAME17:

QNAME16: QA15\_J21 QNAME15: QA15\_J21

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		2675	12.65
2	NO		18478	87.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ20 QNAME17:

QNAME16: QA15\_J23 QNAME15: QA15\_J23

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18478	87.35
1	YES		1156	5.46
2	NO		1519	7.18

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ102                                   QNAME17:

  QNAME16:   QA15\_J7                   QNAME15:   QA15\_J7

LABEL:       SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		486	2.30
1	YES		6102	28.85
2	NO		14565	68.86

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

-----

VARNAME:   AJ103                                   QNAME17:

  QNAME16:   QA15\_J8                   QNAME15:   QA15\_J8

LABEL:       HOW OFTEN GET APPNT IN 2 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		15051	71.15
1	NEVER		738	3.49
2	SOMETIMES		953	4.51
3	USUALLY		1440	6.81
4	ALWAYS		2971	14.05

UNIVERSE:   ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO  
              TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   TIMAPPT                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	15051	71.15
	2	NO	5364	25.36
			738	3.49

UNIVERSE:   INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.  
              APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR: AJ102   AJ103

NOTES:

-----

VARNAME:   AJ105                                   QNAME17:

  QNAME16:   QA15\_J16                                   QNAME15:   QA15\_J16

LABEL:       KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19614	92.72
	2	NO	1090	5.15
			449	2.12

UNIVERSE:   ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AJ106 QNAME17:  
 QNAME16: QA15\_J17 QNAME15: QA15\_J17

LABEL: USUAL PLACE FOR HLTH CARE CHANGED PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		2400	11.35
1	YES		1705	8.06
2	NO		17048	80.59

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

-----

VARNAME: AJ107 QNAME17:  
 QNAME16: QA15\_J18 QNAME15: QA15\_J18

LABEL: CHANGE USUAL PLACE DUE TO INSURANCE PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19448	91.94
1	YES		552	2.61
2	NO		1153	5.45

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAD INSURANCE AT ANY TIME DURING THE  
PAST 12 MOS AND HAVE A USUAL SOURCE OF CARE AND CHANGED PLACE OF  
HEALTH CARE

INPUT VAR:

NOTES:

-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AJ114 QNAME17:

QNAME16: QA15\_J3 QNAME15: QA15\_J3

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

VALUE:		FREQ	%
-1	INAPPLICABLE	72	0.34
0	ONE YEAR AGO OR LESS	16603	78.49
1	MORE THAN 1 UP TO 2 YEARS AGO	2159	10.21
2	MORE THAN 2 UP TO 5 YEARS AGO	1203	5.69
3	MORE THAN 5 YEARS AGO	801	3.79
4	NEVER	315	1.49

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR:

NOTES:

-----

VARNAME: AJ129 QNAME17:

QNAME16: QA15\_J22 QNAME15: QA15\_J22

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

VALUE:		FREQ	%
-1	INAPPLICABLE	18478	87.35
1	YES	982	4.64
2	NO	1693	8.00

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ131\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	19556	92.45
1	COULDN'T GET APPOINTMENT	225	1.06
2	COST,INSURANCE (NOT COVRD/ACCPTD,NO INS)	111	0.52
5	TRANSPORTATION PROBLEMS	95	0.45
6	HOURS NOT CONVENIENT	108	0.51
9	I DIDN'T HAVE TIME	328	1.55
12	DID NOT THINK SERIOUS ENOUGH/NEEDED	115	0.54
13	NOT SATISFIED WITH HEALTH CARE RECEIVED	191	0.90
14	OTHER REASON	282	1.33
15	ANXIETY, FEAR, AVOIDANCE OF MEDICAL CARE	142	0.67

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST  
YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR: AJ131

NOTES:

VARNAME: CARE\_PV

QNAME17:

QNAME16:

QNAME15:

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

VALUE:		FREQ	%
1	YES	16603	78.49
2	NO	4550	21.51

UNIVERSE: ALL ADULTS

INPUT VAR: AJ114

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RN\_FORGO                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       REASONS FORGONE NECESSARY CARE

VALUE:			FREQ	%
-1	INAPPLICABLE		18478	87.35
1	COST		1107	5.23
2	COULDN'T GET APPOINTMENT		225	1.06
3	DIDN'T HAVE TIME		436	2.06
4	OTHERS		907	4.29

UNIVERSE:   ADULTS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR: AJ20   AJ130   AJ131

NOTES:

-----

VARNAME:   FORGO                                   QNAME17:

QNAME16:                                   QNAME15:

LABEL:       HAD TO FORGO NECESSARY CARE

VALUE:			FREQ	%
1	YES		1693	8.00
2	NO		19460	92.00

UNIVERSE:   ALL ADULTS

INPUT VAR: AH22   AJ129

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AG1

QNAME17:

QNAME16: QA13\_J51

QNAME15:

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

VALUE:		FREQ	%
0	HAVE NEVER VISIT	293	1.39
1	6 MONTHS AGO OR LESS	12898	60.97
2	MORE THAN 6 MONTHS UP TO 1 YEAR AGO	2923	13.82
3	MORE THAN 1 YEAR UP TO 2 YEARS AGO	1893	8.95
4	MORE THAN 2 YEARS UP TO 5 YEARS AGO	1607	7.60
5	MORE THAN 5 YEARS AGO	1539	7.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2014

VARNAME: AJ167

QNAME17:

QNAME16:

QNAME15:

LABEL: ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM

VALUE:		FREQ	%
-1	INAPPLICABLE	293	1.39
1	ROUTINE CHECKUP OR CLEANING	14384	68.00
2	SPECIFIC PROBLEM	5379	25.43
3	BOTH	1097	5.19

UNIVERSE: ADULTS WHO HAVE EVER BEEN TO THE DENTIST

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ168

QNAME17:

QNAME16:

QNAME15:

LABEL: CONDITION OF TEETH

VALUE:			FREQ	%
1	EXCELLENT		3145	14.87
2	VERY GOOD		5873	27.76
3	GOOD		6583	31.12
4	FAIR		3202	15.14
5	POOR		1652	7.81
6	HAS NO NATURAL TEETH		698	3.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG3

QNAME17:

QNAME16: QA13\_J52

QNAME15:

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

VALUE:			FREQ	%
1	YES		13075	61.81
2	NO		8078	38.19

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2014

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AJ136 QNAME17:

QNAME16: QA15\_J26 QNAME15: QA15\_J26

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

VALUE:			FREQ	%
1	YES		10124	47.86
2	NO		11029	52.14

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AJ137 QNAME17:

QNAME16: QA15\_J27 QNAME15: QA15\_J27

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		11029	52.14
1	YES		825	3.90
2	NO		9299	43.96

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AJ138 QNAME17:

QNAME16: QA15\_J28 QNAME15: QA15\_J28

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		11029	52.14
1	YES		567	2.68
2	NO		9557	45.18

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

-----

VARNAME: AJ139 QNAME17:

QNAME16: QA15\_J29 QNAME15: QA15\_J29

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		11258	53.22
1	YES		880	4.16
2	NO		9015	42.62

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ133 QNAME17:  
QNAME16: QA15\_J30 QNAME15: QA15\_J30

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

VALUE:			FREQ	%
1	YES		812	3.84
2	NO		20341	96.16

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134 QNAME17:  
QNAME16: QA15\_J31 QNAME15: QA15\_J31

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

VALUE:			FREQ	%
1	YES		902	4.26
2	NO		20251	95.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ135 QNAME17:  
QNAME16: QA15\_J32 QNAME15: QA15\_J32

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		1113	5.26
1	YES		991	4.68
2	NO		19049	90.05

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:



VARNAME:	PC_INS	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	1113	5.26
	2	NO	991	4.68
			19049	90.05
UNIVERSE:	CURRENTLY INSURED ADULTS			
INPUT VAR:	AJ135			
NOTES:				

VARNAME:	PC_NEWP	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT			
VALUE:	1	YES	FREQ	%
	2	NO	902	4.26
			20251	95.74
UNIVERSE:	ALL ADULTS			
INPUT VAR:	AJ134			
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: SC\_INS QNAME17:

QNAME16: QNAME15:

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I

VALUE:			FREQ	%
-1	INAPPLICABLE		11258	53.22
1	YES		880	4.16
2	NO		9015	42.62

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ139

NOTES:

-----

VARNAME: SC\_NEWP QNAME17:

QNAME16: QNAME15:

LABEL: SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT

VALUE:			FREQ	%
-1	INAPPLICABLE		11029	52.14
1	YES		567	2.68
2	NO		9557	45.18

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR: AJ138

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AH95\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		16275	76.94
0	0 TIMES		22	0.10
1	1 TIMES		2941	13.90
2	2 TIMES		1023	4.84
3	3 TIMES		404	1.91
4	4 TIMES		200	0.95
5	5+ TIMES		288	1.36

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR: AH95

NOTES:

VARNAME: ER

QNAME17:

QNAME16:

QNAME15:

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		4878	23.06
2	NO		16275	76.94

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12 AH13A AB67 AB109 AB115

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AJ152                                   QNAME17:

QNAME16:   QA15\_J9                   QNAME15:   QA15\_J9

LABEL:       RECEIVED CARE FROM HEALTH PROVIDER THROUGH VIDEO/PHONE IN PAST 12

VALUE:			FREQ	%
1	YES		2669	12.62
2	NO		18484	87.38

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME:   AJ153\_1                               QNAME17:

QNAME16:   QA15\_J10                   QNAME15:   QA15\_J10

LABEL:       HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		258	1.22
2	NO		2411	11.40

UNIVERSE:   ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AJ153\_2 QNAME17:  
 QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		156	0.74
2	NO		2513	11.88

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
 -----

VARNAME: AJ153\_4 QNAME17:  
 QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		7	0.03
2	NO		2662	12.58

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
 -----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153\_5 QNAME17:  
QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		352	1.66
2	NO		2317	10.95

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AJ153\_6 QNAME17:  
QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		440	2.08
2	NO		2229	10.54

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AJ153\_8 QNAME17:  
 QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		242	1.14
2	NO		2427	11.47

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
 -----

VARNAME: AJ153\_10 QNAME17:  
 QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		311	1.47
2	NO		2358	11.15

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
 -----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
 VARNAME: AJ153\_11 QNAME17:  
 QNAME16: QA15\_J10 QNAME15: QA15\_J10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

VALUE:			FREQ	%
-1	INAPPLICABLE		18484	87.38
1	YES		411	1.94
2	NO		2258	10.67

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
 -----

SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH

-----  
 VARNAME: AJ176 QNAME17:  
 QNAME16: QNAME15:

LABEL: DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		19109	90.34
1	YES		1605	7.59
2	NO		439	2.08

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:  
 -----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AJ177

QNAME17:

QNAME16:

QNAME15:

LABEL: DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL

VALUE:			FREQ	%
-1	INAPPLICABLE		19592	92.62
1	YES		604	2.86
2	NO		957	4.52

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:  
-----

## **SECTION DM: DISCRIMINATION MODULE**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: DMC8

QNAME17:

QNAME16: QA15\_DM1

QNAME15: QA15\_DM1

LABEL: WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFF. RACE/ETHNICITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		3	0.01
1	YES		865	4.09
2	NO		20285	95.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: DMC9

QNAME17:

QNAME16: QA15\_DM2

QNAME15: QA15\_DM2

LABEL: HOW LONG AGO TREATED UNFAIRLY W/ MEDICAL CARE DUE TO RACE/ETH

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	20285	95.90
1	A YEAR AGO OR LESS	401	1.90
2	MORE THAN 1 UP TO 2 YEARS AGO	113	0.53
3	MORE THAN 2 UP TO 3 YEARS AGO	87	0.41
4	MORE THAN 3 UP TO 5 YEARS AGO	78	0.37
5	MORE THAN 5 UP TO 10 YEARS AGO	76	0.36
6	MORE THAN 10 UP TO 20 YEARS AGO	57	0.27
7	MORE THAN 20 YEARS AGO	53	0.25

UNIVERSE: ADULTS REPORTING GETTING BETTER MEDICAL CARE IF PART OF DIFF  
RACE/ETHNIC GROUP

INPUT VAR:

NOTES:

VARNAME: DMC3

QNAME17:

QNAME16: QA15\_DM3

QNAME15: QA15\_DM3

LABEL: HOW OFTEN TREATED UNFAIRLY WHEN GETTING MEDICAL CARE OVER LIFETIM

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
1	NEVER	15399	72.80
2	RARELY	3735	17.66
3	SOMETIMES	1636	7.73
4	OFTEN	380	1.80

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME:	DMC6B_P1	QNAME17:	
		QNAME16:	QA15_DM3
		QNAME15:	QA15_DM3
LABEL:	MAIN RSN TREATED UNFAIRLY GET MED. CARE (PUF 1 YR RECODE)		
VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	15399	72.80
1	ANCESTRY OR NATIONAL ORIGIN	212	1.00
2	GENDER OR SEX	719	3.40
3	RACE OR SKIN COLOR	862	4.08
4	AGE	676	3.20
5	WAY SPEAK ENGLISH, OTHER COMMUNICATION B	319	1.51
8	INCOME OR EDUCATION LEVEL	322	1.52
9	DISSATISFACTION WITH HEALTH CARE SYSTEM	1434	6.78
10	WEIGHT STATUS	103	0.49
11	HEALTH OR PSYCHOLOGICAL CONDITION, DISAB	224	1.06
12	INSURANCE STATUS OR TYPE	382	1.81
13	OTHER PERSONAL CHARACTERISTICS OR APPEAR	231	1.09
14	OTHER REASON	200	0.95
15	NOT SURE, DOESN'T REMEMBER, DID NOT PROV	67	0.32
UNIVERSE:	ADULTS REPORTING UNFAIR TREATMENT GETTING MEDICAL CARE OVER LIFETIME		
INPUT VAR:	DMC6B		
NOTES:			

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: DMC7

QNAME17:

QNAME16: QA15\_DM5

QNAME15: QA15\_DM5

LABEL: HOW STRESSFUL ARE UNFAIR EXPERIENCES

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
-1	INAPPLICABLE	15399	72.80
1	NOT AT ALL STRESSFUL	1094	5.17
2	A LITTLE STRESSFUL	1802	8.52
3	SOMEWHAT STRESSFUL	1595	7.54
4	EXTREMELY STRESSFUL	1260	5.96

UNIVERSE: ADULTS REPORTING UNFAIR TREATMENT GETTING MEDICAL CARE OVER  
LIFETIME

INPUT VAR:

NOTES:  
-----

## **SECTION K: EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AK1 QNAME17:

QNAME16: QA15\_G21 QNAME15: QA15\_G21

LABEL: WORK STATUS LAST WEEK

VALUE:			FREQ	%
1	WORKING AT A JOB/BUSINESS		9495	44.89
2	WITH A JOB/BUSINESS BUT NOT AT WORK		348	1.65
3	LOOKING FOR WORK		822	3.89
4	NOT WORKING JOB/BUSINESS (UNEMP)		10488	49.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AK2\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	9495	44.89
1	TAKING CARE OF HOUSE OR FAMILY	632	2.99
2	ON PLANNED VACATION	272	1.29
3	COULDN'T FIND A JOB	456	2.16
4	GOING TO SCHOOL/STUDENT	445	2.10
5	RETIRED	6928	32.75
6	PHYSICAL DISABILITY	1200	5.67
7	UNABLE TO WORK TEMPORARILY	186	0.88
8	ON LAYOFF OR STRIKE	101	0.48
10	OFF SEASON	108	0.51
11	SICK	182	0.86
91	OTHER	1148	5.43

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,  
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR: AK2

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK3\_P1V2

QNAME17:

QNAME16:

QNAME15:

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)

## MEAN STATISTICS

N	10982
MIN	1
MAX	10
MEAN	5.61

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK4

QNAME17:

QNAME16: QA15\_G25

QNAME15: QA15\_G25

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10198	48.21
1	PRIVATE COMPANY, NON-PROFIT ORG	6449	30.49
2	GOVERNMENT	2098	9.92
3	SELF-EMPLOYED	2124	10.04
4	FAMILY BUSINESS OR FARM	284	1.34

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: INDMAIN2

QNAME17:

QNAME16:

QNAME15:

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	15	0.07
-8	DK	52	0.25
-7	REFUSED	82	0.39
-1	INAPPLICABLE	10198	48.21
1	AGRICULTURE, FORESTRY, FISHING, HUNTING,	422	1.99
2	CONSTRUCTION	641	3.03
3	MANUFACTURING	701	3.31
4	WHOLESALE TRADE	231	1.09
5	RETAIL TRADE	847	4.00
6	TRANSPORTATION, WAREHOUSING, AND UTILITI	429	2.03
7	INFORMATION	254	1.20
8	FINANCE AND INSURANCE, REAL ESTATE, RENT	659	3.12
9	PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD	1568	7.41
10	EDUCATIONAL SERVICES, HEALTH CARE AND SO	2802	13.25
11	ARTS, ENTERTAINMENT, RECREATION, ACCOMMO	808	3.82
12	OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA	614	2.90
13	PUBLIC ADMINISTRATION	668	3.16
14	MILITARY	64	0.30
99	COULD NOT BE CODED	98	0.46

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND  
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND  
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID  
NOT MATCH BOTH I&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS  
NATIONAL PROCESSING CENTER . FOR MORE INFORMATION SEE: WWW.CDC.G

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:    IND\_FLAG3

QNAME17:

QNAME16:

QNAME15:

LABEL:        CENSUS INDUSTRY CODE - CODING METHOD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	149	0.70
-1	INAPPLICABLE	10198	48.21
1	MANUALLY CODED BY U.S. CENSUS BUREAU	3838	18.14
2	AUTO-CODE BY NIOCSS	6968	32.94

UNIVERSE:    ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND  
                  DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: OCCMAIN2

QNAME17:

QNAME16:

QNAME15:

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)

VALUE:		FREQ	%
-9	NOT ASCERTAINED	15	0.07
-8	DK	37	0.17
-7	REFUSED	95	0.45
-1	INAPPLICABLE	10198	48.21
1	MANAGEMENT, BUSINESS, AND FINANCIAL OCCU	1552	7.34
2	COMPUTER, ENGINEERING, AND SCIENCE OCCUP	939	4.44
3	EDUCATION, LEGAL, COMMUNITY SERVICE, ART	1704	8.06
4	HEALTHCARE PRACTITIONERS AND TECHNICAL O	601	2.84
5	SERVICE OCCUPATIONS	1750	8.27
6	SALES AND RELATED OCCUPATIONS	887	4.19
7	OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA	1218	5.76
8	FARMING, FISHING, AND FORESTRY OCCUPATIO	239	1.13
9	CONSTRUCTION AND EXTRACTION OCCUPATIONS	490	2.32
10	INSTALLATION, MAINTENANCE, AND REPAIR OC	283	1.34
11	PRODUCTION OCCUPATIONS	465	2.20
12	TRANSPORTATION AND MATERIAL MOVING OCCUP	500	2.36
13	MILITARY SPECIFIC OCCUPATIONS	30	0.14
99	COULD NOT BE CODED	150	0.71

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND  
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: OCC\_FLAG3 QNAME17:

QNAME16: QNAME15:

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

VALUE:		FREQ	%
-9	NOT ASCERTAINED	147	0.69
-1	INAPPLICABLE	10198	48.21
1	MANUALLY CODED BY U.S. CENSUS BUREAU	3837	18.14
2	AUTO-CODE BY NIOCSS	6971	32.96

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND  
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

-----

VARNAME: AK7\_P1V2 QNAME17:

QNAME16: QNAME15:

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)

MEAN STATISTICS	
N	10982
MIN	1
MAX	6
MEAN	3.76

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AKWKLNG

QNAME17:

QNAME16:

QNAME15:

LABEL: TIME AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	10171	48.08
0	<1 YEAR	1109	5.24
1	1 YEAR	1404	6.64
2	2 YEARS	999	4.72
3	3 YEARS	805	3.81
4	4 YEARS	566	2.68
5	5 YEARS	525	2.48
6	6-9 YEARS	1060	5.01
7	10-14 YEARS	1341	6.34
8	15-19 YEARS	945	4.47
9	20-29 YEARS	1139	5.38
10	30+ YEARS	1089	5.15

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT  
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:  
-----

VARNAME: AK8 QNAME17:  
QNAME16: QA15 G28 QNAME15: QA15 G28

			FREQ	%
VALUE:	-1	INAPPLICABLE	10198	48.21
	1	1 OR 2	1892	8.94
	2	3 - 9	1076	5.09
	3	10 - 24	906	4.28
	4	25 - 50	772	3.65
	5	51 - 100	553	2.61
	6	101 - 200	505	2.39
	7	201 - 999	781	3.69
	8	1,000 OR MORE	4470	21.13

NOTES: CATEGORY CHANGE IN CHIS 2011-2012

VARNAME:	AK10_P	QNAME17:	
		QNAME16:	QNAME15:

MEAN STATISTICS	
N	10982
MIN	0
MAX	30000
MEAN	5605.36

NOTES: TOPCODE=30,000



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AK22\_P1

QNAME17:

QNAME16: QA15\_K7

QNAME15:

LABEL: HH TOTAL ANN. INC BEFORE TAXES (PUF 1 YR RECODE)

VALUE:		FREQ	%
1	LESS THAN 10000	1091	5.16
2	10,000-19,999	2311	10.93
3	20,000-29,999	2140	10.12
4	30,000-39,999	1867	8.83
5	40,000-49,999	1405	6.64
6	50,000-59,999	1372	6.49
7	60,000-69,999	1270	6.00
8	70,000-79,999	1255	5.93
9	80,000-89,999	1127	5.33
10	90,000-99,999	777	3.67
11	100,000-109,999	1231	5.82
12	110,000-119,999	421	1.99
13	120,000-129,000	769	3.64
14	130,000-139,000	351	1.66
15	140,000-149,999	340	1.61
16	150,000-159,999	625	2.95
17	160,000-169,999	256	1.21
18	170,000-179,000	228	1.08
19	OVER 180,000	2317	10.95

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A\_P

QNAME17:

QNAME16:

QNAME15:

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

## MEAN STATISTICS

N	5400
MIN	0
MAX	30000
MEAN	6366.20

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK32

QNAME17:

QNAME16: QA15\_K17

QNAME15: QA15\_K17

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH

VALUE:		FREQ	%
-1	INAPPLICABLE	19076	90.18
1	YES	260	1.23
2	NO	1817	8.59

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AK33\_P1                                   QNAME17:

  QNAME16:                                   QNAME15:

LABEL:       # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (PUF 1 YR RECODE)

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	1	20893	98.77
	2	2	167	0.79
	3	3	66	0.31
			27	0.13

UNIVERSE:   ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN  
HOUSEHOLD

INPUT VAR: AK33

NOTES:       TOPCODE = 3

-----

VARNAME:   AM1                                   QNAME17:

  QNAME16:   QA15\_K25                                   QNAME15:   QA15\_K25

LABEL:       HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	2	0.01
	1	OFTEN TRUE	14795	69.94
	2	SOMETIMES TRUE	657	3.11
	3	NEVER TRUE	1852	8.76
			3847	18.19

UNIVERSE:   ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:       PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

-----

VARNAME:	AM2	QNAME17:		
		QNAME16:	QA15_K26	
		QNAME15:	QA15_K26	
LABEL:	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS			
VALUE:			FREQ	%
	-2	PROXY SKIPPED	2	0.01
	-1	INAPPLICABLE	14795	69.94
	1	OFTEN TRUE	782	3.70
	2	SOMETIMES TRUE	1776	8.40
	3	NEVER TRUE	3798	17.95
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	AM3	QNAME17:		
		QNAME16:	QA15_K27	
		QNAME15:	QA15_K27	
LABEL:	ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY			
VALUE:			FREQ	%
	-1	INAPPLICABLE	14795	69.94
	1	YES	1533	7.25
	2	NO	4825	22.81
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	AM3A	QNAME17:		
		QNAME16:	QA15_K28	
		QNAME15:	QA15_K28	
LABEL:	HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY			
VALUE:			FREQ	%
	-1	INAPPLICABLE	19620	92.75
	1	ALMOST EVERY MONTH	600	2.84
	2	SOME MONTHS BUT NOT EVERY MONTH	554	2.62
	3	ONLY IN 1 OR 2 MONTHS	379	1.79
UNIVERSE:	ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS AND SKIPPED MEALS IN PAST 12 MOS			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	AM4	QNAME17:		
		QNAME16:	QA15_K29	
		QNAME15:	QA15_K29	
LABEL:	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS			
VALUE:			FREQ	%
	-2	PROXY SKIPPED	2	0.01
	-1	INAPPLICABLE	14795	69.94
	1	YES	1611	7.62
	2	NO	4745	22.43
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	AM5	QNAME17:		
		QNAME16:	QA15_K30	QNAME15: QA15_K30
LABEL:	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS			
VALUE:	-2	PROXY SKIPPED	FREQ	%
	-1	INAPPLICABLE	2	0.01
	1	YES	14795	69.94
	2	NO	1141	5.39
			5215	24.65
UNIVERSE:	ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL			
INPUT VAR:				
NOTES:	PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003			

VARNAME:	FSLEV	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	FOOD SECURITY STATUS LEVEL			
VALUE:	-1	INAPPLICABLE - >=200% FPL	FREQ	%
	1	FOOD SECURITY	14927	70.57
	2	FOOD INSECURITY W/O HUNGER	3643	17.22
	3	FOOD INSECURITY W/ HUNGER	1783	8.43
			800	3.78
UNIVERSE:	ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)			
INPUT VAR:	POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY			
NOTES:	PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.			

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    FSLEVCB                QNAME17:

                                QNAME16:                QNAME15:

LABEL:      FOOD SECURITY STATUS (2 LVLS)

VALUE:      -1          INAPPLICABLE - >=200% FPL          FREQ          %
              1          FOOD SECURITY                      14927        70.57
              2          FOOD INSECURITY WITH/ WITHOUT HUNGER 3643        17.22
              2          FOOD INSECURITY WITH/ WITHOUT HUNGER 2583        12.21

UNIVERSE:   ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES:      PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.
-----

```

```

-----
VARNAME:    FPG                    QNAME17:

                                QNAME16:                QNAME15:

LABEL:      FEDERAL POVERTY GUIDELINE

VALUE:      1          FPG 0 TO 138          FREQ          %
              2          FPG 139 TO 200      4523        21.38
              3          FPG 201 TO 400      2243        10.60
              4          FPG 400+            4941        23.36
              4          FPG 400+            9446        44.66

UNIVERSE:   ALL ADULTS

INPUT VAR:  POVGWD

NOTES:
-----

```

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL\_ACA

QNAME17:

QNAME16:

QNAME15:

LABEL: FAMILY POVERTY THRESHOLD LEVEL: ACA MAGI ELIGIBILITY (4 LVLS)

VALUE:			FREQ	%
1	0-138% FPL		4485	21.20
2	139%-249% FPL		3550	16.78
3	250%-399% FPL		3331	15.75
4	400%+ FPL		9787	46.27

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES:

VARNAME: POVGWD\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)

MEAN STATISTICS	
N	21153
MIN	0
MAX	5
MEAN	3.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL2\_P1V2

QNAME17:

QNAME16:

QNAME15:

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)

## MEAN STATISTICS

N	21153
MIN	0
MAX	5
MEAN	3.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL

QNAME17:

QNAME16:

QNAME15:

LABEL: POVERTY LEVEL

VALUE:		FREQ	%
1	0-99% FPL	2771	13.10
2	100-199% FPL	3457	16.34
3	200-299% FPL	2831	13.38
4	300% FPL AND ABOVE	12094	57.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: ELGMAGI3

QNAME17:

QNAME16:

QNAME15:

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

VALUE:			FREQ	%
-5	INSURED		12010	56.78
-1	INAPPLICABLE-AGES>=65		7940	37.54
1	MEDI-CAL (MEDICAID) ELIG.		235	1.11
3	NOT ELIG.		968	4.58

UNIVERSE: UNINSURED ADULTS

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON  
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION  
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELDER\_IDX

QNAME17:

QNAME16:

QNAME15:

LABEL: ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		13405	63.37
1	YES		1898	8.97
2	NO		5850	27.66

UNIVERSE: ADULTS 65 OR OVER LIVING ALONE OR W/ SPOUSE OR PARTNER

INPUT VAR:

NOTES: OFFICIAL INDEX ASSESSES INCOME INADEQUACY FOR SINGLES/COUPLES  
LIVING ALONE ONLY. CURRENT CHIS MEASURE MAY INCLUDE ELDERLY  
SINGLES/COUPLES LIVING WITH OTHERS IN A HOUSEHOLD. FOR MORE  
INFORMATION PLEASE SEE: <http://healthpolicy.ucla.edu/programs/health-disp>

## **SECTION L: PUBLIC PROGRAM PARTICIPATION**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AL2 QNAME17:

QNAME16: QA15\_L1 QNAME15: QA15\_L1

LABEL: RECEIVING TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		12083	57.12
1	YES		470	2.22
2	NO		8600	40.66

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

-----

VARNAME: AL5 QNAME17:

QNAME16: QA15\_L3 QNAME15: QA15\_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		12083	57.12
1	YES		1327	6.27
2	NO		7743	36.60

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AL6 QNAME17:

QNAME16: QA15\_L5 QNAME15: QA15\_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		12083	57.12
1	YES		1355	6.41
2	NO		7715	36.47

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

-----

VARNAME: AL22 QNAME17:

QNAME16: QA15\_G24 QNAME15: QA15\_G24

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:			FREQ	%
-1	INAPPLICABLE		17761	83.96
1	YES		994	4.70
2	NO		2398	11.34

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME:   AL32                                   QNAME17:

  QNAME16:   QA15\_L18                   QNAME15:   QA15\_L18

LABEL:       RECD ANY WORKERS COMPENSATION LAST MO

VALUE:			FREQ	%
-1	INAPPLICABLE		12083	57.12
1	YES		95	0.45
2	NO		8975	42.43

UNIVERSE:   ADULTS WITH ANNUAL HOUSEHOLD INCOME <=300% FPL AND MEDI-CAL OR  
UNINSURED

INPUT VAR:

NOTES:

-----

VARNAME:   AL18A                               QNAME17:

  QNAME16:   QA15\_L16                   QNAME15:   QA15\_L16

LABEL:       RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		17199	81.31
1	YES		3071	14.52
2	NO		883	4.17

UNIVERSE:   (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER  
OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL  
ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL40\_P1

QNAME17:

QNAME16:

QNAME15:

LABEL: LENGTH OF TIME HAD MEDI-CAL (PUF RECODE)

## MEAN STATISTICS

N	4729
MIN	1
MAX	11
MEAN	6.39

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL41

QNAME17:

QNAME16:

QNAME15:

LABEL: HAD MEDI-CAL COVERAGE RENEWED AUTOMATICALLY IN PAST YEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	17951	84.86
1	YES	1884	8.91
2	NO	1231	5.82
3	DID NOT RENEW	87	0.41

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL FOR MORE THAN 1 YEAR

INPUT VAR:

NOTES:

VARNAME:	AL44	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	EVER HAD PROBLEMS RENEWING MEDI-CAL			
VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	19922	94.18
	2	NO	139	0.66
			1092	5.16
UNIVERSE:	ADULTS WITH MEDI-CAL > 1 YEAR (CURRENT/IN THE PAST) WHOSE COVERAGE WASN'T AUTOMATICALLY RENEWED			
INPUT VAR:				
NOTES:				

VARNAME:	AL45	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	EVER LOST COVERAGE FOR 1-2 MOS, COMPLETELY, OR HAD TO REAPPLY			
VALUE:			FREQ	%
	-1	INAPPLICABLE	19922	94.18
	1	LOST COVERAGE FOR 1-2 MONTHS	150	0.71
	2	LOST COVERAGE	75	0.35
	3	HAD TO REAPPLY	224	1.06
	4	NONE OF THE ABOVE	782	3.70
UNIVERSE:	ADULTS WITH MEDI-CAL > 1 YEAR (CURRENT/IN THE PAST) WHOSE COVERAGE WASN'T AUTOMATICALLY RENEWED			
INPUT VAR:				
NOTES:				



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AL46

QNAME17:

QNAME16:

QNAME15:

LABEL: HEALTH COVERAGE BEFORE MEDI-CAL COVERAGE

VALUE:		FREQ	%
-1	INAPPLICABLE	19922	94.18
1	UNINSURED	530	2.51
2	EMPLOYER-BASED	229	1.08
3	PRIVATE	71	0.34
4	COVERED CALIFORNIA	53	0.25
5	OTHER	348	1.65

UNIVERSE: ADULTS WITH MEDI-CAL > 1 YEAR (CURRENT/IN THE PAST) WHOSE COVERAGE  
WASN'T AUTOMATICALLY RENEWED

INPUT VAR:

NOTES:

VARNAME: AL49

QNAME17:

QNAME16:

QNAME15:

LABEL: EVER RECEIVED BENEFITS FROM SPECIAL SUPPLEMENTAL NUTRITION PROGRA

VALUE:		FREQ	%
-1	INAPPLICABLE	19240	90.96
1	YES	222	1.05
2	NO	1691	7.99

UNIVERSE: CURRENTLY PREGNANT WOMEN OR ADULTS IN HOUSEHOLDS <=300% FPL WITH  
FEMALES <= 45 YEARS/CHILDREN <= 10 YEARS (AND PREVIOUSLY DIDN'T  
REPORT BEING ON WIC)

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: AL50

QNAME17:

QNAME16:

QNAME15:

LABEL: EVER RECEIVED WIC BENEFITS IN PAST 5 YEARS

VALUE:			FREQ	%
-1	INAPPLICABLE		19462	92.01
1	YES		342	1.62
2	NO		1349	6.38

UNIVERSE: CURRENTLY PREGNANT WOMEN OR ADULTS IN HOUSEHOLDS <=300% FPL WITH  
FEMALES <= 45 YEARS/CHILDREN <= 10 YEARS AND DID NOT RECEIVE WIC  
BENEFITS IN PAST 12 MONTHS

INPUT VAR:

NOTES:  
-----

## **SECTION M: HOUSING & COMMUNITY INVOLVEMENT**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AM37

QNAME17:

QNAME16:

QNAME15:

LABEL: CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN

		FREQ	%
VALUE:	-1 INAPPLICABLE	15066	71.22
	1 YES	2519	11.91
	2 NO	3568	16.87

UNIVERSE: ALL ADULTS WHO ARE &gt;= 65 AND OWN HOME

INPUT VAR:

NOTES: RECLAIMED FROM CHIS 2014  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: AK23

QNAME17:

QNAME16: QA15\_M1

QNAME15: QA15\_M1

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:			FREQ	%
1	HOUSE		15003	70.93
2	DUPLEX		972	4.60
3	BUILDING WITH 3 OR MORE UNITS		4057	19.18
4	MOBILE HOME		1121	5.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: TIMEAD\_P1V2

QNAME17:

QNAME16:

QNAME15:

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (MONTHS) (PUF RECODE)

VALUE:		FREQ	%
1	1 MONTH OR LESS	259	1.22
2	2 MONTHS	187	0.88
3	3 MONTHS	200	0.95
4	4 MONTHS	176	0.83
5	5 MONTHS	136	0.64
6	6 MONTHS	292	1.38
7	7 MONTHS	97	0.46
8	8 MONTHS	125	0.59
9	9 MONTHS	88	0.42
10	10 MONTHS	95	0.45
11	11 MONTHS	47	0.22
12	12 MONTHS	850	4.02
13	13 - 60 MONTHS	4829	22.83
14	61 - 120 MONTHS	3306	15.63
15	121 - 180 MONTHS	2324	10.99
16	181 - 240 MONTHS	2573	12.16
17	241 - 300 MONTHS	1349	6.38
18	301 - 360 MONTHS	1312	6.20
19	361 - 420 MONTHS	713	3.37
20	421 - 480 MONTHS	828	3.91
21	481 - 540 MONTHS	477	2.25
22	541 - 600 MONTHS	476	2.25
23	> 600 MONTHS	414	1.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----

VARNAME: AK25 QNAME17:

QNAME16: QA15\_M2 QNAME15: QA15\_M2

LABEL: OWN OR RENT HOME

VALUE:		FREQ	%
-9	NOT ASCERTAINED	76	0.36
-8	DON'T KNOW	59	0.28
-7	REFUSED	99	0.47
1	OWN	13212	62.46
2	RENT	7010	33.14
3	OTHER ARRANGEMENT	697	3.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

-----

VARNAME: AM19 QNAME17:

QNAME16: QA15\_M6 QNAME15: QA15\_M6

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

VALUE:		FREQ	%
-2	PROXY SKIPPED	3	0.01
1	STRONGLY AGREE	5857	27.69
2	AGREE	12523	59.20
3	DISAGREE	2176	10.29
4	STRONGLY DISAGREE	594	2.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

-----

```
VARNAME:    AM20                                QNAME17:
QNAME16:    QA15_M7                            QNAME15:    QA15_M7
```

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	1	STRONGLY AGREE	461	2.18
	2	AGREE	2278	10.77
	3	DISAGREE	12810	60.56
	4	STRONGLY DISAGREE	5601	26.48

INPUT VAR:

NOTES:

VARNAME: AM21 QNAME17:

QNAME16: QA15\_M8 QNAME15: QA15\_M8

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	1	STRONGLY AGREE	4756	22.48
	2	AGREE	13268	62.72
	3	DISAGREE	2428	11.48
	4	STRONGLY DISAGREE	698	3.30

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION



VARNAME: AM35 QNAME17:

QNAME16: QA15\_M9 QNAME15: QA15\_M9

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	1	STRONGLY AGREE	5226	24.71
	2	AGREE	12450	58.86
	3	DISAGREE	1972	9.32
	4	STRONGLY DISAGREE	468	2.21
	5	NOT APPLICABLE	1034	4.89

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AK28 QNAME17:

QNAME16: QA15 M10 QNAME15: QA15 M10

			FREQ	%
VALUE:	-2	PROXY SKIPPED	3	0.01
	1	ALL OF THE TIME	11617	54.92
	2	MOST OF THE TIME	7793	36.84
	3	SOME OF THE TIME	1414	6.68
	4	NONE OF THE TIME	326	1.54

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: AM36 QNAME17:  
QNAME16: QA15\_M11 QNAME15: QA15\_M11

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES PAST YR

VALUE:			FREQ	%
1	YES		9329	44.10
2	NO		11824	55.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM38\_P1 QNAME17:  
QNAME16: QNAME15:

LABEL: MAIN REASON FOR LAST MOVE (PUF 1 YR RECODE)

VALUE:		FREQ	%
-1	INAPPLICABLE	14635	69.19
1	CHANGE IN MARITAL/RELATIONSHIP STATUS	469	2.22
2	TO ESTABLISH OWN HOUSEHOLD	748	3.54
3	FOR CHILD'S EDUCATION/TO ATTEND OR LEAVE	319	1.51
5	WORK RELATED	730	3.45
6	COULDN'T AFFORD MORTGAGE/RENT	673	3.18
7	OTHER HOUSING RELATED	1561	7.38
8	BETTER NEIGHBORHOOD/LESS CRIME	793	3.75
9	CLOSER TO FAMILY OR FAMILY-RELATED REASO	308	1.46
10	CHANGES IN RENTING/LEASE	206	0.97
11	HEALTH OR MEDICAL REASONS	41	0.19
91	OTHER	670	3.17

UNIVERSE: ALL ADULTS WHO HAVE LIVED AT CURRENT ADDRESS FOR LESS THAN 5 YEARS

INPUT VAR: AM38

NOTES:

**SECTION N: DEMOGRAPHIC INFO. PART III,  
GEOGRAPHIC INFO.**

## VARNAME: AM34 QNAME17:

LABEL: TELEPHONE CALLS RECEIVED

			FREQ	%
VALUE:	-8	DON'T KNOW	62	0.29
	-7	REFUSED	35	0.17
	-1	INAPPLICABLE	9681	45.77
	1	ALL OR ALMOST ALL CALLS ON CELL PHONES	4155	19.64
	2	SOME CALLS ON CELL, SOME REGULAR PHONES	4334	20.49
	3	VERY FEW OR NO CALLS ON CELL PHONES	2886	13.64

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

VARNAME: UR\_CLRT2 QNAME17:

QNAME16: QNAME15:

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

			FREQ	%
VALUE:	1	URBAN	17119	80.93
	2	RURAL	4034	19.07

UNIVERSE: ALL ADULTS

INPUT VAR: UR\_CLRT

NOTES:

VARNAME:	UR_IHS	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	RURAL AND URBAN - IHS			
VALUE:		FREQ	%	
	1	URBAN	12211	57.73
	2	RURAL	8942	42.27
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRCNTY BESTZIP			
NOTES:				

VARNAME:	UR_OMB	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	RURAL AND URBAN - OMB			
VALUE:	1	METROPOLITAN	FREQ	%
	2	NON-METROPOLITAN	19482	92.10
			1671	7.90
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRCNTY			
NOTES:				

VARNAME:	UR_RHP	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	RURAL AND URBAN - RHP			
			FREQ	%
VALUE:	1	URBAN	17808	84.19
	2	RURAL	3345	15.81
UNIVERSE:	ALL ADULTS			
INPUT VAR:	SRCNTY CBLK			
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

VARNAME: UR\_BG6

QNAME17:

QNAME16:

QNAME15:

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (6 LVLS)

VALUE:			FREQ	%
1	URBAN		7276	34.40
2	2ND CITY		1804	8.53
3	MIXED		3707	17.52
4	SUBURBAN		3604	17.04
5	TOWN		2629	12.43
6	RURAL		2133	10.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR\_CLRT6

QNAME17:

QNAME16:

QNAME15:

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS)

VALUE:			FREQ	%
1	URBAN		8156	38.56
2	2ND CITY		1912	9.04
3	MIXED		3817	18.04
4	SUBURBAN		3234	15.29
5	TOWN		2303	10.89
6	RURAL		1731	8.18

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: SIMILAR TO UR\_CLRT4; 'SUBURBAN' AND '2ND CITY' CATEGORIES FROM PREVIOUS 4-LEVEL VARIABLE NOW REDISTRIBUTED INTO 'SUBURBAN', '2ND CITY', AND 'MIXED'.

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: UR\_TRACT6

QNAME17:

QNAME16:

QNAME15:

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS)

VALUE:			FREQ	%
1	URBAN		7524	35.57
2	2ND CITY		1782	8.42
3	MIXED		3492	16.51
4	SUBURBAN		3547	16.77
5	TOWN		2719	12.85
6	RURAL		2089	9.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

## **SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80**



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY-----  
VARNAME: RAKEDWO

QNAME17:

QNAME16:

QNAME15:

LABEL: CHIS2017 RAKED WEIGHT - FULL SAMPLE

VALUE:			FREQ	%
.	0 - HIGH		21153	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:  
-----

VARNAME:	RAKEDW1	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 1		
VALUE:	.	0 - HIGH	FREQ 21153
			% 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW2	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 2			
VALUE:	.	0 - HIGH	FREQ	%
			21153	100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW3	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 3		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW4	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 4		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW5	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 5			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW6	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 6		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW7	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 7		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW8	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 8		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW9	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 9			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW10                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 10  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW11                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 11  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW12                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 12  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW13	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 13			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW14	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 14			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW15	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 15			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW16	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 16			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW17	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 17			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW18	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 18		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW19	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 19			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW20	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 20			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW21	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 21			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				



VARNAME:	RAKEDW22	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 22			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW23	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 23			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW24	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 24			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:    RAKEDW25                      QNAME17:  
  
   QNAME16:                      QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 25  
  
VALUE:       .                      0 - HIGH                      FREQ                      %  
   21153                      100.00  
  
UNIVERSE:    ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:    RAKEDW26                      QNAME17:  
  
   QNAME16:                      QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 26  
  
VALUE:       .                      0 - HIGH                      FREQ                      %  
   21153                      100.00  
  
UNIVERSE:    ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:    RAKEDW27                      QNAME17:  
  
   QNAME16:                      QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 27  
  
VALUE:       .                      0 - HIGH                      FREQ                      %  
   21153                      100.00  
  
UNIVERSE:    ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW28	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 28			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW29	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 29			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW30	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 30		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW31                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 31  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW32                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 32  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW33                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 33  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW34	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 34		
VALUE:	.	0 - HIGH	FREQ 21153
			% 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW35	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 35			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW36		QNAME17:	
			QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 36			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW37                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 37  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW38                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 38  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW39                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 39  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW40	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 40		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW41	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 41		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW42	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 42		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW43	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 43		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW44	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 44		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW45	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 45		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			



VARNAME:	RAKEDW46	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 46		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW47	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 47		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW48	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 48		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW49	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 49		
VALUE:	.	0 - HIGH	
			FREQ
			21153
			%
			100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW50	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 50			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW51	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 51		
VALUE:	.	0 - HIGH	
			FREQ
			21153
			%
			100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW52	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 52		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW53	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 53		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW54		QNAME17:	
			QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 54			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW55	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 55		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW56	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 56		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW57		QNAME17:	
			QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 57			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW58	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 58			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW59	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 59			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW60	QNAME17:		
		QNAME16:		QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 60			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW61                   QNAME17:  
  
  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 61  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW62                   QNAME17:  
  
  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 62  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW63                   QNAME17:  
  
  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 63  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW64	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 64		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW65	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 65		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW66	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 66		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW67	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 67			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW68	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 68		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW69	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 69		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			



2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW70                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 70  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW71                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 71  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW72                           QNAME17:  
  
  QNAME16:                           QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 72  
  
VALUE:       .                           0 - HIGH                           FREQ        %  
  21153       100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW73	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 73		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

VARNAME:	RAKEDW74	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 74			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW75	QNAME17:	
		QNAME16:	QNAME15:
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 75		
VALUE:	.	0 - HIGH	
			FREQ %
			21153 100.00
UNIVERSE:	ALL ADULTS		
INPUT VAR:			
NOTES:			

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME:   RAKEDW76                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 76  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153      100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW77                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 77  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153      100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:   RAKEDW78                   QNAME17:  
  
                                  QNAME16:                   QNAME15:  
  
LABEL:       CHIS2017 RAKED WEIGHT - REPLICATE 78  
  
VALUE:       .                   0 - HIGH                   FREQ        %  
  21153      100.00  
  
UNIVERSE:   ALL ADULTS  
  
INPUT VAR:  
  
NOTES:  
-----

VARNAME:	RAKEDW79	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 79			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

VARNAME:	RAKEDW80	QNAME17:		
		QNAME16:	QNAME15:	
LABEL:	CHIS2017 RAKED WEIGHT - REPLICATE 80			
VALUE:	.	0 - HIGH	FREQ 21153	% 100.00
UNIVERSE:	ALL ADULTS			
INPUT VAR:				
NOTES:				

## **SECTION P: VOTER ENGAGEMENT**

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:  VOTE_REG              QNAME17:

                                QNAME16:              QNAME15:

LABEL:    CURRENTLY REGISTERED TO VOTE

VALUE:    1          YES                                FREQ      %
          2          NO/NOT SURE                        17748     83.90
          3          NOT ELIGIBLE                       1579      7.46
                                           1826      8.63

UNIVERSE:  ALL ADULTS

INPUT VAR: AP70 AP71

NOTES:    EXCLUDES AP70=1 AND EXCLUDES AP71=6
-----
```

```
VARNAME:  VOTE_RSNNOT          QNAME17:

                                QNAME16:              QNAME15:

LABEL:    MAIN REASON NOT REGISTERED TO VOTE

VALUE:    -1          INAPPLICABLE                      FREQ      %
          1          TOO BUSY                           17748     83.90
          2          DOESN'T MAKE A DIFFERENCE           265       1.25
          3          DON'T KNOW HOW/WHERE TO REGISTER    209       0.99
          4          DON'T KNOW ENOUGH ABOUT CANDIDATES/ISSUE 77       0.36
          5          DON'T LIKE CANDIDATES/DON'T LIKE POLITIC 92       0.43
          6          NOT INTERESTED OR MOTIVATED TO VOTE 304       1.44
          7          NOT ELIGIBLE                       283       1.34
          8          OTHER                               1826      8.63
                                           349       1.65

UNIVERSE:  ADULTS WHO ARE US CITIZENS AND NOT REGISTERED/NOT ELIGIBLE TO VOTE

INPUT VAR: AP70 AP71

NOTES:    INCLUDES INELIGIBLES FROM AP70
-----
```

2017 CALIFORNIA HEALTH INTERVIEW SURVEY  
ADULT SURVEY DATA DICTIONARY

-----  
VARNAME: VOTE\_PRES16

QNAME17:

QNAME16:

QNAME15:

LABEL: VOTED IN 2016 PRESIDENTIAL ELECTION

VALUE:			FREQ	%
1	YES		16246	76.80
2	NO		2862	13.53
3	NOT ELIGIBLE		2045	9.67

UNIVERSE: ALL ADULTS

INPUT VAR: AP72 AGE AADATE

NOTES:

-----

VARNAME: VOTE\_ENG1

QNAME17:

QNAME16:

QNAME15:

LABEL: VOTER ENGAGEMENT

VALUE:			FREQ	%
-1	INAPPLICABLE		1823	8.62
1	ALWAYS ENGAGED		9817	46.41
2	FREQUENTLY ENGAGED		3013	14.24
3	SOMETIMES ENGAGED		4932	23.32
4	NEVER ENGAGED		1568	7.41

UNIVERSE: ADULTS CURRENTLY REGISTERED TO VOTE

INPUT VAR: AP73 AP74 AP75

NOTES: